



IHACPA

The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM)

Chronicle

First Edition to Twelfth Edition

Part 3: Morphology codes

The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM) — Chronicle Part 3: Morphology codes – First Edition to Twelfth Edition

© Independent Health and Aged Care Pricing Authority 2022

This publication is available for your use under a Creative Commons BY Attribution 3.0 Australia licence, with the exception of the Independent Health and Aged Care Pricing Authority logo, photographs, images, signatures and where otherwise stated. The full licence terms are available from the Creative Commons website.



Use of Independent Health and Aged Care Pricing Authority material under a Creative Commons BY Attribution 3.0 Australia licence requires you to attribute the work (but not in any way that suggests that the Independent Health and Aged Care Pricing Authority endorses you or your use of the work).

Independent Health and Aged Care Pricing Authority material used 'as supplied'.

Provided you have not modified or transformed Independent Health and Aged Care Pricing Authority material in any way including, for example, by changing Independent Health and Aged Care Pricing Authority text – then the Independent Health and Aged Care Pricing Authority prefers the following attribution:

Source: The Independent Health and Aged Care Pricing Authority

The International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification (ICD-10-AM)

Chronicle Part 3: Morphology codes First Edition to Twelfth Edition

Historical listing of ICD-10-AM Appendix A: Morphology codes

CODE	DESCRIPTOR
Appendix A	Morphology of neoplasms
M800	Neoplasms, NOS
M8000/0	Neoplasm, benign
M8000/1	Neoplasm, uncertain whether benign or malignant
M8000/2	Neoplasm, in situ
M8000/3	Neoplasm, malignant
M8000/6	Neoplasm, metastatic
M8000/9	Neoplasm, malignant, uncertain whether primary or metastatic
M8001/0	Tumour cells, benign
M8001/1	Tumour cells, uncertain whether benign or malignant
M8001/2	Tumour cells, in situ
M8001/3	Tumour cells, malignant
M8001/6	Tumour cells, metastatic
M8001/9	Tumour cells, uncertain whether primary or metastatic
M8002/1	Tumour, small cell type, uncertain whether benign or malignant
M8002/2	Tumour, small cell type, in situ
M8002/3	Malignant tumour, small cell type
M8002/6	Malignant tumour, small cell type, metastatic
M8002/9	Malignant tumour, small cell type, uncertain whether primary or metastatic
M8003/0	Tumour, giant cell type, benign
M8003/1	Tumour, giant cell type, uncertain whether benign or malignant
M8003/2	Tumour, giant cell type, in situ
M8003/3	Malignant tumour, giant cell type
M8003/6	Malignant tumour, giant cell type, metastatic
M8003/9	Malignant tumour, giant cell type, uncertain whether primary or metastatic
M8004/0	Tumour, spindle cell type, benign
M8004/1	Tumour, spindle cell type, uncertain whether benign or malignant
M8004/2	Malignant tumour, spindle cell type, in situ

M8004/3	Malignant tumour, spindle cell type
M8004/6	Malignant tumour, spindle cell type, metastatic
M8004/9	Malignant tumour, spindle cell type, uncertain whether primary or metastatic
M8005/0	Clear cell tumour NOS
M8005/1	Tumour, clear cell type, uncertain whether benign or malignant
M8005/2	Tumour, clear cell type, in situ
M8005/3	Malignant tumour, clear cell type
M8005/6	Malignant tumour, clear cell type, metastatic
M8005/9	Malignant tumour, clear cell type, uncertain whether primary or metastatic
M801–M804	Epithelial neoplasms, NOS
M8010/0	Epithelial tumour, benign
M8010/1	Epithelial tumour, uncertain whether benign or malignant
M8010/2	Carcinoma in situ NOS
M8010/3	Carcinoma NOS
M8010/6	Carcinoma, metastatic NOS
M8010/9	Carcinomatosis
M8011/0	Epithelioma, benign
M8011/1	Epithelioma, uncertain whether benign or malignant
M8011/2	Epithelioma, in situ
M8011/3	Epithelioma, malignant
M8011/6	Epithelioma, metastatic
M8011/9	Epithelioma, malignant, uncertain whether primary or metastatic
M8012/2	Large cell carcinoma, in situ
M8012/3	Large cell carcinoma NOS
M8012/6	Large cell carcinoma NOS, metastatic
M8012/9	Large cell carcinoma NOS, uncertain whether primary or metastatic
M8013/2	Large cell neuroendocrine carcinoma, in situ
M8013/3	Large cell neuroendocrine carcinoma
M8013/6	Large cell neuroendocrine carcinoma, metastatic
M8013/9	Large cell neuroendocrine carcinoma, uncertain whether primary or metastatic
M8014/2	Large cell carcinoma with rhabdoid phenotype, in situ
M8014/3	Large cell carcinoma with rhabdoid phenotype
M8014/6	Large cell carcinoma with rhabdoid phenotype, metastatic
M8014/9	Large cell carcinoma with rhabdoid phenotype, uncertain whether primary or metastatic
M8015/2	Glassy cell carcinoma, in situ
M8015/3	Glassy cell carcinoma
M8015/6	Glassy cell carcinoma, metastatic
M8015/9	Glassy cell carcinoma, uncertain whether primary or metastatic
M8020/1	Tumour, undifferentiated NOS, uncertain whether benign or malignant
M8020/2	Carcinoma, undifferentiated, in situ
M8020/3	Carcinoma, undifferentiated NOS
M8020/6	Carcinoma, undifferentiated NOS, metastatic
M8020/9	Carcinoma, undifferentiated NOS, uncertain whether primary or metastatic
M8021/2	Carcinoma, anaplastic NOS, in situ
M8021/3	Carcinoma, anaplastic NOS
M8021/6	Carcinoma, anaplastic NOS, metastatic
M8021/9	Carcinoma, anaplastic NOS, uncertain whether primary or metastatic

M8022/2	Pleomorphic carcinoma, in situ
M8022/3	Pleomorphic carcinoma
M8022/6	Pleomorphic carcinoma, metastatic
M8022/9	Pleomorphic carcinoma, uncertain whether primary or metastatic
M8023/3	Nuclear protein in testis [NUT] associated carcinoma
M8023/6	Nuclear protein in testis [NUT] associated carcinoma, metastatic
M8023/9	Nuclear protein in testis [NUT] associated carcinoma, uncertain whether primary or metastatic
M8030/2	Giant cell and spindle cell carcinoma, in situ
M8030/3	Giant cell and spindle cell carcinoma
M8030/6	Giant cell and spindle cell carcinoma, metastatic
M8030/9	Giant cell and spindle cell carcinoma, uncertain whether primary or metastatic
M8031/2	Giant cell carcinoma, in situ
M8031/3	Giant cell carcinoma
M8031/6	Giant cell carcinoma, metastatic
M8031/9	Giant cell carcinoma, uncertain whether primary or metastatic
M8032/0	Spindle cell tumour, benign
M8032/1	Spindle cell tumour NOS, uncertain whether benign or malignant
M8032/2	Spindle cell carcinoma, in situ
M8032/3	Spindle cell carcinoma NOS
M8032/6	Spindle cell carcinoma NOS, metastatic
M8032/9	Spindle cell carcinoma NOS, uncertain whether primary or metastatic
M8033/1	Pseudosarcomatous tumour, uncertain whether benign or malignant
M8033/2	Pseudosarcomatous carcinoma, in situ
M8033/3	Pseudosarcomatous carcinoma
M8033/6	Pseudosarcomatous carcinoma, metastatic
M8033/9	Pseudosarcomatous carcinoma, uncertain whether primary or metastatic
M8034/1	Polygonal cell tumour, uncertain whether benign or malignant
M8034/2	Polygonal cell carcinoma, in situ
M8034/3	Polygonal cell carcinoma
M8034/6	Polygonal cell carcinoma, metastatic
M8034/9	Polygonal cell carcinoma, uncertain whether primary or metastatic
M8035/2	Carcinoma with osteoclast-like giant cells, in situ
M8035/3	Carcinoma with osteoclast-like giant cells
M8035/6	Carcinoma with osteoclast-like giant cells, metastatic
M8035/9	Carcinoma with osteoclast-like giant cells, uncertain whether primary or metastatic
M8040/0	Tumourlet, benign
M8040/1	Tumourlet NOS
M8040/3	Tumourlet, malignant
M8040/6	Tumourlet, metastatic
M8040/9	Tumourlet, uncertain whether primary or metastatic
M8041/2	Small cell carcinoma NOS, in situ
M8041/3	Small cell carcinoma NOS
M8041/6	Small cell carcinoma NOS, metastatic
M8041/9	Small cell carcinoma NOS, uncertain whether primary or metastatic
M8042/2	Oat cell carcinoma, in situ
M8042/3	Oat cell carcinoma
M8042/6	Oat cell carcinoma, metastatic

M8042/9	Oat cell carcinoma, uncertain whether primary or metastatic
M8043/2	Small cell carcinoma, fusiform cell, in situ
M8043/3	Small cell carcinoma, fusiform cell
M8043/6	Small cell carcinoma, fusiform cell, metastatic
M8043/9	Small cell carcinoma, fusiform cell, uncertain whether primary or metastatic
M8044/2	Small cell carcinoma, intermediate cell, in situ
M8044/3	Small cell carcinoma, intermediate cell
M8044/6	Small cell carcinoma, intermediate cell, metastatic
M8044/9	Small cell carcinoma, intermediate cell, uncertain whether primary or metastatic
M8045/2	Combined small cell carcinoma, in situ
M8045/3	Combined small cell carcinoma
M8045/6	Combined small cell carcinoma, metastatic
M8045/9	Combined small cell carcinoma, uncertain whether primary or metastatic
M8046/2	Non-small cell carcinoma, in situ
M8046/3	Non-small cell carcinoma
M8046/6	Non-small cell carcinoma, metastatic
M8046/9	Non-small cell carcinoma, uncertain whether primary or metastatic
M805–M808	Squamous cell neoplasms
M8050/0	Papilloma NOS
M8050/1	Papilloma, uncertain whether benign or malignant
M8050/2	Papillary carcinoma in situ
M8050/3	Papillary carcinoma NOS
M8050/6	Papillary carcinoma, metastatic
M8050/9	Papillary carcinoma NOS, uncertain whether primary or metastatic
M8051/0	Verrucous papilloma
M8051/1	Verrucous papilloma, uncertain whether benign or malignant
M8051/2	Verrucous carcinoma NOS, in situ
M8051/3	Verrucous carcinoma NOS
M8051/6	Verrucous carcinoma NOS, metastatic
M8051/9	Verrucous carcinoma NOS, uncertain whether primary or metastatic
M8052/0	Squamous cell papilloma NOS
M8052/1	Squamous cell papilloma, uncertain whether benign or malignant
M8052/2	Papillary squamous cell carcinoma, noninvasive
M8052/3	Papillary squamous cell carcinoma
M8052/6	Papillary squamous cell carcinoma, metastatic
M8052/9	Papillary squamous cell carcinoma, uncertain whether primary or metastatic
M8053/0	Squamous cell papilloma, inverted
M8053/1	Squamous cell papilloma, inverted, uncertain whether benign or malignant
M8053/3	Squamous cell papilloma, inverted, malignant
M8053/6	Squamous cell papilloma, inverted, metastatic
M8053/9	Squamous cell papilloma, inverted, uncertain whether primary or metastatic
M8054/0	Warty dyskeratoma
M8054/3	Warty carcinoma
M8054/6	Warty carcinoma, metastatic
M8054/9	Warty carcinoma, uncertain whether primary or metastatic
M8060/0	Squamous papillomatosis
M8060/1	Squamous papillomatosis, uncertain whether benign or malignant
M8070/0	Actinic keratosis

M8070/1	Squamous cell tumour, uncertain whether benign or malignant
M8070/2	Squamous cell carcinoma in situ NOS
M8070/3	Squamous cell carcinoma NOS
M8070/6	Squamous cell carcinoma, metastatic NOS
M8070/9	Squamous cell carcinoma NOS, uncertain whether primary or metastatic
M8071/2	Differentiated intraepithelial neoplasia
M8071/3	Squamous cell carcinoma, keratinising NOS
M8071/6	Squamous cell carcinoma, keratinising, metastatic
M8071/9	Squamous cell carcinoma, keratinising NOS, uncertain whether primary or metastatic
M8072/0	Large cell acanthoma
M8072/1	Squamous cell tumour, large cell, nonkeratinising, uncertain whether benign or malignant
M8072/2	Squamous cell carcinoma, large cell, nonkeratinising, in situ
M8072/3	Squamous cell carcinoma, large cell, nonkeratinising NOS
M8072/6	Squamous cell carcinoma, large cell, nonkeratinising NOS, metastatic
M8072/9	Squamous cell carcinoma, large cell, nonkeratinising NOS, uncertain whether primary or metastatic
M8073/1	Squamous cell tumour, small cell, nonkeratinising, uncertain whether benign or malignant
M8073/2	Squamous cell carcinoma, small cell, nonkeratinising, in situ
M8073/3	Squamous cell carcinoma, small cell, nonkeratinising
M8073/6	Squamous cell carcinoma, small cell, nonkeratinising, metastatic
M8073/9	Squamous cell carcinoma, small cell, nonkeratinising, uncertain whether primary or metastatic
M8074/1	Squamous cell tumour, spindle cell, uncertain whether benign or malignant
M8074/2	Squamous cell carcinoma, spindle cell, in situ
M8074/3	Squamous cell carcinoma, spindle cell
M8074/6	Squamous cell carcinoma, spindle cell, metastatic
M8074/9	Squamous cell carcinoma, spindle cell, uncertain whether primary or metastatic
M8075/1	Squamous cell tumour, adenoid, uncertain whether benign or malignant
M8075/2	Squamous cell carcinoma, adenoid, in situ
M8075/3	Squamous cell carcinoma, adenoid
M8075/6	Squamous cell carcinoma, adenoid, metastatic
M8075/9	Squamous cell carcinoma, adenoid, uncertain whether primary or metastatic
M8076/2	Squamous cell carcinoma in situ with questionable stromal invasion
M8076/3	Squamous cell carcinoma, microinvasive
M8076/6	Squamous cell carcinoma, microinvasive, metastatic
M8076/9	Squamous cell carcinoma, microinvasive, uncertain whether primary or metastatic
M8077/0	Squamous intraepithelial neoplasia, low grade
M8077/2	Squamous intraepithelial neoplasia, high grade
M8078/2	Squamous cell carcinoma with horn formation, in situ
M8078/3	Squamous cell carcinoma with horn formation
M8078/6	Squamous cell carcinoma with horn formation, metastatic
M8078/9	Squamous cell carcinoma with horn formation, uncertain whether primary or metastatic
M8080/2	Queyrat erythroplasia
M8081/2	Bowen disease
M8082/2	Lymphoepithelial carcinoma, in situ
M8082/3	Lymphoepithelial carcinoma

M8082/6	Lymphoepithelial carcinoma, metastatic
M8082/9	Lymphoepithelial carcinoma, uncertain whether primary or metastatic
M8083/1	Basaloid squamous cell tumour, uncertain whether benign or malignant
M8083/2	Basaloid squamous cell carcinoma, in situ
M8083/3	Basaloid squamous cell carcinoma
M8083/6	Basaloid squamous cell carcinoma, metastatic
M8083/9	Basaloid squamous cell carcinoma, uncertain whether primary or metastatic
M8084/0	Clear cell acanthoma
M8084/1	Squamous cell tumour, clear cell type, uncertain whether benign or malignant
M8084/2	Squamous cell carcinoma, clear cell type, in situ
M8084/3	Squamous cell carcinoma, clear cell type
M8084/6	Squamous cell carcinoma, clear cell type, metastatic
M8084/9	Squamous cell carcinoma, clear cell type, uncertain whether primary or metastatic
M8085/3	Squamous cell carcinoma, HPV positive
M8085/6	Squamous cell carcinoma, HPV positive, metastatic
M8085/9	Squamous cell carcinoma, HPV positive, uncertain whether primary or metastatic
M8086/3	Squamous cell carcinoma, HPV negative
M8086/6	Squamous cell carcinoma, HPV negative, metastatic
M8086/9	Squamous cell carcinoma, HPV negative, uncertain whether primary or metastatic
M809–M811	Basal cell neoplasms
M8090/0	Basal cell tumour, benign
M8090/1	Basal cell tumour
M8090/2	Basal cell tumour, in situ
M8090/3	Basal cell carcinoma NOS
M8090/6	Basal cell carcinoma NOS, metastatic
M8090/9	Basal cell carcinoma NOS, uncertain whether primary or metastatic
M8091/2	Superficial basal cell carcinoma, in situ
M8091/3	Superficial basal cell carcinoma
M8091/6	Superficial basal cell carcinoma, metastatic
M8091/9	Superficial basal cell carcinoma, uncertain whether primary or metastatic
M8092/2	Infiltrating basal cell carcinoma, in situ
M8092/3	Infiltrating basal cell carcinoma NOS
M8092/6	Infiltrating basal cell carcinoma NOS, metastatic
M8092/9	Infiltrating basal cell carcinoma NOS, uncertain whether primary or metastatic
M8093/1	Basal cell tumour, fibroepithelial, uncertain whether benign or malignant
M8093/2	Basal cell carcinoma, fibroepithelial, in situ
M8093/3	Basal cell carcinoma, fibroepithelial
M8093/6	Basal cell carcinoma, fibroepithelial, metastatic
M8093/9	Basal cell carcinoma, fibroepithelial, uncertain whether primary or metastatic
M8094/1	Basosquamous tumour, uncertain whether benign or malignant
M8094/2	Basosquamous carcinoma, in situ
M8094/3	Basosquamous carcinoma
M8094/6	Basosquamous carcinoma, metastatic
M8094/9	Basosquamous carcinoma, uncertain whether primary or metastatic
M8095/2	Metatypical carcinoma, in situ
M8095/3	Metatypical carcinoma
M8095/6	Metatypical carcinoma, metastatic
M8095/9	Metatypical carcinoma, uncertain whether primary or metastatic

M8096/0	Intraepidermal epithelioma of Jadassohn
M8097/1	Basal cell tumour, nodular, uncertain whether benign or malignant
M8097/2	Basal cell carcinoma, nodular, in situ
M8097/3	Basal cell carcinoma, nodular
M8097/6	Basal cell carcinoma, nodular, metastatic
M8097/9	Basal cell carcinoma, nodular, uncertain whether primary or metastatic
M8098/1	Adenoid basal tumour, uncertain whether benign or malignant
M8098/2	Adenoid basal carcinoma, in situ
M8098/3	Adenoid basal carcinoma
M8098/6	Adenoid basal carcinoma, metastatic
M8098/9	Adenoid basal carcinoma, uncertain whether primary or metastatic
M8100/0	Trichoepithelioma
M8100/1	Trichoepithelioma, uncertain whether benign or malignant
M8100/2	Trichoepithelioma, in situ
M8100/3	Trichoblastic carcinoma
M8100/6	Trichoblastic carcinoma, metastatic
M8100/9	Trichoblastic carcinoma, uncertain whether primary or metastatic
M8101/0	Trichofolliculoma
M8101/1	Trichofolliculoma, uncertain whether benign or malignant
M8101/2	Trichofolliculoma, in situ
M8101/3	Trichofolliculoma, malignant
M8101/6	Trichofolliculoma, metastatic
M8101/9	Trichofolliculoma, uncertain whether primary or metastatic
M8102/0	Trichilemmoma
M8102/1	Trichilemmoma, uncertain whether benign or malignant
M8102/2	Trichilemmocarcinoma, in situ
M8102/3	Trichilemmocarcinoma
M8102/6	Trichilemmocarcinoma, metastatic
M8102/9	Trichilemmocarcinoma, uncertain whether primary or metastatic
M8103/0	Pilar tumour
M8103/1	Proliferating trichilemmal cyst
M8103/2	Proliferating trichilemmal tumour, in situ
M8103/3	Proliferating trichilemmal tumour, malignant
M8103/6	Proliferating trichilemmal tumour, malignant, metastatic
M8103/9	Proliferating trichilemmal tumour, malignant, uncertain whether primary or metastatic
M8104/0	Pilar sheath acanthoma
M8110/0	Pilomatricoma NOS
M8110/1	Pilomatricoma, uncertain whether benign or malignant
M8110/2	Pilomatrical carcinoma, in situ
M8110/3	Pilomatrical carcinoma
M8110/6	Pilomatrical carcinoma, metastatic
M8110/9	Pilomatrical carcinoma, uncertain whether primary or metastatic
M812–M813	Transitional cell papillomas and carcinomas
M8120/0	Urothelial papilloma NOS
M8120/1	Urothelial papilloma NOS
M8120/2	Urothelial carcinoma in situ
M8120/3	Transitional cell carcinoma NOS
M8120/6	Transitional cell carcinoma NOS, metastatic

M8120/9	Transitional cell carcinoma NOS, uncertain whether primary or metastatic
M8121/0	Sinonasal papilloma, exophytic
M8121/1	Sinonasal papilloma, inverted
M8121/2	Schneiderian carcinoma, in situ
M8121/3	Schneiderian carcinoma
M8121/6	Schneiderian carcinoma, metastatic
M8121/9	Schneiderian carcinoma, uncertain whether primary or metastatic
M8122/1	Urothelial carcinoma, sarcomatoid, uncertain whether benign or malignant
M8122/2	Urothelial carcinoma, sarcomatoid, in situ
M8122/3	Urothelial carcinoma, sarcomatoid
M8122/6	Urothelial carcinoma, sarcomatoid, metastatic
M8122/9	Urothelial carcinoma, sarcomatoid, uncertain whether primary or metastatic
M8123/2	Basaloid carcinoma, in situ
M8123/3	Basaloid carcinoma
M8123/6	Basaloid carcinoma, metastatic
M8123/9	Basaloid carcinoma, uncertain whether primary or metastatic
M8124/2	Cloacogenic carcinoma, in situ
M8124/3	Cloacogenic carcinoma
M8124/6	Cloacogenic carcinoma, metastatic
M8124/9	Cloacogenic carcinoma, uncertain whether primary or metastatic
M8130/0	Papillary urothelial cell neoplasm
M8130/1	Papillary urothelial neoplasm of low malignant potential
M8130/2	Papillary urothelial carcinoma, noninvasive
M8130/3	Papillary urothelial carcinoma
M8130/6	Papillary urothelial carcinoma, metastatic
M8130/9	Papillary urothelial carcinoma, uncertain whether primary or metastatic
M8131/2	Urothelial carcinoma, micropapillary, in situ
M8131/3	Urothelial carcinoma, micropapillary
M8131/6	Urothelial carcinoma, micropapillary, metastatic
M8131/9	Urothelial carcinoma, micropapillary, uncertain whether primary or metastatic
M814–M838	Adenomas and adenocarcinomas
M8140/0	Adenoma NOS
M8140/1	Atypical adenoma
M8140/2	Adenocarcinoma in situ NOS
M8140/3	Adenocarcinoma NOS
M8140/6	Adenocarcinoma, metastatic NOS
M8140/9	Adenocarcinoma, metastatic NOS, uncertain whether primary or metastatic
M8141/2	Scirrhou adenocarcinoma, in situ
M8141/3	Scirrhou adenocarcinoma
M8141/6	Scirrhou adenocarcinoma, metastatic
M8141/9	Scirrhou adenocarcinoma, uncertain whether primary or metastatic
M8142/2	Linitis plastica, in situ
M8142/3	Linitis plastica
M8142/6	Linitis plastica, metastatic
M8142/9	Linitis plastica, uncertain whether primary or metastatic
M8143/2	Superficial spreading adenocarcinoma, in situ
M8143/3	Superficial spreading adenocarcinoma
M8143/6	Superficial spreading adenocarcinoma, metastatic

M8143/9	Superficial spreading adenocarcinoma, uncertain whether primary or metastatic
M8144/0	Adenoma, intestinal type
M8144/2	Adenocarcinoma, intestinal type, in situ
M8144/3	Adenocarcinoma, intestinal type
M8144/6	Adenocarcinoma, intestinal type, metastatic
M8144/9	Adenocarcinoma, intestinal type, uncertain whether primary or metastatic
M8145/2	Carcinoma, diffuse type, in situ
M8145/3	Carcinoma, diffuse type
M8145/6	Carcinoma, diffuse type, metastatic
M8145/9	Carcinoma, diffuse type, uncertain whether primary or metastatic
M8146/0	Monomorphic adenoma
M8147/0	Basal cell adenoma
M8147/1	Basal cell adenoma, uncertain whether benign or malignant
M8147/2	Basal cell adenocarcinoma, in situ
M8147/3	Basal cell adenocarcinoma
M8147/6	Basal cell adenocarcinoma, metastatic
M8147/9	Basal cell adenocarcinoma, uncertain whether primary or metastatic
M8148/0	Glandular intraepithelial neoplasia, low grade
M8148/2	Glandular intraepithelial neoplasia, high grade
M8149/0	Canalicular adenoma
M8150/0	Pancreatic neuroendocrine microadenoma
M8150/1	Pancreatic endocrine tumour, NOS
M8150/2	Pancreatic neuroendocrine tumour, in situ
M8150/3	Pancreatic neuroendocrine tumour, nonfunctioning
M8150/6	Pancreatic neuroendocrine tumour, nonfunctioning, metastatic
M8150/9	Pancreatic neuroendocrine tumour, nonfunctioning, uncertain whether primary or metastatic
M8151/0	Insulinoma NOS
M8151/1	Insulinoma, uncertain whether benign or malignant
M8151/2	Insulinoma, in situ
M8151/3	Insulinoma NOS
M8151/6	Insulinoma NOS, metastatic
M8151/9	Insulinoma NOS, uncertain whether primary or metastatic
M8152/0	Glucagonoma NOS (D13.7)
M8152/1	Glucagonoma NOS
M8152/2	Glucagonoma, in situ
M8152/3	Glucagonoma
M8152/6	Glucagonoma, metastatic
M8152/9	Glucagonoma, uncertain whether primary or metastatic
M8153/0	Gastrinoma, benign
M8153/1	Gastrinoma NOS
M8153/2	Gastrinoma, in situ
M8153/3	Gastrinoma
M8153/6	Gastrinoma, metastatic
M8153/9	Gastrinoma, uncertain whether primary or metastatic
M8154/1	Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], uncertain whether benign or malignant
M8154/2	Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], in situ

M8154/3	Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN]
M8154/6	Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], metastatic
M8154/9	Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], uncertain whether primary or metastatic
M8155/1	Vipoma NOS
M8155/2	Vipoma, in situ
M8155/3	Vipoma
M8155/6	Vipoma, metastatic
M8155/9	Vipoma, uncertain whether primary or metastatic
M8156/1	Somatostatinoma NOS
M8156/2	Somatostatinoma, in situ
M8156/3	Somatostatinoma
M8156/6	Somatostatinoma, metastatic
M8156/9	Somatostatinoma, uncertain whether primary or metastatic
M8157/1	Enteroglucagonoma NOS
M8157/3	Enteroglucagonoma, malignant
M8157/6	Enteroglucagonoma, malignant, metastatic
M8157/9	Enteroglucagonoma, malignant, uncertain whether primary or metastatic
M8158/1	Endocrine tumour, functioning, NOS
M8158/3	ACTH-producing tumour
M8158/6	ACTH-producing tumour, metastatic
M8158/9	ACTH-producing tumour, uncertain whether primary or metastatic
M8160/0	Bile duct adenoma
M8160/1	Bile duct adenoma, uncertain whether benign or malignant
M8160/2	Cholangiocarcinoma, in situ
M8160/3	Cholangiocarcinoma
M8160/6	Cholangiocarcinoma, metastatic
M8160/9	Cholangiocarcinoma, uncertain whether primary or metastatic
M8161/0	Bile duct cystadenoma
M8161/1	Bile duct cystadenoma, uncertain whether benign or malignant
M8161/2	Bile duct cystadenocarcinoma, in situ
M8161/3	Bile duct cystadenocarcinoma
M8161/6	Bile duct cystadenocarcinoma, metastatic
M8161/9	Bile duct cystadenocarcinoma, uncertain whether primary or metastatic
M8162/2	Perihilar cholangiocarcinoma, in situ
M8162/3	Perihilar cholangiocarcinoma
M8162/6	Perihilar cholangiocarcinoma, metastatic
M8162/9	Perihilar cholangiocarcinoma, malignant, uncertain whether primary or metastatic
M8163/0	Pancreatobiliary neoplasm, noninvasive
M8163/2	Papillary neoplasm, pancreatobiliary-type, with high grade intraepithelial neoplasia
M8163/3	Pancreatobiliary-type carcinoma
M8163/6	Pancreatobiliary-type carcinoma, metastatic
M8163/9	Pancreatobiliary-type carcinoma, uncertain whether primary or metastatic
M8170/0	Liver cell adenoma
M8170/1	Liver cell adenoma, uncertain whether benign or malignant
M8170/2	Hepatocellular carcinoma, in situ
M8170/3	Hepatocellular carcinoma NOS
M8170/6	Hepatocellular carcinoma NOS, metastatic

M8170/9	Hepatocellular carcinoma NOS, uncertain whether primary or metastatic
M8171/2	Hepatocellular carcinoma, fibrolamellar, in situ
M8171/3	Hepatocellular carcinoma, fibrolamellar
M8171/6	Hepatocellular carcinoma, fibrolamellar, metastatic
M8171/9	Hepatocellular carcinoma, fibrolamellar, uncertain whether primary or metastatic
M8172/2	Hepatocellular carcinoma, scirrhous, in situ
M8172/3	Hepatocellular carcinoma, scirrhous
M8172/6	Hepatocellular carcinoma, scirrhous, metastatic
M8172/9	Hepatocellular carcinoma, scirrhous, uncertain whether primary or metastatic
M8173/2	Hepatocellular carcinoma, spindle cell variant, in situ
M8173/3	Hepatocellular carcinoma, spindle cell variant
M8173/6	Hepatocellular carcinoma, spindle cell variant, metastatic
M8173/9	Hepatocellular carcinoma, spindle cell variant, uncertain whether primary or metastatic
M8174/2	Hepatocellular carcinoma, clear cell type, in situ
M8174/3	Hepatocellular carcinoma, clear cell type
M8174/6	Hepatocellular carcinoma, clear cell type, metastatic
M8174/9	Hepatocellular carcinoma, clear cell type, uncertain whether primary or metastatic
M8175/2	Hepatocellular carcinoma, pleomorphic type, in situ
M8175/3	Hepatocellular carcinoma, pleomorphic type
M8175/6	Hepatocellular carcinoma, pleomorphic type, metastatic
M8175/9	Hepatocellular carcinoma, pleomorphic type, uncertain whether primary or metastatic
M8180/2	Combined hepatocellular carcinoma and cholangiocarcinoma, in situ
M8180/3	Combined hepatocellular carcinoma and cholangiocarcinoma
M8180/6	Combined hepatocellular carcinoma and cholangiocarcinoma, metastatic
M8180/9	Combined hepatocellular carcinoma and cholangiocarcinoma, uncertain whether primary or metastatic
M8190/0	Trabecular adenoma
M8190/2	Trabecular adenocarcinoma, in situ
M8190/3	Trabecular adenocarcinoma
M8190/6	Trabecular adenocarcinoma, metastatic
M8190/9	Trabecular adenocarcinoma, uncertain whether primary or metastatic
M8191/0	Embryonal adenoma
M8191/1	Embryonal adenoma, uncertain whether benign or malignant
M8200/0	Eccrine dermal cylindroma
M8200/1	Eccrine dermal cylindroma, uncertain whether benign or malignant
M8200/2	Adenoid cystic carcinoma, in situ
M8200/3	Adenoid cystic carcinoma
M8200/6	Adenoid cystic carcinoma, metastatic
M8200/9	Adenoid cystic carcinoma, uncertain whether primary or metastatic
M8201/2	Cribriform carcinoma in situ
M8201/3	Cribriform carcinoma NOS
M8201/6	Cribriform carcinoma, metastatic
M8201/9	Cribriform carcinoma NOS, uncertain whether primary or metastatic
M8202/0	Microcystic adenoma
M8204/0	Lactating adenoma
M8210/0	Adenomatous polyp NOS
M8210/1	Adenomatous polyp, uncertain whether benign or malignant

M8210/2	Adenocarcinoma in situ in adenomatous polyp
M8210/3	Adenocarcinoma in adenomatous polyp
M8210/6	Adenocarcinoma in adenomatous polyp, metastatic
M8210/9	Adenocarcinoma in adenomatous polyp, uncertain whether primary or metastatic
M8211/0	Tubular adenoma NOS
M8211/1	Tubular adenoma, uncertain whether benign or malignant
M8211/2	Tubular adenocarcinoma, in situ
M8211/3	Tubular adenocarcinoma
M8211/6	Tubular adenocarcinoma, metastatic
M8211/9	Tubular adenocarcinoma, uncertain whether primary or metastatic
M8212/0	Flat adenoma
M8212/1	Flat adenoma, uncertain whether benign or malignant
M8213/0	Serrated adenoma
M8213/1	Serrated adenoma, uncertain whether benign or malignant
M8213/3	Serrated adenocarcinoma
M8213/6	Serrated adenocarcinoma, metastatic
M8213/9	Serrated adenocarcinoma, uncertain whether primary or metastatic
M8214/1	Parietal cell tumour, uncertain whether benign or malignant
M8214/2	Parietal cell carcinoma, in situ
M8214/3	Parietal cell carcinoma
M8214/6	Parietal cell carcinoma, metastatic
M8214/9	Parietal cell carcinoma, uncertain whether primary or metastatic
M8215/2	Adenocarcinoma of anal glands, in situ
M8215/3	Adenocarcinoma of anal glands
M8215/6	Adenocarcinoma of anal glands, metastatic
M8215/9	Adenocarcinoma of anal glands, uncertain whether primary or metastatic
M8220/0	Adenomatous polyposis coli
M8220/2	Adenocarcinoma in adenomatous polyposis coli, in situ
M8220/3	Adenocarcinoma in adenomatous polyposis coli
M8220/6	Adenocarcinoma in adenomatous polyposis coli, metastatic
M8220/9	Adenocarcinoma in adenomatous polyposis coli, uncertain whether primary or metastatic
M8221/0	Multiple adenomatous polyps
M8221/1	Multiple adenomatous polyps, uncertain whether benign or malignant
M8221/2	Adenocarcinoma in multiple adenomatous polyps, in situ
M8221/3	Adenocarcinoma in multiple adenomatous polyps
M8221/6	Adenocarcinoma in multiple adenomatous polyps, metastatic
M8221/9	Adenocarcinoma in multiple adenomatous polyps, uncertain whether primary or metastatic
M8230/2	Ductal carcinoma in situ, solid type
M8230/3	Solid carcinoma NOS
M8230/6	Solid carcinoma NOS, metastatic
M8230/9	Solid carcinoma NOS, uncertain whether primary or metastatic
M8231/2	Carcinoma simplex, in situ
M8231/3	Carcinoma simplex
M8231/6	Carcinoma simplex, metastatic
M8231/9	Carcinoma simplex, uncertain whether primary or metastatic
M8240/0	Carcinoid tumour, benign

M8240/1	Carcinoid tumour of uncertain malignant potential
M8240/2	Neuroendocrine tumour, in situ
M8240/3	Neuroendocrine tumour NOS
M8240/6	Neuroendocrine tumour NOS, metastatic
M8240/9	Neuroendocrine tumour NOS, uncertain whether primary or metastatic
M8241/0	Enterochromaffin cell carcinoid, benign
M8241/1	Enterochromaffin cell carcinoid, uncertain whether benign or malignant
M8241/2	Enterochromaffin cell carcinoid, in situ
M8241/3	Enterochromaffin cell carcinoid
M8241/6	Enterochromaffin cell carcinoid, metastatic
M8241/9	Enterochromaffin cell carcinoid, uncertain whether primary or metastatic
M8242/1	Enterochromaffin-like cell carcinoid NOS
M8242/2	Enterochromaffin-like cell tumour, in situ
M8242/3	Enterochromaffin-like cell tumour
M8242/6	Enterochromaffin-like cell tumour, metastatic
M8242/9	Enterochromaffin-like cell tumour NOS, uncertain whether primary or metastatic
M8243/1	Goblet cell carcinoid, uncertain whether benign or malignant
M8243/2	Goblet cell carcinoid, in situ
M8243/3	Goblet cell carcinoid
M8243/6	Goblet cell carcinoid, metastatic
M8243/9	Goblet cell carcinoid, uncertain whether primary or metastatic
M8244/1	Composite carcinoid, uncertain whether benign or malignant
M8244/2	Mixed adenoneuroendocrine carcinoma, in situ
M8244/3	Mixed adenoneuroendocrine carcinoma
M8244/6	Mixed adenoneuroendocrine carcinoma, metastatic
M8244/9	Mixed adenoneuroendocrine carcinoma, uncertain whether primary or metastatic
M8245/1	Tubular carcinoid
M8245/2	Adenocarcinoid tumour, in situ
M8245/3	Adenocarcinoid tumour
M8245/6	Adenocarcinoid tumour, metastatic
M8245/9	Adenocarcinoid tumour, malignant, uncertain whether primary or metastatic
M8246/0	Neuroendocrine tumour, benign
M8246/1	Neuroendocrine tumour NOS, uncertain whether benign or malignant
M8246/2	Neuroendocrine carcinoma NOS, in situ
M8246/3	Neuroendocrine carcinoma NOS
M8246/6	Neuroendocrine carcinoma, metastatic
M8246/9	Neuroendocrine carcinoma NOS, uncertain whether primary or metastatic
M8247/2	Merkel cell carcinoma, in situ
M8247/3	Merkel cell carcinoma
M8247/6	Merkel cell carcinoma, metastatic
M8247/9	Merkel cell carcinoma, uncertain whether primary or metastatic
M8248/1	Apudoma
M8249/2	Neuroendocrine tumour, grade 2, in situ
M8249/3	Neuroendocrine tumour, grade 2
M8249/6	Neuroendocrine tumour, grade 2, metastatic
M8249/9	Neuroendocrine tumour, grade 2, malignant, uncertain whether primary or metastatic
M8250/0	Atypical adenomatous hyperplasia
M8250/1	Pulmonary adenomatosis

M8250/2	Adenocarcinoma in situ of lung, nonmucinous
M8250/3	Lepidic adenocarcinoma
M8250/6	Lepidic adenocarcinoma, metastatic
M8250/9	Lepidic adenocarcinoma, uncertain whether primary or metastatic
M8251/0	Alveolar adenoma
M8251/2	Alveolar adenocarcinoma, in situ
M8251/3	Alveolar adenocarcinoma
M8251/6	Alveolar adenocarcinoma, metastatic
M8251/9	Alveolar adenocarcinoma, uncertain whether primary or metastatic
M8252/1	Bronchiolo-alveolar tumour, non-mucinous, uncertain whether benign or malignant
M8252/2	Bronchiolo-alveolar carcinoma, non-mucinous, in situ
M8252/3	Bronchiolo-alveolar carcinoma, non-mucinous
M8252/6	Bronchiolo-alveolar carcinoma, non-mucinous, metastatic
M8252/9	Bronchiolo-alveolar carcinoma, non-mucinous, uncertain whether primary or metastatic
M8253/1	Bronchiolo-alveolar tumour, mucinous, uncertain whether benign or malignant
M8253/2	Adenocarcinoma in situ of lung, mucinous
M8253/3	Adenocarcinoma of lung, mucinous
M8253/6	Adenocarcinoma of lung, mucinous, metastatic
M8253/9	Adenocarcinoma of lung, mucinous, uncertain whether primary or metastatic
M8254/1	Bronchiolo-alveolar tumour, mixed mucinous and non-mucinous, uncertain whether benign or malignant
M8254/2	Adenocarcinoma of lung, mixed mucinous and nonmucinous, in situ
M8254/3	Adenocarcinoma of lung, mixed mucinous and nonmucinous
M8254/6	Adenocarcinoma of lung, mixed mucinous and nonmucinous, metastatic
M8254/9	Adenocarcinoma of lung, mixed mucinous and nonmucinous, uncertain whether primary or metastatic
M8255/1	Adenomatous tumour with mixed subtypes, uncertain whether benign or malignant
M8255/2	Adenocarcinoma with mixed subtypes, in situ
M8255/3	Adenocarcinoma with mixed subtypes
M8255/6	Adenocarcinoma with mixed subtypes, metastatic
M8255/9	Adenocarcinoma with mixed subtypes, uncertain whether primary or metastatic
M8256/3	Minimally invasive adenocarcinoma, nonmucinous
M8256/6	Minimally invasive adenocarcinoma, nonmucinous, metastatic
M8256/9	Minimally invasive adenocarcinoma, nonmucinous, uncertain whether primary or metastatic
M8257/3	Minimally invasive adenocarcinoma, mucinous
M8257/6	Minimally invasive adenocarcinoma, mucinous, metastatic
M8257/9	Minimally invasive adenocarcinoma, mucinous, uncertain whether primary or metastatic
M8260/0	Papillary adenoma NOS
M8260/1	Aggressive papillary tumour
M8260/2	Papillary adenocarcinoma, in situ
M8260/3	Papillary adenocarcinoma NOS
M8260/6	Papillary adenocarcinoma NOS, metastatic
M8260/9	Papillary adenocarcinoma NOS, uncertain whether primary or metastatic
M8261/0	Villous adenoma NOS
M8261/1	Villous adenoma NOS, uncertain whether benign or malignant
M8261/2	Adenocarcinoma in situ in villous adenoma

M8261/3	Adenocarcinoma in villous adenoma
M8261/6	Adenocarcinoma in villous adenoma, metastatic
M8261/9	Adenocarcinoma in villous adenoma, uncertain whether primary or metastatic
M8262/2	Villous adenocarcinoma, in situ
M8262/3	Villous adenocarcinoma
M8262/6	Villous adenocarcinoma, metastatic
M8262/9	Villous adenocarcinoma, uncertain whether primary or metastatic
M8263/0	Tubulovillous adenoma NOS
M8263/1	Tubulovillous adenoma NOS, uncertain whether benign or malignant
M8263/2	Adenocarcinoma in situ in tubulovillous adenoma
M8263/3	Adenocarcinoma in tubulovillous adenoma
M8263/6	Adenocarcinoma in tubulovillous adenoma, metastatic
M8263/9	Adenocarcinoma in tubulovillous adenoma, uncertain whether primary or metastatic
M8264/0	Papillomatosis, glandular
M8265/3	Micropapillary carcinoma NOS
M8265/6	Micropapillary carcinoma NOS, metastatic
M8265/9	Micropapillary carcinoma NOS, uncertain whether primary or metastatic
M8270/0	Chromophobe adenoma
M8270/1	Chromophobe adenoma, uncertain whether benign or malignant
M8270/2	Chromophobe carcinoma, in situ
M8270/3	Chromophobe carcinoma
M8270/6	Chromophobe carcinoma, metastatic
M8270/9	Chromophobe carcinoma, uncertain whether primary or metastatic
M8271/0	Lactotroph adenoma
M8271/2	Lactotroph adenoma, in situ
M8271/3	Lactotroph adenoma, malignant
M8271/6	Lactotroph adenoma, malignant, metastatic
M8271/9	Lactotroph adenoma, uncertain whether primary or metastatic
M8272/0	Pituitary adenoma NOS
M8272/1	Pituitary adenoma NOS, uncertain whether benign or malignant
M8272/2	Pituitary carcinoma NOS, in situ
M8272/3	Pituitary carcinoma NOS
M8272/6	Pituitary carcinoma NOS, metastatic
M8272/9	Pituitary carcinoma NOS, uncertain whether primary or metastatic
M8273/3	Pituitary blastoma
M8273/6	Pituitary blastoma, metastatic
M8273/9	Pituitary blastoma, uncertain whether primary or metastatic
M8280/0	Acidophil adenoma
M8280/1	Acidophil adenoma, uncertain whether benign or malignant
M8280/2	Acidophil carcinoma, in situ
M8280/3	Acidophil carcinoma
M8280/6	Acidophil carcinoma, metastatic
M8280/9	Acidophil carcinoma, uncertain whether primary or metastatic
M8281/0	Mixed acidophil-basophil adenoma
M8281/1	Mixed acidophil-basophil adenoma, uncertain whether benign or malignant
M8281/2	Mixed acidophil-basophil carcinoma, in situ
M8281/3	Mixed acidophil-basophil carcinoma
M8281/6	Mixed acidophil-basophil carcinoma, metastatic

M8281/9	Mixed acidophil-basophil carcinoma, uncertain whether primary or metastatic
M8290/0	Oxyphilic adenoma
M8290/1	Oxyphilic adenoma, uncertain whether benign or malignant
M8290/2	Oxyphilic adenocarcinoma, in situ
M8290/3	Oxyphilic adenocarcinoma
M8290/6	Oxyphilic adenocarcinoma, metastatic
M8290/9	Oxyphilic adenocarcinoma, uncertain whether primary or metastatic
M8300/0	Basophil adenoma
M8300/1	Basophil adenoma, uncertain whether benign or malignant
M8300/2	Basophil carcinoma, in situ
M8300/3	Basophil carcinoma
M8300/6	Basophil carcinoma, metastatic
M8300/9	Basophil carcinoma, uncertain whether primary or metastatic
M8310/0	Clear cell adenoma
M8310/1	Clear cell adenoma, uncertain whether benign or malignant
M8310/2	Clear cell adenocarcinoma NOS, in situ
M8310/3	Clear cell adenocarcinoma NOS
M8310/6	Clear cell adenocarcinoma NOS, metastatic
M8310/9	Clear cell adenocarcinoma NOS, uncertain whether primary or metastatic
M8311/1	Hypernephroid tumour
M8311/3	Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma
M8311/6	Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma, metastatic
M8311/9	Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma, uncertain whether primary or metastatic
M8312/1	Renal cell tumour, uncertain whether benign or malignant
M8312/2	Renal cell carcinoma, in situ
M8312/3	Renal cell carcinoma NOS
M8312/6	Renal cell carcinoma NOS, metastatic
M8312/9	Renal cell carcinoma NOS, uncertain whether primary or metastatic
M8313/0	Clear cell adenofibroma
M8313/1	Clear cell borderline tumour
M8313/2	Clear cell adenocarcinofibroma, in situ
M8313/3	Clear cell adenocarcinofibroma
M8313/6	Clear cell adenocarcinofibroma, metastatic
M8313/9	Clear cell adenocarcinofibroma, uncertain whether primary or metastatic
M8314/0	Lipid-rich adenoma, benign
M8314/2	Lipid-rich carcinoma, in situ
M8314/3	Lipid-rich carcinoma
M8314/6	Lipid-rich carcinoma, metastatic
M8314/9	Lipid-rich carcinoma, uncertain whether primary or metastatic
M8315/2	Glycogen-rich carcinoma, in situ
M8315/3	Glycogen-rich carcinoma
M8315/6	Glycogen-rich carcinoma, metastatic
M8315/9	Glycogen-rich carcinoma, uncertain whether primary or metastatic
M8316/1	Multilocular cystic renal neoplasm of low malignant potential
M8316/2	Cyst-associated renal cell carcinoma, in situ

M8316/3	Cyst-associated renal cell carcinoma
M8316/6	Cyst-associated renal cell carcinoma, metastatic
M8316/9	Cyst-associated renal cell carcinoma, uncertain whether primary or metastatic
M8317/1	Renal cell tumour, chromophobe type, uncertain whether benign or malignant
M8317/2	Renal cell carcinoma, chromophobe type, in situ
M8317/3	Renal cell carcinoma, chromophobe type
M8317/6	Renal cell carcinoma, chromophobe type, metastatic
M8317/9	Renal cell carcinoma, chromophobe type, uncertain whether primary or metastatic
M8318/1	Renal cell tumour, sarcomatoid, uncertain whether benign or malignant
M8318/2	Renal cell carcinoma, sarcomatoid, in situ
M8318/3	Renal cell carcinoma, sarcomatoid
M8318/6	Renal cell carcinoma, sarcomatoid, metastatic
M8318/9	Renal cell carcinoma, sarcomatoid, uncertain whether primary or metastatic
M8319/1	Collecting duct tumour, uncertain whether benign or malignant
M8319/2	Collecting duct carcinoma, in situ
M8319/3	Collecting duct carcinoma
M8319/6	Collecting duct carcinoma, metastatic
M8319/9	Collecting duct carcinoma, uncertain whether primary or metastatic
M8320/2	Granular cell carcinoma, in situ
M8320/3	Granular cell carcinoma
M8320/6	Granular cell carcinoma, metastatic
M8320/9	Granular cell carcinoma, uncertain whether primary or metastatic
M8321/0	Chief cell adenoma
M8321/1	Chief cell adenoma, uncertain whether benign or malignant
M8321/2	Chief cell adenocarcinoma, in situ
M8321/3	Chief cell adenocarcinoma, malignant
M8321/6	Chief cell adenocarcinoma, metastatic
M8321/9	Chief cell adenoma, uncertain whether primary or metastatic
M8322/0	Water-clear cell adenoma
M8322/1	Water-clear cell adenoma, uncertain whether benign or malignant
M8322/2	Water-clear cell adenocarcinoma, in situ
M8322/3	Water-clear cell adenocarcinoma
M8322/6	Water-clear cell adenocarcinoma, metastatic
M8322/9	Water-clear cell adenocarcinoma, uncertain whether primary or metastatic
M8323/0	Mixed cell adenoma
M8323/1	Clear cell papillary renal cell carcinoma
M8323/2	Mixed cell adenocarcinoma, in situ
M8323/3	Mixed cell adenocarcinoma
M8323/6	Mixed cell adenocarcinoma, metastatic
M8323/9	Mixed cell adenocarcinoma, uncertain whether primary or metastatic
M8324/0	Lipoadenoma
M8324/1	Lipoadenoma, uncertain whether benign or malignant
M8325/0	Metanephric adenoma
M8325/1	Metanephric adenoma, uncertain whether benign or malignant
M8330/0	Follicular adenoma NOS
M8330/1	Atypical follicular adenoma
M8330/2	Follicular carcinoma, in situ
M8330/3	Follicular carcinoma NOS

M8330/6	Follicular carcinoma NOS, metastatic
M8330/9	Follicular carcinoma NOS, uncertain whether primary or metastatic
M8331/2	Follicular adenocarcinoma, well differentiated, in situ
M8331/3	Follicular adenocarcinoma, well differentiated
M8331/6	Follicular adenocarcinoma, well differentiated, metastatic
M8331/9	Follicular adenocarcinoma, well differentiated, uncertain whether primary or metastatic
M8332/2	Follicular adenocarcinoma, trabecular, in situ
M8332/3	Follicular adenocarcinoma, trabecular
M8332/6	Follicular adenocarcinoma, trabecular, metastatic
M8332/9	Follicular adenocarcinoma, trabecular, uncertain whether primary or metastatic
M8333/0	Microfollicular adenoma NOS
M8333/1	Microfollicular adenoma NOS, uncertain whether benign or malignant
M8333/2	Fetal adenocarcinoma, in situ
M8333/3	Fetal adenocarcinoma
M8333/6	Fetal adenocarcinoma, metastatic
M8333/9	Fetal adenocarcinoma, uncertain whether primary or metastatic
M8334/0	Macrofollicular adenoma
M8334/1	Macrofollicular adenoma, uncertain whether benign or malignant
M8335/1	Follicular tumour of uncertain malignant potential
M8335/3	Follicular carcinoma, minimally invasive
M8335/6	Follicular carcinoma, minimally invasive, metastatic
M8335/9	Follicular carcinoma, minimally invasive, uncertain whether primary or metastatic
M8336/0	Hyalinising trabecular adenoma
M8336/1	Hyalinising trabecular tumour
M8337/1	Poorly differentiated thyroid tumour, uncertain whether benign or malignant
M8337/2	Poorly differentiated thyroid carcinoma, in situ
M8337/3	Poorly differentiated thyroid carcinoma
M8337/6	Poorly differentiated thyroid carcinoma, metastatic
M8337/9	Poorly differentiated thyroid carcinoma, uncertain whether primary or metastatic
M8339/3	Follicular carcinoma, encapsulated, angioinvasive
M8339/6	Follicular carcinoma, encapsulated, angioinvasive, metastatic
M8339/9	Follicular carcinoma, encapsulated, angioinvasive, uncertain whether primary or metastatic
M8340/1	Papillary tumour, follicular variant, uncertain whether benign or malignant
M8340/2	Papillary carcinoma, follicular variant, in situ
M8340/3	Papillary carcinoma, follicular variant
M8340/6	Papillary carcinoma, follicular variant, metastatic
M8340/9	Papillary carcinoma, follicular variant, uncertain whether primary or metastatic
M8341/1	Papillary microtumour, uncertain whether benign or malignant
M8341/2	Papillary microcarcinoma, in situ
M8341/3	Papillary microcarcinoma
M8341/6	Papillary microcarcinoma, metastatic
M8341/9	Papillary microcarcinoma, uncertain whether primary or metastatic
M8342/1	Papillary tumour, oncocytic variant uncertain whether benign or malignant
M8342/2	Papillary carcinoma, oncocytic variant, in situ
M8342/3	Papillary carcinoma, oncocytic variant
M8342/6	Papillary carcinoma, oncocytic variant, metastatic

M8342/9	Papillary carcinoma, oncocytic variant, uncertain whether primary or metastatic
M8343/1	Papillary tumour, encapsulated, of thyroid, uncertain whether benign or malignant
M8343/2	Papillary carcinoma, encapsulated, of thyroid, in situ
M8343/3	Papillary carcinoma, encapsulated, of thyroid
M8343/6	Papillary carcinoma, encapsulated, of thyroid, metastatic
M8343/9	Papillary carcinoma, encapsulated, of thyroid, uncertain whether primary or metastatic
M8344/1	Papillary tumour, columnar cell, uncertain whether benign or malignant
M8344/2	Papillary carcinoma, columnar cell, in situ
M8344/3	Papillary carcinoma, columnar cell
M8344/6	Papillary carcinoma, columnar cell, metastatic
M8344/9	Papillary carcinoma, columnar cell, uncertain whether primary or metastatic
M8345/1	Medullary thyroid tumour, uncertain whether benign or malignant
M8345/2	Medullary thyroid carcinoma, in situ
M8345/3	Medullary thyroid carcinoma
M8345/6	Medullary thyroid carcinoma, metastatic
M8345/9	Medullary thyroid carcinoma, uncertain whether primary or metastatic
M8346/1	Mixed medullary-follicular tumour, uncertain whether benign or malignant
M8346/2	Mixed medullary-follicular carcinoma, in situ
M8346/3	Mixed medullary-follicular carcinoma
M8346/6	Mixed medullary-follicular carcinoma, metastatic
M8346/9	Mixed medullary-follicular carcinoma, uncertain whether primary or metastatic
M8347/1	Mixed medullary-papillary tumour, uncertain whether benign or malignant
M8347/2	Mixed medullary-papillary carcinoma, in situ
M8347/3	Mixed medullary-papillary carcinoma
M8347/6	Mixed medullary-papillary carcinoma, metastatic
M8347/9	Mixed medullary-papillary carcinoma, uncertain whether primary or metastatic
M8348/1	Well differentiated tumour of uncertain malignant potential
M8349/1	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features [NIFTP]
M8350/1	Nonencapsulated sclerosing tumour, uncertain whether benign or malignant
M8350/2	Nonencapsulated sclerosing carcinoma, in situ
M8350/3	Nonencapsulated sclerosing carcinoma
M8350/6	Nonencapsulated sclerosing carcinoma, metastatic
M8350/9	Nonencapsulated sclerosing carcinoma, uncertain whether primary or metastatic
M8360/1	Multiple endocrine adenomas
M8361/0	Juxtaglomerular tumour, benign
M8361/1	Juxtaglomerular tumour (D41.0)
M8361/2	Juxtaglomerular tumour, in situ
M8361/3	Juxtaglomerular tumour, malignant
M8361/6	Juxtaglomerular tumour, malignant, metastatic
M8361/9	Juxtaglomerular tumour, malignant, uncertain whether primary or metastatic
M8370/0	Adrenal cortical adenoma NOS
M8370/1	Adrenal cortical tumour, uncertain whether benign or malignant
M8370/2	Adrenal cortical carcinoma, in situ
M8370/3	Adrenal cortical carcinoma
M8370/6	Adrenal cortical carcinoma, metastatic
M8370/9	Adrenal cortical carcinoma, uncertain whether primary or metastatic
M8371/0	Adrenal cortical adenoma, compact cell
M8371/1	Adrenal cortical adenoma, compact cell, uncertain whether benign or malignant

M8372/0	Adrenal cortical adenoma, pigmented
M8372/1	Adrenal cortical adenoma, pigmented, uncertain whether benign or malignant
M8373/0	Adrenal cortical adenoma, clear cell
M8373/1	Adrenal cortical adenoma, clear cell, uncertain whether benign or malignant
M8374/0	Adrenal cortical adenoma, glomerulosa cell
M8374/1	Adrenal cortical adenoma, glomerulosa cell, uncertain whether benign or malignant
M8375/0	Adrenal cortical adenoma, mixed cell
M8375/1	Adrenal cortical adenoma, mixed cell, uncertain whether benign or malignant
M8380/0	Endometrioid adenoma NOS
M8380/1	Endometrioid adenoma, borderline malignancy
M8380/2	Endometrioid intraepithelial neoplasia
M8380/3	Endometrioid adenocarcinoma NOS
M8380/6	Endometrioid adenocarcinoma NOS, metastatic
M8380/9	Endometrioid adenocarcinoma NOS, uncertain whether primary or metastatic
M8381/0	Endometrioid adenofibroma NOS
M8381/1	Endometrioid adenofibroma, borderline malignancy
M8381/2	Endometrioid adenofibroma, in situ
M8381/3	Endometrioid adenofibroma, malignant
M8381/6	Endometrioid adenofibroma, malignant, metastatic
M8381/9	Endometrioid adenofibroma, malignant, uncertain whether primary or metastatic
M8382/2	Endometrioid adenocarcinoma, secretory variant, in situ
M8382/3	Endometrioid adenocarcinoma, secretory variant
M8382/6	Endometrioid adenocarcinoma, secretory variant, metastatic
M8382/9	Endometrioid adenocarcinoma, secretory variant, uncertain whether primary or metastatic
M8383/2	Endometrioid adenocarcinoma, ciliated cell variant, in situ
M8383/3	Endometrioid adenocarcinoma, ciliated cell variant
M8383/6	Endometrioid adenocarcinoma, ciliated cell variant, metastatic
M8383/9	Endometrioid adenocarcinoma, ciliated cell variant, uncertain whether primary or metastatic
M8384/2	Adenocarcinoma, endocervical type, in situ
M8384/3	Adenocarcinoma, endocervical type
M8384/6	Adenocarcinoma, endocervical type, metastatic
M8384/9	Adenocarcinoma, endocervical type, uncertain whether primary or metastatic
M839–M842	Adnexal and skin appendage neoplasms
M8390/0	Skin appendage adenoma
M8390/1	Skin appendage adenoma, uncertain whether benign or malignant
M8390/2	Adnexal adenocarcinoma, in situ
M8390/3	Adnexal adenocarcinoma NOS
M8390/6	Adnexal adenocarcinoma, metastatic
M8390/9	Adnexal adenocarcinoma, uncertain whether primary or metastatic
M8391/0	Follicular fibroma
M8391/1	Follicular fibroma, uncertain whether benign or malignant
M8392/0	Syringofibroadenoma
M8392/1	Syringofibroadenoma, uncertain whether benign or malignant
M8400/0	Sweat gland adenoma
M8400/1	Sweat gland tumour NOS
M8400/2	Sweat gland adenocarcinoma, in situ

M8400/3	Sweat gland adenocarcinoma
M8400/6	Sweat gland adenocarcinoma, metastatic
M8400/9	Sweat gland adenocarcinoma, uncertain whether primary or metastatic
M8401/0	Apocrine adenoma
M8401/1	Apocrine adenoma, uncertain whether benign or malignant
M8401/2	Apocrine adenocarcinoma, in situ
M8401/3	Apocrine adenocarcinoma
M8401/6	Apocrine adenocarcinoma, metastatic
M8401/9	Apocrine adenocarcinoma, uncertain whether primary or metastatic
M8402/0	Hidradenoma NOS
M8402/1	Hidradenoma, uncertain whether benign or malignant
M8402/2	Hidradenocarcinoma, in situ
M8402/3	Hidradenocarcinoma
M8402/6	Hidradenocarcinoma, metastatic
M8402/9	Hidradenocarcinoma, uncertain whether primary or metastatic
M8403/0	Spiradenoma NOS
M8403/1	Spiradenoma, uncertain whether benign or malignant
M8403/2	Malignant eccrine spiradenoma, in situ
M8403/3	Malignant eccrine spiradenoma
M8403/6	Malignant eccrine spiradenoma, metastatic
M8403/9	Malignant eccrine spiradenoma, uncertain whether primary or metastatic
M8404/0	Hidrocystoma
M8404/1	Hidrocystoma, uncertain whether benign or malignant
M8404/2	Hidrocystoma, in situ
M8405/0	Papillary hidradenoma
M8405/1	Papillary hidradenoma, uncertain whether benign or malignant
M8406/0	Syringocystadenoma papilliferum
M8406/1	Syringocystadenoma papilliferum, uncertain whether benign or malignant
M8406/3	Syringocystadenocarcinoma papilliferum
M8406/6	Syringocystadenocarcinoma papilliferum, metastatic
M8406/9	Syringocystadenocarcinoma papilliferum, uncertain whether primary or metastatic
M8407/0	Syringoma NOS
M8407/1	Syringoma, uncertain whether benign or malignant
M8407/2	Syringoma, in situ
M8407/3	Microcystic adnexal carcinoma
M8407/6	Microcystic adnexal carcinoma, metastatic
M8407/9	Microcystic adnexal carcinoma, uncertain whether primary or metastatic
M8408/0	Eccrine papillary adenoma
M8408/1	Aggressive digital papillary adenoma
M8408/2	Digital papillary adenocarcinoma, in situ
M8408/3	Digital papillary adenocarcinoma
M8408/6	Digital papillary adenocarcinoma, metastatic
M8408/9	Digital papillary adenocarcinoma, uncertain whether primary or metastatic
M8409/0	Poroma NOS
M8409/1	Poroma, uncertain whether benign or malignant
M8409/2	Porocarcinoma, in situ
M8409/3	Porocarcinoma NOS
M8409/6	Porocarcinoma, metastatic

M8409/9	Porocarcinoma, uncertain whether primary or metastatic
M8410/0	Sebaceoma
M8410/1	Sebaceoma, uncertain whether benign or malignant
M8410/2	Sebaceous carcinoma, in situ
M8410/3	Sebaceous carcinoma
M8410/6	Sebaceous carcinoma, metastatic
M8410/9	Sebaceous carcinoma, uncertain whether primary or metastatic
M8413/2	Eccrine adenocarcinoma, in situ
M8413/3	Eccrine adenocarcinoma
M8413/6	Eccrine adenocarcinoma, metastatic
M8413/9	Eccrine adenocarcinoma, uncertain whether primary or metastatic
M8420/0	Ceruminous adenoma
M8420/1	Ceruminous adenoma, uncertain whether benign or malignant
M8420/2	Ceruminous adenocarcinoma, in situ
M8420/3	Ceruminous adenocarcinoma
M8420/6	Ceruminous adenocarcinoma, metastatic
M8420/9	Ceruminous adenocarcinoma, uncertain whether primary or metastatic
M843	Mucoepidermoid neoplasms
M8430/1	Mucoepidermoid tumour
M8430/2	Mucoepidermoid carcinoma, in situ
M8430/3	Mucoepidermoid carcinoma
M8430/6	Mucoepidermoid carcinoma, metastatic
M8430/9	Mucoepidermoid carcinoma, uncertain whether primary or metastatic
M844–M849	Cystic, mucinous and serous neoplasms
M8440/0	Cystadenoma NOS
M8440/1	Cystadenoma, uncertain whether benign or malignant
M8440/2	Cystadenocarcinoma, in situ
M8440/3	Cystadenocarcinoma NOS
M8440/6	Cystadenocarcinoma NOS, metastatic
M8440/9	Cystadenocarcinoma NOS, uncertain whether primary or metastatic
M8441/0	Serous cystadenoma NOS
M8441/1	Serous cystadenoma, uncertain whether benign or malignant
M8441/2	Serous intraepithelial carcinoma
M8441/3	Serous carcinoma NOS
M8441/6	Serous carcinoma NOS, metastatic
M8441/9	Serous carcinoma NOS, uncertain whether primary or metastatic
M8442/1	Serous borderline tumour NOS
M8442/3	Serous borderline tumour NOS, with malignant transformation
M8442/6	Serous borderline tumour NOS, with malignant transformation, metastatic
M8442/9	Serous borderline tumour NOS, with malignant transformation, uncertain whether primary or metastatic
M8443/0	Clear cell cystadenoma
M8444/1	Clear cell cystic tumour of borderline malignancy
M8450/0	Papillary cystadenoma NOS
M8450/2	Papillary cystadenocarcinoma, in situ
M8450/3	Papillary cystadenocarcinoma NOS
M8450/6	Papillary cystadenocarcinoma NOS, metastatic
M8450/9	Papillary cystadenocarcinoma NOS, uncertain whether primary or metastatic

M8451/1	Papillary cystadenoma, borderline malignancy
M8451/2	Papillary cystadenoma, borderline, with malignant transformation, in situ
M8451/3	Papillary cystadenoma, borderline malignancy of ovary (C56)
M8451/6	Papillary cystadenoma, borderline, with malignant transformation, metastatic
M8451/9	Papillary cystadenoma, borderline, with malignant transformation, uncertain whether primary or metastatic
M8452/1	Solid pseudopapillary tumour of ovary
M8452/2	Solid pseudopapillary neoplasm of pancreas, in situ
M8452/3	Solid pseudopapillary neoplasm of pancreas
M8452/6	Solid pseudopapillary neoplasm of pancreas, metastatic
M8452/9	Solid pseudopapillary neoplasm of pancreas, uncertain whether primary or metastatic
M8453/0	Intraductal papillary-mucinous adenoma
M8453/1	Intraductal papillary-mucinous tumour with moderate dysplasia
M8453/2	Intraductal papillary-mucinous neoplasm with high grade dysplasia
M8453/3	Intraductal papillary-mucinous neoplasm with associated invasive carcinoma
M8453/6	Intraductal papillary-mucinous neoplasm with associated invasive carcinoma, metastatic
M8453/9	Intraductal papillary-mucinous neoplasm with associated invasive carcinoma, uncertain whether primary or metastatic
M8454/0	Cystic tumour of atrio-ventricular node
M8460/0	Papillary serous cystadenoma NOS
M8460/1	Papillary serous cystadenoma, uncertain whether benign or malignant
M8460/2	Serous borderline tumour, micropapillary variant
M8460/3	Low grade serous carcinoma
M8460/6	Low grade serous carcinoma, metastatic
M8460/9	Low grade serous carcinoma, uncertain whether primary or metastatic
M8461/0	Serous surface papilloma
M8461/1	Serous surface papilloma, borderline malignancy
M8461/2	High grade serous carcinoma, in situ
M8461/3	High grade serous carcinoma
M8461/6	High grade serous carcinoma, metastatic
M8461/9	High grade serous carcinoma, uncertain whether primary or metastatic
M8462/1	Serous papillary cystic tumour of borderline malignancy
M8462/3	Papillary serous cystadenoma, borderline malignancy of ovary (C56)
M8463/1	Serous surface papillary tumour of borderline malignancy
M8470/0	Mucinous cystadenoma NOS
M8470/1	Mucinous cystic tumour with moderate dysplasia
M8470/2	Mucinous cystic neoplasm with high grade dysplasia
M8470/3	Mucinous cystadenocarcinoma NOS
M8470/6	Mucinous cystadenocarcinoma NOS, metastatic
M8470/9	Mucinous cystadenocarcinoma NOS, uncertain whether primary or metastatic
M8471/0	Papillary mucinous cystadenoma NOS
M8471/1	Papillary mucinous cystadenoma, uncertain whether benign or malignant
M8471/2	Papillary mucinous cystadenocarcinoma, in situ
M8471/3	Papillary mucinous cystadenocarcinoma
M8471/6	Papillary mucinous cystadenocarcinoma, metastatic
M8471/9	Papillary mucinous cystadenocarcinoma, uncertain whether primary or metastatic
M8472/0	Mucinous cystic tumour, benign

M8472/1	Mucinous cystic tumour of borderline malignancy
M8472/2	Mucinous cystic tumour, borderline, with malignant transformation, in situ
M8472/3	Mucinous cystic tumour, borderline, with malignant transformation
M8472/6	Mucinous cystic tumour, borderline, with malignant transformation, metastatic
M8472/9	Mucinous cystic tumour, borderline, with malignant transformation, uncertain whether primary or metastatic
M8473/1	Papillary mucinous cystadenoma, borderline malignancy
M8473/2	Papillary mucinous cystic tumour, borderline, with malignant transformation, in situ
M8473/3	Papillary mucinous cystic tumour, borderline, with malignant transformation
M8473/6	Papillary mucinous cystic tumour, borderline, with malignant transformation, metastatic
M8473/9	Papillary mucinous cystic tumour, borderline, with malignant transformation, uncertain whether primary or metastatic
M8474/0	Seromucinous cystadenoma
M8474/1	Seromucinous borderline tumour
M8474/3	Seromucinous carcinoma
M8474/6	Seromucinous carcinoma, metastatic
M8474/9	Seromucinous carcinoma, uncertain whether primary or metastatic
M8480/0	Mucinous adenoma
M8480/1	Low grade appendiceal mucinous neoplasm
M8480/2	Mucinous adenocarcinoma, in situ
M8480/3	Mucinous adenocarcinoma
M8480/6	Pseudomyxoma peritonei
M8480/9	Mucinous adenocarcinoma, uncertain whether primary or metastatic
M8481/2	Mucin-producing adenocarcinoma, in situ
M8481/3	Mucin-producing adenocarcinoma
M8481/6	Mucin-producing adenocarcinoma, metastatic
M8481/9	Mucin-producing adenocarcinoma, uncertain whether primary or metastatic
M8482/2	Mucinous carcinoma, gastric type, in situ
M8482/3	Mucinous carcinoma, gastric type
M8482/6	Mucinous carcinoma, gastric type, metastatic
M8482/9	Mucinous carcinoma, gastric type, uncertain whether primary or metastatic
M8490/2	Signet ring cell carcinoma, in situ
M8490/3	Signet ring cell carcinoma
M8490/6	Metastatic signet ring cell carcinoma
M8490/9	Signet ring cell carcinoma, uncertain whether primary or metastatic
M850–M854	Ductal and lobular neoplasms
M8500/1	Infiltrating duct tumour NOS, uncertain whether benign or malignant
M8500/2	Intraductal carcinoma, noninfiltrating NOS
M8500/3	Infiltrating duct carcinoma NOS
M8500/6	Infiltrating duct carcinoma NOS, metastatic
M8500/9	Infiltrating duct carcinoma NOS, uncertain whether primary or metastatic
M8501/2	Comedocarcinoma, noninfiltrating
M8501/3	Comedocarcinoma NOS
M8501/6	Comedocarcinoma NOS, metastatic
M8501/9	Comedocarcinoma NOS, uncertain whether primary or metastatic
M8502/2	Secretory carcinoma, in situ
M8502/3	Secretory carcinoma

M8502/6	Secretory carcinoma, metastatic
M8502/9	Secretory carcinoma, uncertain whether primary or metastatic
M8503/0	Intraductal papilloma
M8503/2	Noninfiltrating intraductal papillary adenocarcinoma
M8503/3	Intraductal papillary adenocarcinoma with invasion
M8503/6	Intraductal papillary adenocarcinoma with invasion, metastatic
M8503/9	Intraductal papillary adenocarcinoma with invasion, uncertain whether primary or metastatic
M8504/0	Intracystic papillary adenoma
M8504/1	Intracystic papillary adenoma, uncertain whether benign or malignant
M8504/2	Encapsulated papillary carcinoma
M8504/3	Encapsulated papillary carcinoma with invasion
M8504/6	Encapsulated papillary carcinoma with invasion, metastatic
M8504/9	Encapsulated papillary carcinoma with invasion, uncertain whether primary or metastatic
M8505/0	Intraductal papillomatosis NOS
M8505/1	Intraductal papillomatosis, uncertain whether benign or malignant
M8506/0	Adenoma of nipple
M8506/1	Adenoma of nipple, uncertain whether benign or malignant
M8507/2	Intraductal micropapillary carcinoma
M8507/3	Invasive micropapillary carcinoma of breast
M8507/6	Invasive micropapillary carcinoma of breast, metastatic
M8507/9	Invasive micropapillary carcinoma of breast, uncertain whether primary or metastatic
M8508/2	Cystic hypersecretory carcinoma, in situ
M8508/3	Cystic hypersecretory carcinoma
M8508/6	Cystic hypersecretory carcinoma, metastatic
M8508/9	Cystic hypersecretory carcinoma, uncertain whether primary or metastatic
M8509/2	Solid papillary carcinoma in situ
M8509/3	Solid papillary carcinoma with invasion
M8509/6	Solid papillary carcinoma with invasion, metastatic
M8509/9	Solid papillary carcinoma with invasion, uncertain whether primary or metastatic
M8510/2	Medullary carcinoma, in situ
M8510/3	Medullary carcinoma NOS
M8510/6	Medullary carcinoma NOS, metastatic
M8510/9	Medullary carcinoma NOS, uncertain whether primary or metastatic
M8511/3	Medullary carcinoma with amyloid stroma (C73)
M8512/2	Medullary carcinoma with lymphoid stroma, in situ
M8512/3	Medullary carcinoma with lymphoid stroma
M8512/6	Medullary carcinoma with lymphoid stroma, metastatic
M8512/9	Medullary carcinoma with lymphoid stroma, uncertain whether primary or metastatic
M8513/2	Atypical medullary carcinoma, in situ
M8513/3	Atypical medullary carcinoma
M8513/6	Atypical medullary carcinoma, metastatic
M8513/9	Atypical medullary carcinoma, uncertain whether primary or metastatic
M8514/2	Duct carcinoma, desmoplastic type, in situ
M8514/3	Duct carcinoma, desmoplastic type
M8514/6	Duct carcinoma, desmoplastic type, metastatic
M8514/9	Duct carcinoma, desmoplastic type, uncertain whether primary or metastatic

M8519/2	Lobular carcinoma in situ, pleomorphic
M8520/2	Lobular carcinoma in situ NOS
M8520/3	Lobular carcinoma NOS
M8520/6	Lobular carcinoma NOS, metastatic
M8520/9	Lobular carcinoma NOS, uncertain whether primary or metastatic
M8521/2	Infiltrating ductular carcinoma, in situ
M8521/3	Infiltrating ductular carcinoma
M8521/6	Infiltrating ductular carcinoma, metastatic
M8521/9	Infiltrating ductular carcinoma, uncertain whether primary or metastatic
M8522/2	Intraductal carcinoma and lobular carcinoma in situ
M8522/3	Infiltrating duct and lobular carcinoma
M8522/6	Infiltrating duct and lobular carcinoma, metastatic
M8522/9	Infiltrating duct and lobular carcinoma, uncertain whether primary or metastatic
M8523/2	Infiltrating duct mixed with other types of carcinoma, in situ
M8523/3	Infiltrating duct mixed with other types of carcinoma
M8523/6	Infiltrating duct mixed with other types of carcinoma, metastatic
M8523/9	Infiltrating duct mixed with other types of carcinoma, uncertain whether primary or metastatic
M8524/2	Infiltrating lobular mixed with other types of carcinoma, in situ
M8524/3	Infiltrating lobular mixed with other types of carcinoma
M8524/6	Infiltrating lobular mixed with other types of carcinoma, metastatic
M8524/9	Infiltrating lobular mixed with other types of carcinoma, uncertain whether primary or metastatic
M8525/2	Polymorphous adenocarcinoma, in situ
M8525/3	Polymorphous adenocarcinoma
M8525/6	Polymorphous adenocarcinoma, metastatic
M8525/9	Polymorphous adenocarcinoma, uncertain whether primary or metastatic
M8530/2	Inflammatory carcinoma, in situ
M8530/3	Inflammatory carcinoma
M8530/6	Inflammatory carcinoma, metastatic
M8530/9	Inflammatory carcinoma, uncertain whether primary or metastatic
M8540/2	Paget disease, mammary, in situ
M8540/3	Paget disease, mammary
M8540/6	Paget disease, mammary, metastatic
M8540/9	Paget disease, mammary, uncertain whether primary or metastatic
M8541/2	Paget disease and infiltrating duct carcinoma of breast, in situ
M8541/3	Paget disease and infiltrating duct carcinoma of breast
M8541/6	Paget disease and infiltrating duct carcinoma of breast, metastatic
M8541/9	Paget disease and infiltrating duct carcinoma of breast, uncertain whether primary or metastatic
M8542/2	Paget disease, extramammary, in situ
M8542/3	Paget disease, extramammary
M8542/6	Paget disease, extramammary, metastatic
M8542/9	Paget disease, extramammary, uncertain whether primary or metastatic
M8543/2	Paget disease and intraductal carcinoma of breast, in situ
M8543/3	Paget disease and intraductal carcinoma of breast
M8543/6	Paget disease and intraductal carcinoma of breast, metastatic
M8543/9	Paget disease and intraductal carcinoma of breast, uncertain whether primary or metastatic

M855	Acinar cell neoplasms
M8550/0	Acinar cell adenoma
M8550/1	Acinar cell tumour
M8550/2	Acinar cell carcinoma, in situ
M8550/3	Acinar cell carcinoma
M8550/6	Acinar cell carcinoma, metastatic
M8550/9	Acinar cell carcinoma, uncertain whether primary or metastatic
M8551/2	Acinar cell cystadenocarcinoma, in situ
M8551/3	Acinar cell cystadenocarcinoma
M8551/6	Acinar cell cystadenocarcinoma, metastatic
M8551/9	Acinar cell cystadenocarcinoma, uncertain whether primary or metastatic
M8552/3	Mixed acinar-ductal carcinoma
M8552/6	Mixed acinar-ductal carcinoma, metastatic
M8552/9	Mixed acinar-ductal carcinoma, uncertain whether primary or metastatic
M856–M857	Complex epithelial neoplasms
M8560/0	Mixed squamous cell and glandular papilloma
M8560/1	Adenosquamous tumour, uncertain whether benign or malignant
M8560/2	Adenosquamous carcinoma, in situ
M8560/3	Adenosquamous carcinoma
M8560/6	Adenosquamous carcinoma, metastatic
M8560/9	Adenosquamous carcinoma, uncertain whether primary or metastatic
M8561/0	Adenolymphoma
M8561/1	Adenolymphoma, uncertain whether benign or malignant
M8562/2	Epithelial-myoepithelial carcinoma, in situ
M8562/3	Epithelial-myoepithelial carcinoma
M8562/6	Epithelial-myoepithelial carcinoma, metastatic
M8562/9	Epithelial-myoepithelial carcinoma, uncertain whether primary or metastatic
M8563/0	Lymphadenoma
M8570/2	Adenocarcinoma with squamous metaplasia, in situ
M8570/3	Adenocarcinoma with squamous metaplasia
M8570/6	Adenocarcinoma with squamous metaplasia, metastatic
M8570/9	Adenocarcinoma with squamous metaplasia, uncertain whether primary or metastatic
M8571/2	Adenocarcinoma with cartilaginous and osseous metaplasia, in situ
M8571/3	Adenocarcinoma with cartilaginous and osseous metaplasia
M8571/6	Adenocarcinoma with cartilaginous and osseous metaplasia, metastatic
M8571/9	Adenocarcinoma with cartilaginous and osseous metaplasia, uncertain whether primary or metastatic
M8572/2	Adenocarcinoma with spindle cell metaplasia, in situ
M8572/3	Adenocarcinoma with spindle cell metaplasia
M8572/6	Adenocarcinoma with spindle cell metaplasia, metastatic
M8572/9	Adenocarcinoma with spindle cell metaplasia, uncertain whether primary or metastatic
M8573/2	Adenocarcinoma with apocrine metaplasia, in situ
M8573/3	Adenocarcinoma with apocrine metaplasia
M8573/6	Adenocarcinoma with apocrine metaplasia, metastatic
M8573/9	Adenocarcinoma with apocrine metaplasia, uncertain whether primary or metastatic
M8574/2	Adenocarcinoma with neuroendocrine differentiation, in situ
M8574/3	Adenocarcinoma with neuroendocrine differentiation
M8574/6	Adenocarcinoma with neuroendocrine differentiation, metastatic

M8574/9	Adenocarcinoma with neuroendocrine differentiation, uncertain whether primary or metastatic
M8575/2	Metaplastic carcinoma, in situ
M8575/3	Metaplastic carcinoma NOS
M8575/6	Metaplastic carcinoma NOS, metastatic
M8575/9	Metaplastic carcinoma NOS, uncertain whether primary or metastatic
M8576/2	Hepatoid adenocarcinoma, in situ
M8576/3	Hepatoid adenocarcinoma
M8576/6	Hepatoid adenocarcinoma, metastatic
M8576/9	Hepatoid adenocarcinoma, uncertain whether primary or metastatic
M858	Thymic epithelial neoplasms
M8580/0	Microscopic thymoma
M8580/1	Micronodular thymoma with lymphoid stroma
M8580/2	Thymoma, in situ
M8580/3	Thymoma NOS
M8580/6	Thymoma NOS, metastatic
M8580/9	Thymoma NOS, uncertain whether primary or metastatic
M8581/1	Thymoma, type A NOS
M8581/2	Thymoma, type A, in situ
M8581/3	Thymoma, type A
M8581/6	Thymoma, type A, metastatic
M8581/9	Thymoma, type A, uncertain whether primary or metastatic
M8582/1	Thymoma, type AB NOS
M8582/2	Thymoma, type AB, in situ
M8582/3	Thymoma, type AB
M8582/6	Thymoma, type AB, metastatic
M8582/9	Thymoma, type AB, uncertain whether primary or metastatic
M8583/1	Thymoma, type B1 NOS
M8583/2	Thymoma, type B1, in situ
M8583/3	Thymoma, type B1
M8583/6	Thymoma, type B1, metastatic
M8583/9	Thymoma, type B1, uncertain whether primary or metastatic
M8584/1	Thymoma, type B2 NOS
M8584/2	Thymoma, type B2, in situ
M8584/3	Thymoma, type B2
M8584/6	Thymoma, type B2, metastatic
M8584/9	Thymoma, type B2, uncertain whether primary or metastatic
M8585/1	Thymoma type B3 NOS
M8585/2	Thymoma, type B3, in situ
M8585/3	Thymoma, type B3
M8585/6	Thymoma, type B3, metastatic
M8585/9	Thymoma, type B3, uncertain whether primary or metastatic
M8586/2	Thymic carcinoma, in situ
M8586/3	Thymic carcinoma NOS
M8586/6	Thymic carcinoma NOS, metastatic
M8586/9	Thymic carcinoma NOS, uncertain whether primary or metastatic
M8587/0	Ectopic hamartomatous thymoma
M8588/2	Spindle epithelial tumour with thymus-like element, in situ

M8588/3	Spindle epithelial tumour with thymus-like element
M8588/6	Spindle epithelial tumour with thymus-like element, metastatic
M8588/9	Spindle epithelial tumour, malignant with thymus-like element, uncertain whether primary or metastatic
M8589/2	Intrathyroid thymic carcinoma, in situ
M8589/3	Intrathyroid thymic carcinoma
M8589/6	Intrathyroid thymic carcinoma, metastatic
M8589/9	Intrathyroid thymic carcinoma, uncertain whether primary or metastatic
M859–M867	Specialised gonadal neoplasms
M8590/0	Sex cord stromal tumour, benign
M8590/1	Sex cord-gonadal stromal tumour NOS
M8590/2	Sex cord-gonadal stromal tumour, in situ
M8590/3	Sex cord-gonadal stromal tumour, malignant,
M8590/6	Sex cord-gonadal stromal tumour, metastatic
M8590/9	Sex cord-gonadal stromal tumour, uncertain whether primary or metastatic
M8591/1	Sex cord-gonadal stromal tumour, incompletely differentiated
M8591/2	Sex cord-gonadal stromal tumour, incompletely differentiated, in situ
M8591/3	Sex cord-gonadal stromal tumour, incompletely differentiated, malignant
M8591/6	Sex cord-gonadal stromal tumour, incompletely differentiated, metastatic
M8591/9	Sex cord-gonadal stromal tumour, malignant, incompletely differentiated, uncertain whether primary or metastatic
M8592/1	Sex cord-gonadal stromal tumour, mixed forms
M8592/2	Sex cord-gonadal stromal tumour, mixed forms, in situ
M8592/3	Sex cord-gonadal stromal tumour, mixed forms, malignant
M8592/6	Sex cord-gonadal stromal tumour, mixed forms, metastatic
M8592/9	Sex cord-gonadal stromal tumour, mixed forms, uncertain whether primary or metastatic
M8593/1	Stromal tumour with minor sex cord elements
M8593/2	Stromal tumour with minor sex cord elements, in situ
M8593/3	Stromal tumour with minor sex cord elements, malignant
M8593/6	Stromal tumour with minor sex cord elements, metastatic
M8593/9	Stromal tumour, malignant with minor sex cord elements, uncertain whether primary or metastatic
M8594/1	Mixed germ cell-sex cord-stromal tumour NOS
M8600/0	Thecoma NOS
M8600/1	Thecoma, uncertain whether benign or malignant
M8600/2	Thecoma, in situ
M8600/3	Thecoma, malignant
M8600/6	Thecoma, malignant, metastatic
M8600/9	Thecoma, malignant, uncertain whether primary or metastatic
M8601/0	Thecoma, luteinised
M8602/0	Sclerosing stromal tumour
M8610/0	Luteoma NOS
M8610/1	Luteoma, uncertain whether benign or malignant
M8610/2	Luteoma, in situ
M8610/3	Luteoma, malignant
M8610/6	Luteoma, metastatic
M8610/9	Luteoma, malignant, uncertain whether primary or metastatic
M8620/1	Adult granulosa cell tumour of testis

M8620/2	Adult granulosa cell tumour, in situ
M8620/3	Adult granulosa cell tumour of ovary
M8620/6	Adult granulosa cell tumour of ovary, metastatic
M8620/9	Adult granulosa cell tumour of ovary, uncertain whether primary or metastatic
M8621/1	Granulosa cell-theca cell tumour
M8621/2	Granulosa cell-theca cell tumour, in situ
M8621/3	Granulosa cell-theca cell tumour, malignant
M8621/6	Granulosa cell-theca cell tumour, metastatic
M8621/9	Granulosa cell-theca cell tumour, uncertain whether primary or metastatic
M8622/0	Granulosa cell tumour of testis, juvenile
M8622/1	Granulosa cell tumour, juvenile
M8623/1	Sex cord tumour with annular tubules
M8630/0	Androblastoma, benign
M8630/1	Androblastoma NOS
M8630/2	Androblastoma, in situ
M8630/3	Androblastoma, malignant
M8630/6	Androblastoma, malignant, metastatic
M8630/9	Androblastoma, malignant, uncertain whether primary or metastatic
M8631/0	Sertoli-Leydig cell tumour, well differentiated
M8631/1	Sertoli-Leydig cell tumour of intermediate differentiation
M8631/2	Sertoli-Leydig cell tumour, poorly differentiated, in situ
M8631/3	Sertoli-Leydig cell tumour, poorly differentiated
M8631/6	Sertoli-Leydig cell tumour, poorly differentiated, metastatic
M8631/9	Sertoli-Leydig cell tumour, malignant, poorly differentiated, uncertain whether primary or metastatic
M8632/1	Gynandroblastoma
M8632/2	Gynandroblastoma, in situ
M8632/3	Gynandroblastoma, malignant
M8632/6	Gynandroblastoma, metastatic
M8632/9	Gynandroblastoma, uncertain whether primary or metastatic
M8633/1	Sertoli-Leydig cell tumour, retiform
M8634/1	Sertoli-Leydig cell tumour, intermediate differentiation, with heterologous elements
M8634/2	Sertoli-Leydig cell tumour, poorly differentiated, with heterologous elements, in situ
M8634/3	Sertoli-Leydig cell tumour, poorly differentiated, with heterologous elements
M8634/6	Sertoli-Leydig cell tumour, poorly differentiated, with heterologous elements, metastatic
M8634/9	Sertoli-Leydig cell tumour, malignant, poorly differentiated, with heterologous elements, uncertain whether primary or metastatic
M8640/0	Sertoli cell tumour NOS
M8640/1	Sertoli cell tumour NOS
M8640/2	Sertoli cell carcinoma, in situ
M8640/3	Sertoli cell carcinoma
M8640/6	Sertoli cell carcinoma, metastatic
M8640/9	Sertoli cell carcinoma, uncertain whether primary or metastatic
M8641/0	Sertoli cell tumour with lipid storage
M8642/1	Large cell calcifying Sertoli cell tumour
M8643/1	Intratubular large cell hyalinising Sertoli cell neoplasia
M8650/0	Leydig cell tumour of ovary NOS

M8650/1	Leydig cell tumour of testis NOS
M8650/2	Leydig cell tumour, in situ
M8650/3	Leydig cell tumour, malignant
M8650/6	Leydig cell tumour, malignant, metastatic
M8650/9	Leydig cell tumour, malignant, uncertain whether primary or metastatic
M8660/0	Hilus cell tumour
M8670/0	Lipid cell tumour of ovary
M8670/2	Lipid cell tumour of ovary, in situ
M8670/3	Steroid cell tumour, malignant
M8670/6	Steroid cell tumour, malignant, metastatic
M8670/9	Steroid cell tumour, malignant, uncertain whether primary or metastatic
M8671/0	Adrenal rest tumour
M8671/1	Adrenal rest tumour, uncertain whether benign or malignant
M868–M871	Parangangliomas and glomus tumours
M8680/0	Paranganglioma, benign
M8680/1	Paranganglioma NOS
M8680/2	Paranganglioma, in situ
M8680/3	Paranganglioma NOS
M8680/6	Paranganglioma NOS, metastatic
M8680/9	Paranganglioma NOS, uncertain whether primary or metastatic
M8681/1	Sympathetic paranganglioma
M8681/3	Sympathetic paranganglioma
M8681/6	Sympathetic paranganglioma, metastatic
M8681/9	Sympathetic paranganglioma, uncertain whether primary or metastatic
M8682/1	Parasympathetic paranganglioma
M8682/3	Parasympathetic paranganglioma
M8682/6	Parasympathetic paranganglioma, metastatic
M8682/9	Parasympathetic paranganglioma, uncertain whether primary or metastatic
M8683/0	Gangliocytic paranganglioma
M8683/1	Gangliocytic paranganglioma, uncertain whether benign or malignant
M8690/0	Glomus jugulare tumour, benign
M8690/1	Glomus jugulare tumour NOS
M8690/2	Middle ear paranganglioma, in situ
M8690/3	Middle ear paranganglioma
M8690/6	Middle ear paranganglioma, malignant, metastatic
M8690/9	Middle ear paranganglioma, uncertain whether primary or metastatic
M8691/1	Aortic body tumour
M8691/2	Aortic body tumour, in situ
M8691/3	Aortic body tumour
M8691/6	Aortic body tumour, metastatic
M8691/9	Aortic body tumour, uncertain whether primary or metastatic
M8692/1	Carotid body tumour
M8692/3	Carotid body paranganglioma
M8692/6	Carotid body paranganglioma, metastatic
M8692/9	Carotid body paranganglioma, uncertain whether primary or metastatic
M8693/1	Extra-adrenal paranganglioma NOS
M8693/2	Extra-adrenal paranganglioma, in situ
M8693/3	Extra-adrenal paranganglioma NOS

M8693/6	Extra-adrenal paraganglioma NOS, metastatic
M8693/9	Extra-adrenal paraganglioma NOS, uncertain whether primary or metastatic
M8700/0	Phaeochromocytoma NOS
M8700/1	Phaeochromocytoma, uncertain whether benign or malignant
M8700/2	Phaeochromocytoma NOS, in situ
M8700/3	Phaeochromocytoma NOS
M8700/6	Phaeochromocytoma NOS, metastatic
M8700/9	Phaeochromocytoma NOS, uncertain whether primary or metastatic
M8710/2	Glomangiosarcoma, in situ
M8710/3	Glomangiosarcoma
M8710/6	Glomangiosarcoma, metastatic
M8710/9	Glomangiosarcoma, uncertain whether primary or metastatic
M8711/0	Glomus tumour NOS
M8711/1	Glomangiomas
M8711/2	Glomus tumour, in situ
M8711/3	Glomus tumour, malignant
M8711/6	Glomus tumour, malignant, metastatic
M8711/9	Glomus tumour, malignant, uncertain whether primary or metastatic
M8712/0	Glomangioma
M8712/2	Glomangioma, in situ
M8712/3	Glomangioma, malignant
M8712/6	Glomangioma, malignant, metastatic
M8712/9	Glomangioma, uncertain whether primary or metastatic
M8713/0	Glomangiomyoma
M8713/2	Glomangiomyoma, in situ
M8714/0	Perivascular epithelioid tumour, benign
M8714/3	Perivascular epithelioid tumour, malignant
M8714/6	Perivascular epithelioid tumour, metastatic
M8714/9	Perivascular epithelioid tumour, uncertain whether primary or metastatic
M872–M879	Naevi and melanomas
M8720/0	Pigmented naevus NOS
M8720/1	Pigmented naevus, uncertain whether benign or malignant
M8720/2	Melanoma in situ
M8720/3	Malignant melanoma NOS
M8720/6	Malignant melanoma NOS, metastatic
M8720/9	Malignant melanoma NOS, uncertain whether primary or metastatic
M8721/2	Nodular melanoma, in situ
M8721/3	Nodular melanoma
M8721/6	Nodular melanoma, metastatic
M8721/9	Nodular melanoma, uncertain whether primary or metastatic
M8722/0	Balloon cell naevus
M8722/1	Balloon cell naevus, uncertain whether benign or malignant
M8722/2	Balloon cell melanoma, in situ
M8722/3	Balloon cell melanoma
M8722/6	Balloon cell melanoma, metastatic
M8722/9	Balloon cell melanoma, uncertain whether primary or metastatic
M8723/0	Halo naevus
M8723/1	Melanoma, regressing, uncertain whether benign or malignant

M8723/2	Malignant melanoma, regressing, in situ
M8723/3	Malignant melanoma, regressing
M8723/6	Malignant melanoma, regressing, metastatic
M8723/9	Malignant melanoma, regressing, uncertain whether primary or metastatic
M8724/0	Fibrous papule of nose (D22.3)
M8725/0	Neuronaevus
M8725/1	Neuronaevus, uncertain whether benign or malignant
M8725/3	Neuronaevus, malignant
M8725/6	Neuronaevus, metastatic
M8725/9	Neuronaevus, uncertain whether primary or metastatic
M8726/0	Magnocellular naevus
M8726/1	Magnocellular naevus, uncertain whether benign or malignant
M8726/3	Magnocellular naevus, malignant
M8726/6	Magnocellular naevus, metastatic
M8726/9	Magnocellular naevus, uncertain whether primary or metastatic
M8727/0	Dysplastic naevus
M8727/1	Dysplastic naevus, uncertain whether benign or malignant
M8727/2	Melanoma in dysplastic naevus, in situ
M8727/3	Melanoma in dysplastic naevus, malignant
M8727/6	Melanoma in dysplastic naevus, metastatic
M8727/9	Melanoma in dysplastic naevus, uncertain whether primary or metastatic
M8728/0	Meningeal melanocytosis
M8728/1	Meningeal melanocytoma
M8728/2	Meningeal melanomatosis, in situ
M8728/3	Meningeal melanomatosis
M8728/6	Meningeal melanomatosis, metastatic
M8728/9	Meningeal melanomatosis, uncertain whether primary or metastatic
M8730/0	Nonpigmented naevus
M8730/1	Nonpigmented naevus, uncertain whether benign or malignant
M8730/2	Amelanotic melanoma, in situ
M8730/3	Amelanotic melanoma
M8730/6	Amelanotic melanoma, metastatic
M8730/9	Amelanotic melanoma, uncertain whether primary or metastatic
M8740/0	Junctional naevus NOS
M8740/1	Junctional naevus, uncertain whether benign or malignant
M8740/2	Malignant melanoma in junctional naevus, in situ
M8740/3	Malignant melanoma in junctional naevus
M8740/6	Malignant melanoma in junctional naevus, metastatic
M8740/9	Malignant melanoma in junctional naevus, uncertain whether primary or metastatic
M8741/1	Precancerous melanosis, uncertain whether benign or malignant
M8741/2	Precancerous melanosis NOS
M8741/3	Malignant melanoma in precancerous melanosis
M8741/6	Malignant melanoma in precancerous melanosis, metastatic
M8741/9	Malignant melanoma in precancerous melanosis, uncertain whether primary or metastatic
M8742/0	Lentiginous melanocytic naevus
M8742/1	Lentigo maligna, uncertain whether benign or malignant
M8742/2	Lentigo maligna

M8742/3	Lentigo maligna melanoma
M8742/6	Lentigo maligna melanoma, metastatic
M8742/9	Lentigo maligna melanoma, uncertain whether primary or metastatic
M8743/1	Low cumulative sun damage melanoma, uncertain whether benign or malignant
M8743/2	Low cumulative sun damage melanoma, in situ
M8743/3	Low cumulative sun damage melanoma
M8743/6	Low cumulative sun damage melanoma, metastatic
M8743/9	Low cumulative sun damage melanoma, uncertain whether primary or metastatic
M8744/0	Acral naevus
M8744/2	Acral melanoma, in situ
M8744/3	Acral melanoma
M8744/6	Acral melanoma, metastatic
M8744/9	Acral melanoma, uncertain whether primary or metastatic
M8745/2	Desmoplastic melanoma NOS, in situ
M8745/3	Desmoplastic melanoma NOS
M8745/6	Desmoplastic melanoma NOS, metastatic
M8745/9	Desmoplastic melanoma NOS, uncertain whether primary or metastatic
M8746/2	Mucosal lentiginous melanoma, in situ
M8746/3	Mucosal lentiginous melanoma
M8746/6	Mucosal lentiginous melanoma, metastatic
M8746/9	Mucosal lentiginous melanoma, uncertain whether primary or metastatic
M8750/0	Dermal naevus
M8750/1	Dermal naevus, uncertain whether benign or malignant
M8750/2	Dermal naevus, in situ
M8750/3	Dermal naevus, malignant
M8750/6	Dermal naevus, metastatic
M8750/9	Dermal naevus, uncertain whether primary or metastatic
M8760/0	Compound naevus
M8760/1	Compound naevus, uncertain whether benign or malignant
M8760/2	Compound naevus, in situ
M8760/3	Compound naevus, malignant
M8760/6	Compound naevus, metastatic
M8760/9	Compound naevus, uncertain whether primary or metastatic
M8761/0	Congenital melanocytic naevus NOS
M8761/1	Giant pigmented naevus NOS
M8761/2	Malignant melanoma arising in giant congenital naevus, in situ
M8761/3	Malignant melanoma arising in giant congenital naevus
M8761/6	Malignant melanoma arising in giant congenital naevus, metastatic
M8761/9	Malignant melanoma arising in giant congenital naevus, uncertain whether primary or metastatic
M8762/1	Proliferative dermal lesion in congenital naevus
M8770/0	Epithelioid and spindle cell naevus
M8770/1	Epithelioid and spindle cell naevus, uncertain whether benign or malignant
M8770/2	Spitz tumour, in situ
M8770/3	Malignant Spitz tumour
M8770/6	Malignant Spitz tumour, metastatic
M8770/9	Malignant Spitz tumour, uncertain whether primary or metastatic
M8771/0	Epithelioid cell naevus

M8771/1	Epithelioid cell naevus, uncertain whether benign or malignant
M8771/2	Epithelioid cell melanoma, in situ
M8771/3	Epithelioid cell melanoma
M8771/6	Epithelioid cell melanoma, metastatic
M8771/9	Epithelioid cell melanoma, uncertain whether primary or metastatic
M8772/0	Spindle cell naevus NOS
M8772/1	Spindle cell naevus, uncertain whether benign or malignant
M8772/2	Spindle cell melanoma, in situ
M8772/3	Spindle cell melanoma NOS
M8772/6	Spindle cell melanoma NOS, metastatic
M8772/9	Spindle cell melanoma NOS, uncertain whether primary or metastatic
M8773/2	Spindle cell melanoma, type A, in situ
M8773/3	Spindle cell melanoma, type A
M8773/6	Spindle cell melanoma, type A, metastatic
M8773/9	Spindle cell melanoma, type A, uncertain whether primary or metastatic
M8774/2	Spindle cell melanoma, type B, in situ
M8774/3	Spindle cell melanoma, type B
M8774/6	Spindle cell melanoma, type B, metastatic
M8774/9	Spindle cell melanoma, type B, uncertain whether primary or metastatic
M8780/0	Blue naevus NOS
M8780/1	Pigmented epithelioid melanocytoma
M8780/2	Blue naevus, in situ
M8780/3	Blue naevus, malignant
M8780/6	Blue naevus, malignant, metastatic
M8780/9	Blue naevus, malignant, uncertain whether primary or metastatic
M8790/0	Cellular blue naevus
M8790/1	Cellular blue naevus, uncertain whether benign or malignant
M8790/3	Cellular blue naevus, malignant
M8790/6	Cellular blue naevus, metastatic
M8790/9	Cellular blue naevus, uncertain whether primary or metastatic
M880	Soft tissue tumours and sarcomas, NOS
M8800/0	Soft tissue tumour, benign
M8800/3	Sarcoma NOS
M8800/6	Sarcoma, metastatic
M8800/9	Sarcomatosis NOS
M8801/1	Spindle cell tumour, uncertain whether benign or malignant
M8801/3	Spindle cell sarcoma
M8801/6	Spindle cell sarcoma, metastatic
M8801/9	Spindle cell sarcoma, uncertain whether primary or metastatic
M8802/1	Pleomorphic hyalinising angiectatic tumour
M8802/3	Giant cell sarcoma
M8802/6	Giant cell sarcoma, metastatic
M8802/9	Giant cell sarcoma, uncertain whether primary or metastatic
M8803/3	Small cell sarcoma
M8803/6	Small cell sarcoma, metastatic
M8803/9	Small cell sarcoma, uncertain whether primary or metastatic
M8804/2	Epithelioid sarcoma, in situ
M8804/3	Epithelioid sarcoma

M8804/6	Epithelioid sarcoma, metastatic
M8804/9	Epithelioid sarcoma, uncertain whether primary or metastatic
M8805/3	Undifferentiated sarcoma
M8805/6	Undifferentiated sarcoma, metastatic
M8805/9	Undifferentiated sarcoma, uncertain whether primary or metastatic
M8806/3	Desmoplastic small round cell tumour
M8806/6	Desmoplastic small round cell tumour, metastatic
M8806/9	Desmoplastic small round cell tumour, uncertain whether primary or metastatic
M881–M883	Fibromatous neoplasms
M8810/0	Fibroma NOS
M8810/1	Cellular fibroma
M8810/3	Fibrosarcoma NOS
M8810/6	Fibrosarcoma NOS, metastatic
M8810/9	Fibrosarcoma NOS, uncertain whether primary or metastatic
M8811/0	Fibromyxoma NOS
M8811/1	Myxoinflammatory fibroblastic sarcoma
M8811/3	Myxofibrosarcoma
M8811/6	Myxofibrosarcoma, metastatic
M8811/9	Myxofibrosarcoma, uncertain whether primary or metastatic
M8812/0	Periosteal fibroma
M8812/1	Periosteal fibroma, uncertain whether benign or malignant
M8812/3	Periosteal fibrosarcoma
M8812/6	Periosteal fibrosarcoma, metastatic
M8812/9	Periosteal fibrosarcoma, uncertain whether primary or metastatic
M8813/0	Fibroma of tendon sheath
M8813/1	Palmar/plantar type fibromatosis
M8813/3	Fascial fibrosarcoma
M8813/6	Fascial fibrosarcoma, metastatic
M8813/9	Fascial fibrosarcoma, uncertain whether primary or metastatic
M8814/1	Infantile fibrosarcoma, uncertain whether benign or malignant
M8814/3	Infantile fibrosarcoma
M8814/6	Infantile fibrosarcoma, metastatic
M8814/9	Infantile fibrosarcoma, uncertain whether primary or metastatic
M8815/0	Solitary fibrous tumour/haemangiopericytoma, grade 1
M8815/1	Solitary fibrous tumour NOS
M8815/3	Solitary fibrous tumour, malignant
M8815/6	Solitary fibrous tumour, malignant, metastatic
M8815/9	Solitary fibrous tumour, malignant, uncertain whether primary or metastatic
M8816/0	Calcifying aponeurotic fibroma
M8817/0	Calcifying fibrous tumour
M8818/0	Fibrous dysplasia
M8820/0	Elastofibroma
M8820/3	Elastofibroma, malignant
M8820/6	Elastofibroma, metastatic
M8820/9	Elastofibroma, uncertain whether primary or metastatic
M8821/1	Aggressive fibromatosis
M8821/3	Aggressive fibromatosis, malignant
M8821/6	Aggressive fibromatosis, metastatic

M8821/9	Aggressive fibromatosis, uncertain whether primary or metastatic
M8822/1	Abdominal fibromatosis
M8822/3	Abdominal fibromatosis, malignant
M8822/6	Abdominal fibromatosis, metastatic
M8822/9	Abdominal fibromatosis, uncertain whether primary or metastatic
M8823/0	Sclerotic fibroma
M8823/1	Desmoplastic fibroma
M8824/0	Myofibroma
M8824/1	Myofibromatosis
M8825/0	Myofibroblastoma
M8825/1	Myofibroblastic tumour NOS
M8825/3	Myofibroblastic sarcoma
M8825/6	Myofibroblastic sarcoma, metastatic
M8825/9	Myofibroblastic sarcoma, uncertain whether primary or metastatic
M8826/0	Angiomyofibroblastoma
M8826/1	Angiomyofibroblastoma, uncertain whether benign or malignant
M8827/1	Myofibroblastic tumour, peribronchial
M8827/3	Myofibroblastic tumour, peribronchial, malignant
M8827/6	Myofibroblastic tumour, peribronchial, metastatic
M8827/9	Myofibroblastic tumour, peribronchial, uncertain whether primary or metastatic
M8828/0	Nodular fasciitis
M8830/0	Benign fibrous histiocyoma
M8830/1	Atypical fibrous histiocyoma
M8830/3	Malignant fibrous histiocyoma
M8830/6	Malignant fibrous histiocyoma, metastatic
M8830/9	Malignant fibrous histiocyoma, uncertain whether primary or metastatic
M8831/0	Histiocyoma NOS
M8831/1	Histiocyoma, uncertain whether benign or malignant
M8832/0	Dermatofibroma NOS
M8832/1	Dermatofibrosarcoma protuberans NOS
M8832/3	Dermatofibrosarcoma protuberans, fibrosarcomatous
M8832/6	Dermatofibrosarcoma protuberans, fibrosarcomatous, metastatic
M8832/9	Dermatofibrosarcoma protuberans, fibrosarcomatous, uncertain whether primary or metastatic
M8833/1	Pigmented dermatofibrosarcoma protuberans
M8833/3	Pigmented dermatofibrosarcoma protuberans
M8833/6	Pigmented dermatofibrosarcoma protuberans, metastatic
M8833/9	Pigmented dermatofibrosarcoma protuberans, uncertain whether primary or metastatic
M8834/1	Giant cell fibroblastoma
M8835/1	Plexiform fibrohistiocytic tumour
M8835/3	Plexiform fibrohistiocytic tumour, malignant
M8835/6	Plexiform fibrohistiocytic tumour, malignant, metastatic
M8835/9	Plexiform fibrohistiocytic tumour, uncertain whether primary or metastatic
M8836/1	Angiomatoid fibrous histiocyoma
M8836/3	Angiomatoid fibrous histiocyoma, malignant
M8836/6	Angiomatoid fibrous histiocyoma, metastatic
M8836/9	Angiomatoid fibrous histiocyoma, uncertain whether primary or metastatic

M884	Myxomatous neoplasms
M8840/0	Myxoma NOS
M8840/3	Myxosarcoma
M8840/6	Myxosarcoma, metastatic
M8840/9	Myxosarcoma, uncertain whether primary or metastatic
M8841/0	Angiomyxoma NOS
M8841/1	Angiomyxoma
M8841/3	Angiomyxoma, malignant
M8841/6	Angiomyxoma, malignant, metastatic
M8841/9	Angiomyxoma, uncertain whether primary or metastatic
M8842/0	Ossifying fibromyxoid tumour NOS
M8842/1	Ossifying fibromyxoid tumour, uncertain whether benign or malignant
M8842/3	Ossifying fibromyxoid tumour, malignant
M8842/6	Ossifying fibromyxoid tumour, metastatic
M8842/9	Ossifying fibromyxoid tumour, uncertain whether primary or metastatic
M885–M888	Lipomatous neoplasms
M8850/0	Lipoma NOS
M8850/1	Atypical lipomatous tumour
M8850/3	Liposarcoma NOS
M8850/6	Liposarcoma NOS, metastatic
M8850/9	Liposarcoma NOS, uncertain whether primary or metastatic
M8851/0	Fibrolipoma
M8851/1	Lipofibromatosis
M8851/3	Liposarcoma, well differentiated NOS
M8851/6	Liposarcoma, well differentiated NOS, metastatic
M8851/9	Liposarcoma, well differentiated NOS, uncertain whether primary or metastatic
M8852/0	Fibromyxolipoma
M8852/1	Fibromyxolipoma, uncertain whether benign or malignant
M8852/3	Myxoid liposarcoma
M8852/6	Myxoid liposarcoma, metastatic
M8852/9	Myxoid liposarcoma, uncertain whether primary or metastatic
M8853/3	Round cell liposarcoma
M8853/6	Round cell liposarcoma, metastatic
M8853/9	Round cell liposarcoma, uncertain whether primary or metastatic
M8854/0	Pleomorphic lipoma
M8854/3	Pleomorphic liposarcoma
M8854/6	Pleomorphic liposarcoma, metastatic
M8854/9	Pleomorphic liposarcoma, uncertain whether primary or metastatic
M8855/3	Mixed liposarcoma
M8855/6	Mixed liposarcoma, metastatic
M8855/9	Mixed liposarcoma, uncertain whether primary or metastatic
M8856/0	Intramuscular lipoma
M8857/0	Spindle cell lipoma
M8857/1	Spindle cell lipoma, uncertain whether benign or malignant
M8857/3	Fibroblastic liposarcoma
M8857/6	Fibroblastic liposarcoma, metastatic
M8857/9	Fibroblastic liposarcoma, uncertain whether primary or metastatic
M8858/3	Dedifferentiated liposarcoma

M8858/6	Dedifferentiated liposarcoma, metastatic
M8858/9	Dedifferentiated liposarcoma, uncertain whether primary or metastatic
M8860/0	Angiomyolipoma
M8860/1	Angiomyolipoma, epithelioid
M8860/3	Angiomyoliposarcoma
M8860/6	Angiomyoliposarcoma, metastatic
M8860/9	Angiomyoliposarcoma, uncertain whether primary or metastatic
M8861/0	Angiolipoma NOS
M8861/1	Angiolipoma, uncertain whether benign or malignant
M8862/0	Chondroid lipoma
M8870/0	Myelolipoma
M8870/1	Myelolipoma, uncertain whether benign or malignant
M8880/0	Hibernoma
M8880/1	Hibernoma, uncertain whether benign or malignant
M8880/3	Hibernoma, malignant
M8880/6	Hibernoma, malignant, metastatic
M8880/9	Hibernoma, uncertain whether primary or metastatic
M8881/0	Lipoblastomatosis
M889–M892	Myomatous neoplasms
M8890/0	Leiomyoma NOS
M8890/1	Leiomyomatosis NOS
M8890/3	Leiomyosarcoma NOS
M8890/6	Leiomyosarcoma NOS, metastatic
M8890/9	Leiomyosarcoma NOS, uncertain whether primary or metastatic
M8891/0	Epithelioid leiomyoma
M8891/1	Epithelioid leiomyoma, uncertain whether benign or malignant
M8891/3	Epithelioid leiomyosarcoma
M8891/6	Epithelioid leiomyosarcoma, metastatic
M8891/9	Epithelioid leiomyosarcoma, uncertain whether primary or metastatic
M8892/0	Cellular leiomyoma
M8892/1	Cellular leiomyoma, uncertain whether benign or malignant
M8893/0	Bizarre leiomyoma
M8893/1	Bizarre leiomyoma, uncertain whether benign or malignant
M8893/3	Bizarre leiomyoma, malignant
M8893/6	Bizarre leiomyoma, metastatic
M8893/9	Bizarre leiomyoma, uncertain whether primary or metastatic
M8894/0	Angioleiomyoma
M8894/1	Angioleiomyoma, uncertain whether benign or malignant
M8894/3	Angiomyosarcoma
M8894/6	Angiomyosarcoma, metastatic
M8894/9	Angiomyosarcoma, uncertain whether primary or metastatic
M8895/0	Myoma
M8895/1	Myoma, uncertain whether benign or malignant
M8895/3	Myosarcoma
M8895/6	Myosarcoma, metastatic
M8895/9	Myosarcoma, uncertain whether primary or metastatic
M8896/0	Myxoid leiomyoma
M8896/3	Myxoid leiomyosarcoma

M8896/6	Myxoid leiomyosarcoma, metastatic
M8896/9	Myxoid leiomyosarcoma, uncertain whether primary or metastatic
M8897/1	Smooth muscle tumour of uncertain malignant potential
M8898/1	Metastasising leiomyoma
M8900/0	Rhabdomyoma NOS
M8900/1	Rhabdomyoma, uncertain whether benign or malignant
M8900/3	Rhabdomyosarcoma NOS
M8900/6	Rhabdomyosarcoma NOS, metastatic
M8900/9	Rhabdomyosarcoma NOS, uncertain whether primary or metastatic
M8901/3	Pleomorphic rhabdomyosarcoma, adult type
M8901/6	Pleomorphic rhabdomyosarcoma, adult type, metastatic
M8901/9	Pleomorphic rhabdomyosarcoma, adult type, uncertain whether primary or metastatic
M8902/3	Mixed type rhabdomyosarcoma
M8902/6	Mixed type rhabdomyosarcoma, metastatic
M8902/9	Mixed type rhabdomyosarcoma, uncertain whether primary or metastatic
M8903/0	Fetal rhabdomyoma
M8903/1	Fetal rhabdomyoma, uncertain whether benign or malignant
M8904/0	Adult cellular rhabdomyoma
M8904/1	Adult cellular rhabdomyoma, uncertain whether benign or malignant
M8905/0	Genital rhabdomyoma
M8905/1	Genital rhabdomyoma, uncertain whether benign or malignant
M8910/3	Embryonal rhabdomyosarcoma NOS
M8910/6	Embryonal rhabdomyosarcoma NOS, metastatic
M8910/9	Embryonal rhabdomyosarcoma NOS, uncertain whether primary or metastatic
M8912/3	Spindle cell rhabdomyosarcoma
M8912/6	Spindle cell rhabdomyosarcoma, metastatic
M8912/9	Spindle cell rhabdomyosarcoma, uncertain whether primary or metastatic
M8920/3	Alveolar rhabdomyosarcoma
M8920/6	Alveolar rhabdomyosarcoma, metastatic
M8920/9	Alveolar rhabdomyosarcoma, uncertain whether primary or metastatic
M8921/3	Ectomesenchymoma
M8921/6	Ectomesenchymoma, metastatic
M8921/9	Ectomesenchymoma, uncertain whether primary or metastatic
M893–M899	Complex mixed and stromal neoplasms
M8930/0	Endometrial stromal nodule
M8930/1	Endometrial stromal nodule, uncertain whether benign or malignant
M8930/3	Endometrial stromal sarcoma NOS
M8930/6	Endometrial stromal sarcoma NOS, metastatic
M8930/9	Endometrial stromal sarcoma NOS, uncertain whether primary or metastatic
M8931/1	Endometrial stromal tumour, uncertain whether benign or malignant
M8931/3	Endometrial stromal sarcoma, low grade
M8931/6	Endometrial stromal sarcoma, low grade, metastatic
M8931/9	Endometrial stromal sarcoma, low grade, uncertain whether primary or metastatic
M8932/0	Adenomyoma
M8933/3	Adenosarcoma
M8933/6	Adenosarcoma, metastatic
M8933/9	Adenosarcoma, uncertain whether primary or metastatic
M8934/3	Carcinofibroma

M8934/6	Carcinofibroma, metastatic
M8934/9	Carcinofibroma, uncertain whether primary or metastatic
M8935/0	Stromal tumour, benign
M8935/1	Stromal tumour NOS
M8935/3	Stromal sarcoma NOS
M8935/6	Stromal sarcoma, metastatic
M8935/9	Stromal sarcoma NOS, uncertain whether primary or metastatic
M8936/0	Gastrointestinal stromal tumour, benign
M8936/1	Gastrointestinal stromal tumour NOS
M8936/3	Gastrointestinal stromal tumour
M8936/6	Gastrointestinal stromal tumour, metastatic
M8936/9	Gastrointestinal stromal tumour, uncertain whether primary or metastatic
M8940/0	Pleomorphic adenoma
M8940/1	Pleomorphic adenoma, uncertain whether benign or malignant
M8940/2	Mixed tumour, in situ NOS
M8940/3	Mixed tumour, malignant NOS
M8940/6	Mixed tumour, metastatic
M8940/9	Mixed tumour, malignant NOS, uncertain whether primary or metastatic
M8941/2	Carcinoma ex pleomorphic adenoma, in situ
M8941/3	Carcinoma ex pleomorphic adenoma
M8941/6	Carcinoma ex pleomorphic adenoma, metastatic
M8941/9	Carcinoma ex pleomorphic adenoma, uncertain whether primary or metastatic
M8950/1	Mullerian mixed tumour, uncertain whether benign or malignant
M8950/2	Mullerian mixed tumour, in situ
M8950/3	Mullerian mixed tumour
M8950/6	Mullerian mixed tumour, metastatic
M8950/9	Mullerian mixed tumour, uncertain whether primary or metastatic
M8951/1	Mesodermal mixed tumour, uncertain whether benign or malignant
M8951/2	Mesodermal mixed tumour, in situ
M8951/3	Mesodermal mixed tumour
M8951/6	Mesodermal mixed tumour, metastatic
M8951/9	Mesodermal mixed tumour, uncertain whether primary or metastatic
M8959/0	Benign cystic nephroma
M8959/1	Cystic partially differentiated nephroblastoma
M8959/2	Cystic nephroma, in situ
M8959/3	Malignant cystic nephroma
M8959/6	Malignant cystic nephroma, metastatic
M8959/9	Malignant cystic nephroma, uncertain whether primary or metastatic
M8960/1	Mesoblastic nephroma
M8960/2	Nephroblastoma NOS, in situ
M8960/3	Nephroblastoma NOS
M8960/6	Nephroblastoma NOS, metastatic
M8960/9	Nephroblastoma NOS, uncertain whether primary or metastatic
M8963/3	Rhabdoid tumour NOS
M8963/6	Rhabdoid tumour NOS, metastatic
M8963/9	Rhabdoid tumour NOS, uncertain whether primary or metastatic
M8964/3	Clear cell sarcoma of kidney
M8964/6	Clear cell sarcoma of kidney, metastatic

M8964/9	Clear cell sarcoma of kidney, uncertain whether primary or metastatic
M8965/0	Nephrogenic adenofibroma
M8965/1	Nephrogenic adenofibroma, uncertain whether benign or malignant
M8966/0	Renomedullary interstitial cell tumour
M8966/1	Renomedullary interstitial cell tumour, uncertain whether benign or malignant
M8967/0	Ossifying renal tumour
M8967/1	Ossifying renal tumour, uncertain whether benign or malignant
M8967/3	Ossifying renal tumour, malignant
M8967/6	Ossifying renal tumour, malignant, metastatic
M8967/9	Ossifying renal tumour, uncertain whether primary or metastatic
M8970/2	Hepatoblastoma, in situ
M8970/3	Hepatoblastoma
M8970/6	Hepatoblastoma, metastatic
M8970/9	Hepatoblastoma, uncertain whether primary or metastatic
M8971/2	Pancreatoblastoma, in situ
M8971/3	Pancreatoblastoma
M8971/6	Pancreatoblastoma, metastatic
M8971/9	Pancreatoblastoma, uncertain whether primary or metastatic
M8972/2	Pulmonary blastoma, in situ
M8972/3	Pulmonary blastoma
M8972/6	Pulmonary blastoma, metastatic
M8972/9	Pulmonary blastoma, uncertain whether primary or metastatic
M8973/2	Pleuropulmonary blastoma, in situ
M8973/3	Pleuropulmonary blastoma
M8973/6	Pleuropulmonary blastoma, metastatic
M8973/9	Pleuropulmonary blastoma, uncertain whether primary or metastatic
M8974/1	Sialoblastoma
M8974/3	Sialoblastoma, malignant
M8974/6	Sialoblastoma, metastatic
M8974/9	Sialoblastoma, uncertain whether primary or metastatic
M8975/1	Calcifying nested stromal-epithelial tumour
M8980/2	Carcinosarcoma NOS, in situ
M8980/3	Carcinosarcoma NOS
M8980/6	Carcinosarcoma NOS, metastatic
M8980/9	Carcinosarcoma NOS, uncertain whether primary or metastatic
M8981/2	Carcinosarcoma, embryonal, in situ
M8981/3	Carcinosarcoma, embryonal
M8981/6	Carcinosarcoma, embryonal, metastatic
M8981/9	Carcinosarcoma, embryonal, uncertain whether primary or metastatic
M8982/0	Myoepithelioma NOS
M8982/1	Myoepithelioma, uncertain whether benign or malignant
M8982/2	Myoepithelioma, in situ
M8982/3	Myoepithelial carcinoma
M8982/6	Myoepithelial carcinoma, metastatic
M8982/9	Myoepithelial carcinoma, uncertain whether primary or metastatic
M8983/0	Adenomyoepithelioma NOS
M8983/1	Adenomyoepithelioma, uncertain whether benign or malignant
M8983/3	Adenomyoepithelioma with carcinoma

M8983/6	Adenomyoepithelioma with carcinoma, metastatic
M8983/9	Adenomyoepithelioma with carcinoma, uncertain whether primary or metastatic
M8990/0	Mesenchymoma, benign
M8990/1	Mesenchymoma NOS
M8990/2	Mesenchymoma, in situ
M8990/3	Mesenchymoma, malignant
M8990/6	Mesenchymoma, malignant, metastatic
M8990/9	Mesenchymoma, malignant, uncertain whether primary or metastatic
M8991/2	Embryonal sarcoma, in situ
M8991/3	Embryonal sarcoma
M8991/6	Embryonal sarcoma, metastatic
M8991/9	Embryonal sarcoma, uncertain whether primary or metastatic
M8992/0	Pulmonary hamartoma
M900–M903	Fibroepithelial neoplasms
M9000/0	Brenner tumour NOS
M9000/1	Brenner tumour, borderline malignancy
M9000/2	Brenner tumour, in situ
M9000/3	Brenner tumour, malignant
M9000/6	Brenner tumour, malignant, metastatic
M9000/9	Brenner tumour, malignant, uncertain whether primary or metastatic
M9010/0	Fibroadenoma NOS
M9010/1	Fibroadenoma NOS, uncertain whether benign or malignant
M9010/2	Fibroadenoma NOS, in situ
M9010/3	Fibroadenoma NOS, malignant
M9010/6	Fibroadenoma NOS, metastatic
M9010/9	Fibroadenoma NOS, uncertain whether primary or metastatic
M9011/0	Intracanalicular fibroadenoma
M9011/1	Intracanalicular fibroadenoma, uncertain whether benign or malignant
M9012/0	Pericanalicular fibroadenoma
M9012/1	Pericanalicular fibroadenoma, uncertain whether benign or malignant
M9013/0	Adenofibroma NOS
M9013/1	Adenofibroma NOS, uncertain whether benign or malignant
M9014/0	Serous adenofibroma NOS
M9014/1	Serous adenofibroma of borderline malignancy
M9014/2	Serous adenocarcinofibroma, in situ
M9014/3	Serous adenocarcinofibroma
M9014/6	Serous adenocarcinofibroma, metastatic
M9014/9	Serous adenocarcinofibroma, uncertain whether primary or metastatic
M9015/0	Mucinous adenofibroma NOS
M9015/1	Mucinous adenofibroma of borderline malignancy
M9015/2	Mucinous adenocarcinofibroma, in situ
M9015/3	Mucinous adenocarcinofibroma
M9015/6	Mucinous adenocarcinofibroma, metastatic
M9015/9	Mucinous adenocarcinofibroma, uncertain whether primary or metastatic
M9016/0	Giant fibroadenoma
M9020/0	Phyllodes tumour, benign
M9020/1	Phyllodes tumour, borderline
M9020/2	Phyllodes tumour, in situ

M9020/3	Phyllodes tumour, malignant
M9020/6	Phyllodes tumour, malignant, metastatic
M9020/9	Phyllodes tumour, malignant, uncertain whether primary or metastatic
M9030/0	Juvenile fibroadenoma
M9030/1	Juvenile fibroadenoma, uncertain whether benign or malignant
M904	Synovial-like neoplasms
M9040/0	Synovioma, benign
M9040/1	Synovioma, uncertain whether benign or malignant
M9040/3	Synovial sarcoma NOS
M9040/6	Synovial sarcoma NOS, metastatic
M9040/9	Synovial sarcoma NOS, uncertain whether primary or metastatic
M9041/3	Synovial sarcoma, spindle cell
M9041/6	Synovial sarcoma, spindle cell, metastatic
M9041/9	Synovial sarcoma, spindle cell, uncertain whether primary or metastatic
M9042/3	Synovial sarcoma, epithelioid cell
M9042/6	Synovial sarcoma, epithelioid cell, metastatic
M9042/9	Synovial sarcoma, epithelioid cell, uncertain whether primary or metastatic
M9043/3	Synovial sarcoma, biphasic
M9043/6	Synovial sarcoma, biphasic, metastatic
M9043/9	Synovial sarcoma, biphasic, uncertain whether primary or metastatic
M9044/3	Clear cell sarcoma NOS
M9044/6	Clear cell sarcoma NOS, metastatic
M9044/9	Clear cell sarcoma NOS, uncertain whether primary or metastatic
M9045/3	Biphenotypic sinonasal sarcoma
M9045/6	Biphenotypic sinonasal sarcoma, metastatic
M9045/9	Biphenotypic sinonasal sarcoma, uncertain whether primary or metastatic
M905	Mesothelial neoplasms
M9050/0	Mesothelioma, benign
M9050/1	Mesothelioma, uncertain whether benign or malignant
M9050/3	Mesothelioma, malignant
M9050/6	Mesothelioma, malignant, metastatic
M9050/9	Mesothelioma, malignant, uncertain whether primary or metastatic
M9051/0	Fibrous mesothelioma, benign
M9051/1	Fibrous mesothelioma, uncertain whether benign or malignant
M9051/3	Fibrous mesothelioma, malignant
M9051/6	Fibrous mesothelioma, malignant, metastatic
M9051/9	Fibrous mesothelioma, malignant, uncertain whether primary or metastatic
M9052/0	Epithelioid mesothelioma, benign
M9052/1	Well differentiated papillary mesothelioma of pleura
M9052/3	Epithelioid mesothelioma, malignant
M9052/6	Epithelioid mesothelioma, malignant, metastatic
M9052/9	Epithelioid mesothelioma, malignant, uncertain whether primary or metastatic
M9053/0	Mesothelioma, biphasic, benign (D19.-)
M9053/3	Mesothelioma, biphasic, malignant
M9053/6	Mesothelioma, biphasic, malignant, metastatic
M9053/9	Mesothelioma, biphasic, malignant, uncertain whether primary or metastatic
M9054/0	Adenomatoid tumour NOS
M9054/1	Adenomatoid tumour, uncertain whether benign or malignant

M9055/0	Peritoneal inclusion cysts
M9055/1	Cystic mesothelioma NOS
M9055/3	Cystic mesothelioma NOS, malignant
M9055/6	Cystic mesothelioma NOS, metastatic
M9055/9	Cystic mesothelioma NOS, uncertain whether primary or metastatic
M906–M909	Germ cell neoplasms
M9060/2	Dysgerminoma, in situ
M9060/3	Dysgerminoma
M9060/6	Dysgerminoma, metastatic
M9060/9	Dysgerminoma, uncertain whether primary or metastatic
M9061/2	Seminoma, in situ
M9061/3	Seminoma NOS
M9061/6	Seminoma NOS, metastatic
M9061/9	Seminoma NOS, uncertain whether primary or metastatic
M9062/2	Seminoma, anaplastic, in situ
M9062/3	Seminoma, anaplastic
M9062/6	Seminoma, anaplastic, metastatic
M9062/9	Seminoma, anaplastic, uncertain whether primary or metastatic
M9063/2	Spermatocytic seminoma, in situ
M9063/3	Spermatocytic seminoma
M9063/6	Spermatocytic seminoma, metastatic
M9063/9	Spermatocytic seminoma, uncertain whether primary or metastatic
M9064/0	Germinoma, benign
M9064/2	Intratubular malignant germ cells
M9064/3	Germinoma
M9064/6	Germinoma, metastatic
M9064/9	Germinoma, uncertain whether primary or metastatic
M9065/2	Germ cell tumour, nonseminomatous, in situ
M9065/3	Germ cell tumour, nonseminomatous
M9065/6	Germ cell tumour, nonseminomatous, metastatic
M9065/9	Germ cell tumour, nonseminomatous, uncertain whether primary or metastatic
M9070/2	Embryonal carcinoma NOS, in situ
M9070/3	Embryonal carcinoma NOS
M9070/6	Embryonal carcinoma NOS, metastatic
M9070/9	Embryonal carcinoma NOS, uncertain whether primary or metastatic
M9071/2	Yolk sac tumour, in situ
M9071/3	Yolk sac tumour
M9071/6	Yolk sac tumour, metastatic
M9071/9	Yolk sac tumour, uncertain whether primary or metastatic
M9072/2	Polyembryoma, in situ
M9072/3	Polyembryoma
M9072/6	Polyembryoma, metastatic
M9072/9	Polyembryoma, uncertain whether primary or metastatic
M9073/1	Gonadoblastoma
M9073/2	Gonadoblastoma, in situ
M9073/3	Gonadoblastoma, malignant
M9073/6	Gonadoblastoma, metastatic
M9073/9	Gonadoblastoma, uncertain whether primary or metastatic

M9080/0	Teratoma, benign
M9080/1	Teratoma NOS
M9080/2	Teratoma, in situ, NOS
M9080/3	Teratoma, malignant NOS
M9080/6	Teratoma, malignant NOS, metastatic
M9080/9	Teratoma, malignant NOS, uncertain whether primary or metastatic
M9081/2	Teratocarcinoma, in situ
M9081/3	Teratocarcinoma
M9081/6	Teratocarcinoma, metastatic
M9081/9	Teratocarcinoma, uncertain whether primary or metastatic
M9082/2	Malignant teratoma, undifferentiated, in situ
M9082/3	Malignant teratoma, undifferentiated
M9082/6	Malignant teratoma, undifferentiated, metastatic
M9082/9	Malignant teratoma, undifferentiated, uncertain whether primary or metastatic
M9083/2	Malignant teratoma, intermediate, in situ
M9083/3	Malignant teratoma, intermediate
M9083/6	Malignant teratoma, intermediate, metastatic
M9083/9	Malignant teratoma, intermediate, uncertain whether primary or metastatic
M9084/0	Dermoid cyst NOS
M9084/1	Dermoid cyst NOS, uncertain whether benign or malignant
M9084/2	Teratoma with malignant transformation, in situ
M9084/3	Teratoma with malignant transformation
M9084/6	Teratoma with malignant transformation, metastatic
M9084/9	Teratoma with malignant transformation, uncertain whether primary or metastatic
M9085/1	Mixed germ cell tumour, uncertain whether benign or malignant
M9085/2	Mixed germ cell tumour, in situ
M9085/3	Mixed germ cell tumour
M9085/6	Mixed germ cell tumour, metastatic
M9085/9	Mixed germ cell tumour, uncertain whether primary or metastatic
M9086/3	Germ cell tumour with associated haematological malignancy
M9086/6	Germ cell tumour with associated haematological malignancy, metastatic
M9086/9	Germ cell tumour with associated haematological malignancy, uncertain whether primary or metastatic
M9090/0	Struma ovarii NOS
M9090/1	Struma ovarii, uncertain whether benign or malignant
M9090/2	Struma ovarii, in situ
M9090/3	Struma ovarii, malignant
M9090/6	Struma ovarii, malignant, metastatic
M9090/9	Struma ovarii, malignant, uncertain whether primary or metastatic
M9091/1	Strumal carcinoid
M9091/2	Strumal carcinoid, in situ
M9091/3	Strumal carcinoid, malignant
M9091/6	Strumal carcinoid, metastatic
M9091/9	Strumal carcinoid, uncertain whether primary or metastatic
M910	Trophoblastic neoplasms
M9100/0	Hydatidiform mole NOS
M9100/1	Invasive hydatidiform mole
M9100/2	Choriocarcinoma NOS, in situ

M9100/3	Choriocarcinoma NOS
M9100/6	Choriocarcinoma NOS, metastatic
M9100/9	Choriocarcinoma NOS, uncertain whether primary or metastatic
M9101/2	Choriocarcinoma combined with other germ cell elements, in situ
M9101/3	Choriocarcinoma combined with other germ cell elements
M9101/6	Choriocarcinoma combined with other germ cell elements, metastatic
M9101/9	Choriocarcinoma combined with other germ cell elements, uncertain whether primary or metastatic
M9102/2	Malignant teratoma, trophoblastic, in situ
M9102/3	Malignant teratoma, trophoblastic
M9102/6	Malignant teratoma, trophoblastic, metastatic
M9102/9	Malignant teratoma, trophoblastic, uncertain whether primary or metastatic
M9103/0	Partial hydatidiform mole
M9104/1	Placental site trophoblastic tumour
M9104/2	Placental site trophoblastic tumour, in situ
M9104/3	Placental site trophoblastic tumour, malignant
M9104/6	Placental site trophoblastic tumour, metastatic
M9104/9	Placental site trophoblastic tumour, uncertain whether primary or metastatic
M9105/2	Trophoblastic tumour, epithelioid, in situ
M9105/3	Trophoblastic tumour, epithelioid
M9105/6	Trophoblastic tumour, epithelioid, metastatic
M9105/9	Trophoblastic tumour, epithelioid, uncertain whether primary or metastatic
M911	Mesonephromas
M9110/0	Adenoma of rete ovarii
M9110/1	Wolffian tumour
M9110/2	Mesonephroma, in situ
M9110/3	Mesonephroma, malignant
M9110/6	Mesonephroma, malignant, metastatic
M9110/9	Mesonephroma, malignant, uncertain whether primary or metastatic
M912–M916	Blood vessel tumours
M9120/0	Haemangioma NOS
M9120/1	Haemangioma, uncertain whether benign or malignant
M9120/2	Haemangiosarcoma, in situ
M9120/3	Haemangiosarcoma
M9120/6	Haemangiosarcoma, metastatic
M9120/9	Haemangiosarcoma, uncertain whether primary or metastatic
M9121/0	Cavernous haemangioma
M9121/3	Cavernous haemangioma, malignant
M9121/6	Cavernous haemangioma, metastatic
M9121/9	Cavernous haemangioma, uncertain whether primary or metastatic
M9122/0	Venous haemangioma
M9123/0	Racemose haemangioma
M9124/2	Kupffer cell sarcoma, in situ
M9124/3	Kupffer cell sarcoma
M9124/6	Kupffer cell sarcoma, metastatic
M9124/9	Kupffer cell sarcoma, uncertain whether primary or metastatic
M9125/0	Epithelioid haemangioma
M9125/3	Epithelioid haemangioma, malignant

M9125/6	Epithelioid haemangioma, metastatic
M9125/9	Epithelioid haemangioma, uncertain whether primary or metastatic
M9126/0	Atypical vascular lesion
M9130/0	Haemangioendothelioma, benign
M9130/1	Haemangioendothelioma NOS
M9130/2	Haemangioendothelioma, in situ
M9130/3	Haemangioendothelioma, malignant
M9130/6	Haemangioendothelioma, malignant, metastatic
M9130/9	Haemangioendothelioma, malignant, uncertain whether primary or metastatic
M9131/0	Capillary haemangioma
M9131/1	Capillary haemangioma, uncertain whether benign or malignant
M9132/0	Intramuscular haemangioma
M9132/1	Intramuscular haemangioma, uncertain whether benign or malignant
M9132/2	Intramuscular haemangioma, in situ
M9132/3	Intramuscular haemangioma, malignant
M9132/6	Intramuscular haemangioma, metastatic
M9132/9	Intramuscular haemangioma, uncertain whether primary or metastatic
M9133/1	Epithelioid haemangioendothelioma NOS
M9133/2	Epithelioid haemangioendothelioma, in situ
M9133/3	Epithelioid haemangioendothelioma NOS
M9133/6	Epithelioid haemangioendothelioma NOS, metastatic
M9133/9	Epithelioid haemangioendothelioma NOS, uncertain whether primary or metastatic
M9134/1	Intravascular bronchial alveolar tumour (D38.1)
M9135/1	Papillary intralymphatic angioendothelioma
M9135/3	Papillary intralymphatic angioendothelioma, malignant
M9135/6	Papillary intralymphatic angioendothelioma, metastatic
M9135/9	Papillary intralymphatic angioendothelioma, uncertain whether primary or metastatic
M9136/1	Spindle cell haemangioendothelioma
M9136/3	Spindle cell haemangioendothelioma, malignant
M9136/6	Spindle cell haemangioendothelioma, metastatic
M9136/9	Spindle cell haemangioendothelioma, uncertain whether primary or metastatic
M9137/0	Myointimoma
M9137/3	Intimal sarcoma
M9137/6	Intimal sarcoma, metastatic
M9137/9	Intimal sarcoma, uncertain whether primary or metastatic
M9138/1	Pseudomyogenic [epithelioid sarcoma-like] haemangioendothelioma
M9140/3	Kaposi sarcoma
M9140/6	Kaposi sarcoma, metastatic
M9140/9	Kaposi sarcoma, uncertain whether primary or metastatic
M9141/0	Angiokeratoma
M9142/0	Verrucous keratotic haemangioma
M9150/0	Haemangiopericytoma, benign
M9150/1	Haemangiopericytoma NOS
M9150/2	Haemangiopericytoma, in situ
M9150/3	Haemangiopericytoma, malignant
M9150/6	Haemangiopericytoma, malignant, metastatic
M9150/9	Haemangiopericytoma, malignant, uncertain whether primary or metastatic
M9160/0	Angiofibroma NOS

M9160/1	Angiofibroma, uncertain whether benign or malignant
M9161/0	Acquired tufted haemangioma
M9161/1	Haemangioblastoma
M9161/2	Haemangioblastoma, in situ
M9161/3	Haemangioblastoma, malignant
M9161/6	Haemangioblastoma, metastatic
M9161/9	Haemangioblastoma, uncertain whether primary or metastatic
M917	Lymphatic vessel tumours
M9170/0	Lymphangioma NOS
M9170/1	Lymphangioma, uncertain whether benign or malignant
M9170/2	Lymphangiosarcoma, in situ
M9170/3	Lymphangiosarcoma
M9170/6	Lymphangiosarcoma, metastatic
M9170/9	Lymphangiosarcoma, uncertain whether primary or metastatic
M9171/0	Capillary lymphangioma
M9171/1	Capillary lymphangioma, uncertain whether benign or malignant
M9172/0	Cavernous lymphangioma
M9172/1	Cavernous lymphangioma, uncertain whether benign or malignant
M9173/0	Cystic lymphangioma
M9173/1	Cystic lymphangioma, uncertain whether benign or malignant
M9174/0	Lymphangiomyoma
M9174/1	Lymphangiomyomatosis
M9175/0	Haemolymphangioma
M9175/1	Haemolymphangioma, uncertain whether benign or malignant
M9175/2	Haemolymphangioma, in situ
M9175/3	Haemolymphangioma, malignant
M9175/6	Haemolymphangioma, malignant, metastatic
M9175/9	Haemolymphangioma, uncertain whether primary or metastatic
M918–M924	Osseous and chondromatous neoplasms
M9180/0	Osteoma NOS
M9180/1	Osteoma, uncertain whether benign or malignant
M9180/2	Osteosarcoma NOS, in situ
M9180/3	Osteosarcoma NOS
M9180/6	Osteosarcoma NOS, metastatic
M9180/9	Osteosarcoma NOS, uncertain whether primary or metastatic
M9181/2	Chondroblastic osteosarcoma, in situ
M9181/3	Chondroblastic osteosarcoma
M9181/6	Chondroblastic osteosarcoma, metastatic
M9181/9	Chondroblastic osteosarcoma, uncertain whether primary or metastatic
M9182/2	Fibroblastic osteosarcoma, in situ
M9182/3	Fibroblastic osteosarcoma
M9182/6	Fibroblastic osteosarcoma, metastatic
M9182/9	Fibroblastic osteosarcoma, uncertain whether primary or metastatic
M9183/2	Telangiectatic osteosarcoma, in situ
M9183/3	Telangiectatic osteosarcoma
M9183/6	Telangiectatic osteosarcoma, metastatic
M9183/9	Telangiectatic osteosarcoma, uncertain whether primary or metastatic
M9184/2	Osteosarcoma in Paget disease of bone, in situ

M9184/3	Osteosarcoma in Paget disease of bone
M9184/6	Osteosarcoma in Paget disease of bone, metastatic
M9184/9	Osteosarcoma in Paget disease of bone, uncertain whether primary or metastatic
M9185/2	Small cell osteosarcoma, in situ
M9185/3	Small cell osteosarcoma
M9185/6	Small cell osteosarcoma, metastatic
M9185/9	Small cell osteosarcoma, uncertain whether primary or metastatic
M9186/2	Central osteosarcoma, in situ
M9186/3	Central osteosarcoma
M9186/6	Central osteosarcoma, metastatic
M9186/9	Central osteosarcoma, uncertain whether primary or metastatic
M9187/2	Low grade central osteosarcoma, in situ
M9187/3	Low grade central osteosarcoma
M9187/6	Low grade central osteosarcoma, metastatic
M9187/9	Low grade central osteosarcoma, uncertain whether primary or metastatic
M9190/3	Juxtacortical osteosarcoma (C40.-, C41.-)
M9191/0	Osteoid osteoma NOS
M9191/1	Osteoid osteoma, uncertain whether benign or malignant
M9192/2	Parosteal osteosarcoma, in situ
M9192/3	Parosteal osteosarcoma
M9192/6	Parosteal osteosarcoma, metastatic
M9192/9	Parosteal osteosarcoma, uncertain whether primary or metastatic
M9193/2	Periosteal osteosarcoma, in situ
M9193/3	Periosteal osteosarcoma
M9193/6	Periosteal osteosarcoma, metastatic
M9193/9	Periosteal osteosarcoma, uncertain whether primary or metastatic
M9194/2	High grade surface osteosarcoma, in situ
M9194/3	High grade surface osteosarcoma
M9194/6	High grade surface osteosarcoma, metastatic
M9194/9	High grade surface osteosarcoma, uncertain whether primary or metastatic
M9195/2	Intracortical osteosarcoma, in situ
M9195/3	Intracortical osteosarcoma
M9195/6	Intracortical osteosarcoma, metastatic
M9195/9	Intracortical osteosarcoma, uncertain whether primary or metastatic
M9200/0	Osteoblastoma NOS
M9200/1	Aggressive osteoblastoma
M9210/0	Osteochondroma
M9210/1	Osteochondromatosis NOS
M9210/3	Osteochondromatosis, malignant
M9210/6	Osteochondromatosis, metastatic
M9210/9	Osteochondromatosis, uncertain whether primary or metastatic
M9211/0	Osteochondromyxoma
M9212/0	Bizarre parosteal osteochondromatous proliferation
M9213/0	Subungual exostosis
M9220/0	Chondroma NOS
M9220/1	Chondromatosis NOS
M9220/2	Chondrosarcoma, in situ
M9220/3	Chondrosarcoma NOS

M9220/6	Chondrosarcoma, metastatic
M9220/9	Chondrosarcoma NOS, uncertain whether primary or metastatic
M9221/0	Periosteal chondroma
M9221/1	Periosteal chondroma, uncertain whether benign or malignant
M9221/2	Periosteal chondrosarcoma, in situ
M9221/3	Periosteal chondrosarcoma
M9221/6	Periosteal chondrosarcoma, metastatic
M9221/9	Periosteal chondrosarcoma, uncertain whether primary or metastatic
M9222/1	Atypical cartilaginous tumour
M9230/0	Chondroblastoma NOS
M9230/1	Chondroblastoma NOS
M9230/2	Chondroblastoma, in situ
M9230/3	Chondroblastoma, malignant
M9230/6	Chondroblastoma, malignant, metastatic
M9230/9	Chondroblastoma, malignant, uncertain whether primary or metastatic
M9231/2	Myxoid chondrosarcoma, in situ
M9231/3	Myxoid chondrosarcoma
M9231/6	Myxoid chondrosarcoma, metastatic
M9231/9	Myxoid chondrosarcoma, uncertain whether primary or metastatic
M9240/2	Mesenchymal chondrosarcoma, in situ
M9240/3	Mesenchymal chondrosarcoma
M9240/6	Mesenchymal chondrosarcoma, metastatic
M9240/9	Mesenchymal chondrosarcoma, uncertain whether primary or metastatic
M9241/0	Chondromyxoid fibroma
M9241/1	Chondromyxoid fibroma, uncertain whether benign or malignant
M9242/2	Clear cell chondrosarcoma, in situ
M9242/3	Clear cell chondrosarcoma
M9242/6	Clear cell chondrosarcoma, metastatic
M9242/9	Clear cell chondrosarcoma, uncertain whether primary or metastatic
M9243/2	Dedifferentiated chondrosarcoma, in situ
M9243/3	Dedifferentiated chondrosarcoma
M9243/6	Dedifferentiated chondrosarcoma, metastatic
M9243/9	Dedifferentiated chondrosarcoma, uncertain whether primary or metastatic
M925	Giant cell tumours
M9250/0	Giant cell tumour of bone, benign
M9250/1	Giant cell tumour of bone NOS
M9250/2	Giant cell tumour of bone, in situ
M9250/3	Giant cell tumour of bone, malignant
M9250/6	Giant cell tumour of bone, malignant, metastatic
M9250/9	Giant cell tumour of bone, malignant, uncertain whether primary or metastatic
M9251/0	Giant cell tumour of soft parts, benign
M9251/1	Giant cell tumour of soft parts NOS
M9251/2	Giant cell tumour of soft parts, in situ
M9251/3	Malignant giant cell tumour of soft parts
M9251/6	Malignant giant cell tumour of soft parts, metastatic
M9251/9	Malignant giant cell tumour of soft parts, uncertain whether primary or metastatic
M9252/0	Tenosynovial giant cell tumour NOS
M9252/1	Tenosynovial giant cell tumour, diffuse

M9252/2	Malignant tenosynovial giant cell tumour, in situ
M9252/3	Malignant tenosynovial giant cell tumour
M9252/6	Malignant tenosynovial giant cell tumour, metastatic
M9252/9	Malignant tenosynovial giant cell tumour, uncertain whether primary or metastatic
M926	Miscellaneous bone tumours
M9260/0	Aneurysmal bone cyst
M9260/2	Ewing sarcoma, in situ
M9260/3	Ewing sarcoma
M9260/6	Ewing sarcoma, metastatic
M9260/9	Ewing sarcoma, uncertain whether primary or metastatic
M9261/2	Adamantinoma of long bones, in situ
M9261/3	Adamantinoma of long bones
M9261/6	Adamantinoma of long bones, metastatic
M9261/9	Adamantinoma of long bones, uncertain whether primary or metastatic
M9262/0	Ossifying fibroma
M9262/1	Ossifying fibroma, uncertain whether benign or malignant
M927–M934	Odontogenic tumours
M9270/0	Odontogenic tumour, benign
M9270/1	Odontogenic tumour NOS
M9270/2	Odontogenic tumour, in situ
M9270/3	Odontogenic tumour, malignant
M9270/6	Odontogenic tumour, malignant, metastatic
M9270/9	Odontogenic tumour, malignant, uncertain whether primary or metastatic
M9271/0	Ameloblastic fibro-dentinoma
M9271/1	Ameloblastic fibro-dentinoma, uncertain whether benign or malignant
M9272/0	Cementoma NOS
M9272/1	Cementoma, uncertain whether benign or malignant
M9273/0	Cementoblastoma, benign
M9274/0	Cemento-ossifying fibroma
M9274/1	Cemento-ossifying fibroma, uncertain whether benign or malignant
M9275/0	Gigantiform cementoma
M9280/0	Odontoma NOS
M9280/1	Odontoma, uncertain whether benign or malignant
M9281/0	Compound odontoma
M9282/0	Complex odontoma
M9282/1	Complex odontoma, uncertain whether benign or malignant
M9290/0	Ameloblastic fibro-odontoma
M9290/1	Ameloblastic fibro-odontoma, uncertain whether benign or malignant
M9290/2	Ameloblastic odontosarcoma, in situ
M9290/3	Ameloblastic odontosarcoma
M9290/6	Ameloblastic odontosarcoma, metastatic
M9290/9	Ameloblastic odontosarcoma, uncertain whether primary or metastatic
M9300/0	Adenomatoid odontogenic tumour
M9300/1	Adenomatoid odontogenic tumour, uncertain whether benign or malignant
M9301/0	Calcifying odontogenic cyst
M9301/1	Calcifying odontogenic cyst, uncertain whether benign or malignant
M9302/0	Dentinogenic ghost cell tumour
M9302/3	Ghost cell odontogenic carcinoma

M9302/6	Ghost cell odontogenic carcinoma, metastatic
M9302/9	Ghost cell odontogenic carcinoma, uncertain whether primary or metastatic
M9310/0	Ameloblastoma NOS
M9310/1	Ameloblastoma, uncertain whether benign or malignant
M9310/2	Ameloblastoma, in situ
M9310/3	Ameloblastoma, metastasising
M9310/6	Ameloblastoma, metastatic
M9310/9	Ameloblastoma, uncertain whether primary or metastatic
M9311/0	Odontoameloblastoma
M9311/1	Odontoameloblastoma, uncertain whether benign or malignant
M9312/0	Squamous odontogenic tumour
M9312/1	Squamous odontogenic tumour, uncertain whether benign or malignant
M9320/0	Odontogenic myxoma
M9320/1	Odontogenic myxoma, uncertain whether benign or malignant
M9321/0	Odontogenic fibroma NOS
M9321/1	Odontogenic fibroma, uncertain whether benign or malignant
M9322/0	Peripheral odontogenic fibroma
M9330/0	Ameloblastic fibroma
M9330/1	Ameloblastic fibroma, uncertain whether benign or malignant
M9330/2	Ameloblastic fibrosarcoma, in situ
M9330/3	Ameloblastic fibrosarcoma
M9330/6	Ameloblastic fibrosarcoma, metastatic
M9330/9	Ameloblastic fibrosarcoma, uncertain whether primary or metastatic
M9340/0	Calcifying epithelial odontogenic tumour
M9340/1	Calcifying epithelial odontogenic tumour, uncertain whether benign or malignant
M9340/3	Calcifying epithelial odontogenic tumour, malignant
M9340/6	Calcifying epithelial odontogenic tumour, metastatic
M9340/9	Calcifying epithelial odontogenic tumour, uncertain whether primary or metastatic
M9341/1	Clear cell odontogenic tumour
M9341/3	Clear cell odontogenic carcinoma
M9341/6	Clear cell odontogenic carcinoma, metastatic
M9341/9	Clear cell odontogenic carcinoma, uncertain whether primary or metastatic
M9342/2	Odontogenic carcinosarcoma, in situ
M9342/3	Odontogenic carcinosarcoma
M9342/6	Odontogenic carcinosarcoma, metastatic
M9342/9	Odontogenic carcinosarcoma, uncertain whether primary or metastatic
M935–M937	Miscellaneous tumours
M9350/1	Craniopharyngioma
M9351/1	Craniopharyngioma, adamantinomatous
M9352/1	Craniopharyngioma, papillary
M9360/0	Pinealoma, benign
M9360/1	Pinealoma
M9361/0	Pineocytoma, benign
M9361/1	Pineocytoma
M9361/3	Pineocytoma, malignant
M9361/6	Pineocytoma, metastatic
M9361/9	Pineocytoma, uncertain whether primary or metastatic
M9362/1	Pineoblastoma, uncertain whether benign or malignant

M9362/2	Pineoblastoma, in situ
M9362/3	Pineoblastoma
M9362/6	Pineoblastoma, metastatic
M9362/9	Pineoblastoma, uncertain whether primary or metastatic
M9363/0	Melanotic neuroectodermal tumour
M9363/1	Melanotic neuroectodermal tumour, uncertain whether benign or malignant
M9363/3	Melanotic neuroectodermal tumour, malignant
M9363/6	Melanotic neuroectodermal tumour, metastatic
M9363/9	Melanotic neuroectodermal tumour, uncertain whether primary or metastatic
M9364/2	Ewing sarcoma, in situ
M9364/3	Ewing sarcoma
M9364/6	Ewing sarcoma, metastatic
M9364/9	Ewing sarcoma, uncertain whether primary or metastatic
M9365/2	Askin tumour, in situ
M9365/3	Askin tumour
M9365/6	Askin tumour, metastatic
M9365/9	Askin tumour, uncertain whether primary or metastatic
M9370/0	Benign notochordal cell tumour
M9370/1	Chordoma, uncertain whether benign or malignant
M9370/2	Chordoma NOS, in situ
M9370/3	Chordoma NOS
M9370/6	Chordoma NOS, metastatic
M9370/9	Chordoma NOS, uncertain whether primary or metastatic
M9371/0	Chondroid chordoma, benign
M9371/1	Chondroid chordoma, uncertain whether benign or malignant
M9371/2	Chondroid chordoma, in situ
M9371/3	Chondroid chordoma
M9371/6	Chondroid chordoma, metastatic
M9371/9	Chondroid chordoma, uncertain whether primary or metastatic
M9372/1	Dedifferentiated chordoma, uncertain whether benign or malignant
M9372/2	Dedifferentiated chordoma, in situ
M9372/3	Dedifferentiated chordoma
M9372/6	Dedifferentiated chordoma, metastatic
M9372/9	Dedifferentiated chordoma, uncertain whether primary or metastatic
M9373/0	Parachordoma
M9373/1	Parachordoma, uncertain whether benign or malignant
M938–M948	Gliomas
M9380/0	Glioma, benign
M9380/2	Glioma, in situ
M9380/3	Glioma, malignant
M9380/6	Glioma, malignant, metastatic
M9380/9	Glioma, malignant, uncertain whether primary or metastatic
M9381/2	Gliomatosis cerebri, in situ
M9381/3	Gliomatosis cerebri
M9381/6	Gliomatosis cerebri, metastatic
M9381/9	Gliomatosis cerebri, uncertain whether primary or metastatic
M9382/1	Oligoastrocytoma, uncertain whether benign or malignant
M9382/2	Oligoastrocytoma, in situ

M9382/3	Oligoastrocytoma NOS
M9382/6	Oligoastrocytoma, metastatic
M9382/9	Oligoastrocytoma, uncertain whether primary or metastatic
M9383/1	Subependymoma
M9384/1	Subependymal giant cell astrocytoma
M9385/3	Diffuse midline glioma, H3 K27M-mutant
M9385/6	Diffuse midline glioma, H3 K27M-mutant, metastatic
M9385/9	Diffuse midline glioma, H3 K27M-mutant, uncertain whether primary or metastatic
M9390/0	Choroid plexus papilloma NOS
M9390/1	Atypical choroid plexus papilloma
M9390/2	Choroid plexus papilloma, in situ
M9390/3	Choroid plexus carcinoma
M9390/6	Choroid plexus carcinoma, metastatic
M9390/9	Choroid plexus carcinoma, uncertain whether primary or metastatic
M9391/0	Ependymoma, benign
M9391/1	Sellar ependymoma
M9391/2	Ependymoma, in situ
M9391/3	Ependymoma NOS
M9391/6	Ependymoma NOS, metastatic
M9391/9	Ependymoma NOS, uncertain whether primary or metastatic
M9392/2	Ependymoma, anaplastic, in situ
M9392/3	Ependymoma, anaplastic
M9392/6	Ependymoma, anaplastic, metastatic
M9392/9	Ependymoma, anaplastic, uncertain whether primary or metastatic
M9393/1	Papillary ependymoma (D43.-)
M9393/2	Papillary ependymoma, in situ
M9393/3	Papillary ependymoma
M9393/6	Papillary ependymoma, metastatic
M9393/9	Papillary ependymoma, uncertain whether primary or metastatic
M9394/1	Myxopapillary ependymoma
M9394/2	Myxopapillary ependymoma, in situ
M9394/3	Myxopapillary ependymoma, malignant
M9394/6	Myxopapillary ependymoma, malignant, metastatic
M9394/9	Myxopapillary ependymoma, uncertain whether primary or metastatic
M9395/3	Papillary tumour of the pineal region
M9395/6	Papillary tumour of the pineal region, metastatic
M9395/9	Papillary tumour of the pineal region, uncertain whether primary or metastatic
M9396/3	Ependymoma, RELA fusion positive
M9396/6	Ependymoma, RELA fusion positive, metastatic
M9396/9	Ependymoma, RELA fusion positive, uncertain whether primary or metastatic
M9400/0	Astrocytoma NOS, benign
M9400/1	Astrocytoma NOS, uncertain whether benign or malignant
M9400/2	Astrocytoma NOS, in situ
M9400/3	Astrocytoma NOS
M9400/6	Astrocytoma NOS, metastatic
M9400/9	Astrocytoma NOS, uncertain whether primary or metastatic
M9401/2	Astrocytoma, anaplastic, in situ
M9401/3	Astrocytoma, anaplastic

M9401/6	Astrocytoma, anaplastic, metastatic
M9401/9	Astrocytoma, anaplastic, uncertain whether primary or metastatic
M9410/2	Protoplasmic astrocytoma, in situ
M9410/3	Protoplasmic astrocytoma
M9410/6	Protoplasmic astrocytoma, metastatic
M9410/9	Protoplasmic astrocytoma, uncertain whether primary or metastatic
M9411/2	Gemistocytic astrocytoma, in situ
M9411/3	Gemistocytic astrocytoma
M9411/6	Gemistocytic astrocytoma, metastatic
M9411/9	Gemistocytic astrocytoma, uncertain whether primary or metastatic
M9412/1	Desmoplastic infantile astrocytoma
M9413/0	Dysembryoplastic neuroepithelial tumour
M9420/3	Fibrillary astrocytoma
M9420/6	Fibrillary astrocytoma, metastatic
M9420/9	Fibrillary astrocytoma, uncertain whether primary or metastatic
M9421/1	Pilocytic astrocytoma
M9421/3	Pilocytic astrocytoma, malignant
M9421/6	Pilocytic astrocytoma, metastatic
M9421/9	Pilocytic astrocytoma, uncertain whether primary or metastatic
M9422/3	Spongioblastoma NOS (C71.-)
M9423/2	Polar spongioblastoma, in situ
M9423/3	Polar spongioblastoma
M9423/6	Polar spongioblastoma, metastatic
M9423/9	Polar spongioblastoma, uncertain whether primary or metastatic
M9424/2	Pleomorphic xanthoastrocytoma, in situ
M9424/3	Pleomorphic xanthoastrocytoma
M9424/6	Pleomorphic xanthoastrocytoma, metastatic
M9424/9	Pleomorphic xanthoastrocytoma, uncertain whether primary or metastatic
M9425/3	Pilomyxoid astrocytoma
M9425/6	Pilomyxoid astrocytoma, metastatic
M9425/9	Pilomyxoid astrocytoma, uncertain whether primary or metastatic
M9430/2	Astroblastoma, in situ
M9430/3	Astroblastoma
M9430/6	Astroblastoma, metastatic
M9430/9	Astroblastoma, uncertain whether primary or metastatic
M9431/1	Angiocentric glioma
M9432/1	Pituicytoma
M9440/1	Glioblastoma NOS, uncertain whether benign or malignant
M9440/2	Glioblastoma NOS, in situ
M9440/3	Glioblastoma NOS
M9440/6	Glioblastoma NOS, metastatic
M9440/9	Glioblastoma NOS, uncertain whether primary or metastatic
M9441/2	Giant cell glioblastoma, in situ
M9441/3	Giant cell glioblastoma
M9441/6	Giant cell glioblastoma, metastatic
M9441/9	Giant cell glioblastoma, uncertain whether primary or metastatic
M9442/1	Gliofibroma
M9442/2	Gliosarcoma, in situ

M9442/3	Gliosarcoma
M9442/6	Gliosarcoma, metastatic
M9442/9	Gliosarcoma, uncertain whether primary or metastatic
M9443/3	Primitive polar spongioblastoma (C71.-)
M9444/1	Chordoid glioma
M9444/2	Chordoid glioma, in situ
M9444/3	Chordoid glioma, malignant
M9444/6	Chordoid glioma, metastatic
M9444/9	Chordoid glioma, uncertain whether primary or metastatic
M9445/3	Glioblastoma, IDH-mutant
M9445/6	Glioblastoma, IDH-mutant, metastatic
M9445/9	Glioblastoma, IDH-mutant, uncertain whether primary or metastatic
M9450/1	Oligodendroglioma NOS, uncertain whether benign or malignant
M9450/2	Oligodendroglioma, NOS, in situ
M9450/3	Oligodendroglioma NOS
M9450/6	Oligodendroglioma NOS, metastatic
M9450/9	Oligodendroglioma NOS, uncertain whether primary or metastatic
M9451/2	Oligodendroglioma, anaplastic, in situ
M9451/3	Oligodendroglioma, anaplastic
M9451/6	Oligodendroglioma, anaplastic, metastatic
M9451/9	Oligodendroglioma, anaplastic, uncertain whether primary or metastatic
M9460/2	Oligodendroblastoma, in situ
M9460/3	Oligodendroblastoma
M9460/6	Oligodendroblastoma, metastatic
M9460/9	Oligodendroblastoma, uncertain whether primary or metastatic
M9470/2	Medulloblastoma NOS, in situ
M9470/3	Medulloblastoma NOS
M9470/6	Medulloblastoma NOS, metastatic
M9470/9	Medulloblastoma NOS, uncertain whether primary or metastatic
M9471/2	Desmoplastic nodular medulloblastoma, in situ
M9471/3	Desmoplastic nodular medulloblastoma
M9471/6	Desmoplastic nodular medulloblastoma, metastatic
M9471/9	Desmoplastic nodular medulloblastoma, uncertain whether primary or metastatic
M9472/2	Medullomyoblastoma, in situ
M9472/3	Medullomyoblastoma
M9472/6	Medullomyoblastoma, metastatic
M9472/9	Medullomyoblastoma, uncertain whether primary or metastatic
M9473/2	CNS embryonal tumour NOS, in situ
M9473/3	CNS embryonal tumour NOS
M9473/6	CNS embryonal tumour NOS, metastatic
M9473/9	CNS embryonal tumour NOS, uncertain whether primary or metastatic
M9474/2	Large cell medulloblastoma, in situ
M9474/3	Large cell medulloblastoma
M9474/6	Large cell medulloblastoma, metastatic
M9474/9	Large cell medulloblastoma, uncertain whether primary or metastatic
M9475/3	Medulloblastoma, WNT-activated, NOS
M9475/6	Medulloblastoma, WNT-activated, metastatic
M9475/9	Medulloblastoma, WNT-activated, uncertain whether primary or metastatic

M9476/3	Medulloblastoma, SHH-activated and TP53-mutant
M9476/6	Medulloblastoma, SHH-activated and TP53-mutant, metastatic
M9476/9	Medulloblastoma, SHH-activated and TP53-mutant, uncertain whether primary or metastatic
M9477/3	Medulloblastoma, non-WNT/non-SHH
M9477/6	Medulloblastoma, non-WNT/non-SHH, metastatic
M9477/9	Medulloblastoma, non-WNT/non-SHH, uncertain whether primary or metastatic
M9478/3	Embryonal tumour with multilayered rosettes with C19MC alteration
M9478/6	Embryonal tumour with multilayered rosettes with C19MC alteration, metastatic
M9478/9	Embryonal tumour with multilayered rosettes with C19MC alteration, uncertain whether primary or metastatic
M9480/2	Cerebellar sarcoma NOS, in situ
M9480/3	Cerebellar sarcoma NOS
M9480/6	Cerebellar sarcoma NOS, metastatic
M9480/9	Cerebellar sarcoma NOS, uncertain whether primary or metastatic
M9481/3	Monstrocellular sarcoma (C71.-)
M949–M952	Neuroepitheliomatous neoplasms
M9490/0	Ganglioneuroma
M9490/1	Ganglioneuroma, uncertain whether benign or malignant
M9490/2	Ganglioneuroblastoma, in situ
M9490/3	Ganglioneuroblastoma
M9490/6	Ganglioneuroblastoma, metastatic
M9490/9	Ganglioneuroblastoma, uncertain whether primary or metastatic
M9491/0	Ganglioneuromatosis
M9491/1	Ganglioneuromatosis, uncertain whether benign or malignant
M9492/0	Gangliocytoma
M9492/1	Gangliocytoma, uncertain whether benign or malignant
M9493/0	Dysplastic gangliocytoma of cerebellum [Lhermitte-Duclos]
M9493/1	Dysplastic gangliocytoma of cerebellum [Lhermitte-Duclos], uncertain whether benign or malignant
M9500/0	Neuroblastoma NOS, benign
M9500/1	Neuroblastoma NOS, uncertain whether benign or malignant
M9500/2	Neuroblastoma NOS, in situ
M9500/3	Neuroblastoma NOS
M9500/6	Neuroblastoma NOS, metastatic
M9500/9	Neuroblastoma NOS, uncertain whether primary or metastatic
M9501/0	Medulloepithelioma, benign
M9501/2	Medulloepithelioma NOS, in situ
M9501/3	Medulloepithelioma NOS
M9501/6	Medulloepithelioma NOS, metastatic
M9501/9	Medulloepithelioma NOS, uncertain whether primary or metastatic
M9502/0	Teratoid medulloepithelioma, benign
M9502/2	Teratoid medulloepithelioma, in situ
M9502/3	Teratoid medulloepithelioma
M9502/6	Teratoid medulloepithelioma, metastatic
M9502/9	Teratoid medulloepithelioma, uncertain whether primary or metastatic
M9503/0	Neuroepithelioma
M9503/1	Neuroepithelioma, uncertain whether benign or malignant

M9503/2	Neuroepithelioma NOS, in situ
M9503/3	Neuroepithelioma NOS
M9503/6	Neuroepithelioma NOS, metastatic
M9503/9	Neuroepithelioma NOS, uncertain whether primary or metastatic
M9504/2	Spongioneuroblastoma, in situ
M9504/3	Spongioneuroblastoma
M9504/6	Spongioneuroblastoma, metastatic
M9504/9	Spongioneuroblastoma, uncertain whether primary or metastatic
M9505/1	Ganglioglioma NOS
M9505/2	Ganglioglioma, anaplastic, in situ
M9505/3	Ganglioglioma, anaplastic
M9505/6	Ganglioglioma, anaplastic, metastatic
M9505/9	Ganglioglioma, anaplastic, uncertain whether primary or metastatic
M9506/0	Neurocytoma
M9506/1	Central neurocytoma
M9507/0	Pacinian tumour
M9507/2	Pacinian tumour, in situ
M9507/3	Pacinian tumour, malignant
M9507/6	Pacinian tumour, malignant, metastatic
M9507/9	Pacinian tumour, uncertain whether primary or metastatic
M9508/2	Atypical teratoid/rhabdoid tumour, in situ
M9508/3	Atypical teratoid/rhabdoid tumour
M9508/6	Atypical teratoid/rhabdoid tumour, metastatic
M9508/9	Atypical teratoid/rhabdoid tumour, uncertain whether primary or metastatic
M9509/1	Papillary glioneuronal tumour
M9510/0	Retinocytoma
M9510/2	Retinoblastoma NOS, in situ
M9510/3	Retinoblastoma NOS
M9510/6	Retinoblastoma NOS, metastatic
M9510/9	Retinoblastoma NOS, uncertain whether primary or metastatic
M9511/2	Retinoblastoma, differentiated, in situ
M9511/3	Retinoblastoma, differentiated
M9511/6	Retinoblastoma, differentiated, metastatic
M9511/9	Retinoblastoma, differentiated, uncertain whether primary or metastatic
M9512/2	Retinoblastoma, undifferentiated, in situ
M9512/3	Retinoblastoma, undifferentiated
M9512/6	Retinoblastoma, undifferentiated, metastatic
M9512/9	Retinoblastoma, undifferentiated, uncertain whether primary or metastatic
M9513/2	Retinoblastoma, diffuse, in situ
M9513/3	Retinoblastoma, diffuse
M9513/6	Retinoblastoma, diffuse, metastatic
M9513/9	Retinoblastoma, diffuse, uncertain whether primary or metastatic
M9514/1	Retinoblastoma, spontaneously regressed
M9520/1	Olfactory neurogenic tumour, uncertain whether benign or malignant
M9520/2	Olfactory neurogenic tumour, in situ
M9520/3	Olfactory neurogenic tumour
M9520/6	Olfactory neurogenic tumour, metastatic
M9520/9	Olfactory neurogenic tumour, uncertain whether primary or metastatic

M9521/1	Olfactory neurocytoma, uncertain whether benign or malignant
M9521/2	Olfactory neurocytoma, in situ
M9521/3	Olfactory neurocytoma
M9521/6	Olfactory neurocytoma, metastatic
M9521/9	Olfactory neurocytoma, uncertain whether primary or metastatic
M9522/2	Olfactory neuroblastoma, in situ
M9522/3	Olfactory neuroblastoma
M9522/6	Olfactory neuroblastoma, metastatic
M9522/9	Olfactory neuroblastoma, uncertain whether primary or metastatic
M9523/0	Olfactory neuroepithelioma, benign
M9523/1	Olfactory neuroepithelioma, uncertain whether benign or malignant
M9523/2	Olfactory neuroepithelioma, in situ
M9523/3	Olfactory neuroepithelioma
M9523/6	Olfactory neuroepithelioma, metastatic
M9523/9	Olfactory neuroepithelioma, uncertain whether primary or metastatic
M953	Meningiomas
M9530/0	Meningioma NOS
M9530/1	Meningiomatosis NOS
M9530/2	Meningioma, in situ
M9530/3	Meningioma, malignant
M9530/6	Meningioma, malignant, metastatic
M9530/9	Meningioma, malignant, uncertain whether primary or metastatic
M9531/0	Meningothelial meningioma
M9531/1	Meningothelial meningioma, uncertain whether benign or malignant
M9531/2	Meningothelial meningioma, in situ
M9531/3	Meningothelial meningioma, malignant
M9531/6	Meningothelial meningioma, malignant, metastatic
M9531/9	Meningothelial meningioma, uncertain whether primary or metastatic
M9532/0	Fibrous meningioma
M9532/1	Fibrous meningioma, uncertain whether benign or malignant
M9533/0	Psammomatous meningioma
M9533/1	Psammomatous meningioma, uncertain whether benign or malignant
M9533/2	Psammomatous meningioma, in situ
M9533/3	Psammomatous meningioma, malignant
M9533/6	Psammomatous meningioma, malignant, metastatic
M9533/9	Psammomatous meningioma, uncertain whether primary or metastatic
M9534/0	Angiomatous meningioma
M9534/1	Angiomatous meningioma, uncertain whether benign or malignant
M9534/2	Angiomatous meningioma, in situ
M9534/3	Angiomatous meningioma, malignant
M9534/6	Angiomatous meningioma, malignant, metastatic
M9534/9	Angiomatous meningioma, uncertain whether primary or metastatic
M9535/0	Haemangioblastic meningioma
M9535/1	Haemangioblastic meningioma, uncertain whether benign or malignant
M9536/0	Haemangiopericytic meningioma (D32.-)
M9537/0	Transitional meningioma
M9537/1	Transitional meningioma, uncertain whether benign or malignant
M9538/0	Clear cell meningioma, benign

M9538/1	Clear cell meningioma
M9538/2	Papillary meningioma, in situ
M9538/3	Papillary meningioma
M9538/6	Papillary meningioma, metastatic
M9538/9	Papillary meningioma, uncertain whether primary or metastatic
M9539/0	Atypical meningioma, benign
M9539/1	Atypical meningioma
M9539/2	Meningeal sarcomatosis, in situ
M9539/3	Meningeal sarcomatosis
M9539/6	Meningeal sarcomatosis, metastatic
M9539/9	Meningeal sarcomatosis, uncertain whether primary or metastatic
M954–M957	Nerve sheath tumours
M9540/0	Neurofibroma NOS
M9540/1	Neurofibromatosis NOS
M9540/2	Neurofibromatosis, in situ
M9540/3	Malignant peripheral nerve sheath tumour
M9540/6	Malignant peripheral nerve sheath tumour, metastatic
M9540/9	Malignant peripheral nerve sheath tumour, uncertain whether primary or metastatic
M9541/0	Melanotic neurofibroma
M9541/1	Melanotic neurofibroma, uncertain whether benign or malignant
M9542/3	Malignant peripheral nerve sheath tumour, epithelioid
M9542/6	Malignant peripheral nerve sheath tumour, epithelioid, metastatic
M9542/9	Malignant peripheral nerve sheath tumour, epithelioid, uncertain whether primary or metastatic
M9550/0	Plexiform neurofibroma
M9550/1	Plexiform neurofibroma, uncertain whether benign or malignant
M9550/2	Plexiform neurofibroma, in situ
M9550/3	Plexiform neurofibroma, malignant
M9550/6	Plexiform neurofibroma, malignant, metastatic
M9550/9	Plexiform neurofibroma, uncertain whether primary or metastatic
M9560/0	Schwannoma NOS
M9560/1	Melanotic schwannoma
M9560/2	Neurilemmoma, in situ
M9560/3	Neurilemmoma, malignant
M9560/6	Neurilemmoma, malignant, metastatic
M9560/9	Neurilemmoma, malignant, uncertain whether primary or metastatic
M9561/2	Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation, in situ
M9561/3	Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation
M9561/6	Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation, metastatic
M9561/9	Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation, uncertain whether primary or metastatic
M9562/0	Nerve sheath myxoma
M9563/0	Nerve sheath tumour NOS
M9570/0	Neuroma NOS
M9570/1	Neuroma NOS, uncertain whether benign or malignant
M9571/0	Perineurioma NOS
M9571/1	Perineurioma NOS, uncertain whether benign or malignant

M9571/2	Perineurioma, in situ
M9571/3	Perineurioma, malignant
M9571/6	Perineurioma, malignant, metastatic
M9571/9	Perineurioma, malignant, uncertain whether primary or metastatic
M958	Granular cell tumours and alveolar soft part sarcomas
M9580/0	Granular cell tumour NOS
M9580/1	Granular cell tumour NOS, uncertain whether benign or malignant
M9580/2	Granular cell tumour, in situ
M9580/3	Granular cell tumour, malignant
M9580/6	Granular cell tumour, malignant, metastatic
M9580/9	Granular cell tumour, malignant, uncertain whether primary or metastatic
M9581/2	Alveolar soft part sarcoma, in situ
M9581/3	Alveolar soft part sarcoma
M9581/6	Alveolar soft part sarcoma, metastatic
M9581/9	Alveolar soft part sarcoma, uncertain whether primary or metastatic
M9582/0	Granular cell tumour of the sellar region
M9582/1	Granular cell tumour of the sellar region, uncertain whether benign or malignant
M959	Malignant lymphomas, NOS or diffuse
M959–M972	Hodgkin's and non-Hodgkin's lymphoma
M9590/3	Malignant lymphoma NOS
M9591/1	Monoclonal B-cell lymphocytosis NOS
M9591/3	Malignant lymphoma, non-Hodgkin NOS
M9592/3	Lymphosarcoma NOS (C85.0)
M9593/3	Reticulosarcoma NOS (C83.3)
M9594/3	Microglioma (C85.7)
M9595/3	Malignant lymphoma, diffuse NOS (C83.9)
M9596/3	Composite Hodgkin and non-Hodgkin lymphoma
M9597/3	Primary cutaneous follicle centre lymphoma
M965–M966	Hodgkin lymphoma
M9650/3	Hodgkin lymphoma NOS
M9651/3	Hodgkin lymphoma, lymphocyte-rich
M9652/3	Hodgkin lymphoma, mixed cellularity NOS
M9653/3	Hodgkin lymphoma, lymphocyte depletion NOS
M9654/3	Hodgkin lymphoma, lymphocyte depletion, diffuse fibrosis
M9655/3	Hodgkin lymphoma, lymphocyte depletion, reticular
M9657/3	Hodgkin's disease, lymphocytic predominance NOS (C81.0)
M9658/3	Hodgkin's disease, lymphocytic predominance, diffuse (C81.0)
M9659/3	Hodgkin lymphoma, nodular lymphocyte predominant
M9660/3	Hodgkin's paraganuloma NOS (C81.7)
M9661/3	Hodgkin granuloma
M9662/3	Hodgkin sarcoma
M9663/3	Hodgkin lymphoma, nodular sclerosis NOS
M9664/3	Hodgkin lymphoma, nodular sclerosis, cellular phase
M9665/3	Hodgkin lymphoma, nodular sclerosis, grade 1
M9666/3	Hodgkin's disease, nodular sclerosis, mixed cellularity (C81.1)
M967–M972	Non-Hodgkin lymphoma
M967–M969	Mature B-cell lymphoma
M9667/3	Hodgkin lymphoma, nodular sclerosis, grade 2

M9670/3	Lymphoma, small B lymphocytic NOS
M9671/3	Lymphoplasmacytic lymphoma
M9672/3	Malignant lymphoma, small cleaved cell, diffuse (C83.1)
M9673/1	In situ mantle cell neoplasia
M9673/3	Mantle cell lymphoma
M9674/3	Malignant lymphoma, centrocytic (C83.8)
M9675/3	Malignant lymphoma, mixed small and large cell, diffuse
M9676/3	Malignant lymphoma, centroblastic-centrocytic, diffuse (C83.8)
M9677/3	Malignant lymphomatous polyposis (C83.8)
M9678/3	Primary effusion lymphoma
M9679/3	Mediastinal large B-cell lymphoma
M9680/1	EBV positive mucocutaneous ulcer
M9680/3	Diffuse large B-cell lymphoma NOS
M9681/3	Malignant lymphoma, large cell, cleaved, diffuse (C83.3)
M9682/3	Malignant lymphoma, large cell, noncleaved, diffuse (C83.3)
M9683/3	Malignant lymphoma, centroblastic, diffuse (C83.8)
M9684/3	Malignant lymphoma, large B-cell, diffuse, immunoblastic NOS
M9685/3	Malignant lymphoma, lymphoblastic (C83.5)
M9686/3	Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, C83.6)
M9687/3	Burkitt lymphoma NOS
M9688/3	T-cell/histiocyte rich large B-cell lymphoma
M9689/3	Splenic marginal zone B-cell lymphoma
M969	Malignant lymphoma, follicular or nodular, with or without diffuse areas
M9690/3	Follicular lymphoma NOS
M9691/3	Follicular lymphoma, grade 2
M9692/3	Malignant lymphoma, centroblastic-centrocytic, follicular (C82.8)
M9693/3	Malignant lymphoma, lymphocytic, well differentiated, nodular (C82.8)
M9694/3	Malignant lymphoma, lymphocytic, intermediate differentiation, nodular (C82.8)
M9695/1	In situ follicular neoplasia
M9695/3	Follicular lymphoma, grade 1
M9696/3	Malignant lymphoma, lymphocytic, poorly differentiated, nodular (C82.8)
M9697/3	Malignant lymphoma, centroblastic, follicular (C82.8)
M9698/3	Follicular lymphoma, grade 3
M9699/3	Marginal zone B-cell lymphoma NOS
M970–M971	Mature T- and NK-cell lymphomas
M9700/3	Mycosis fungoides
M9701/3	Sezary syndrome
M9702/1	Indolent T-cell lymphoproliferative disorder of gastrointestinal tract
M9702/3	Mature T-cell lymphoma NOS
M9703/3	T-zone lymphoma (C84.2)
M9704/3	Lymphoepithelioid lymphoma (C84.3)
M9705/3	Angioimmunoblastic T-cell lymphoma
M9706/3	Peripheral T-cell lymphoma, pleomorphic small cell (C84.4)
M9707/3	Peripheral T-cell lymphoma, pleomorphic medium and large cell (C84.4)
M9708/3	Subcutaneous panniculitis-like T-cell lymphoma
M9709/1	Primary cutaneous CD4 positive small/medium T-cell lymphoproliferative disorder
M9709/3	Cutaneous T-cell lymphoma NOS
M971	Other specified non-Hodgkin's lymphomas

M9711/3	Monocytoid B-cell lymphoma (C85.7)
M9712/3	Intravascular large B-cell lymphoma
M9713/3	Angiocentric T-cell lymphoma (C84.7)
M9714/3	Anaplastic large cell lymphoma, T-cell and Null-cell type
M9715/3	Anaplastic large cell lymphoma, ALK negative
M9716/3	Hepatosplenic T-cell lymphoma
M9717/3	Intestinal T-cell lymphoma
M9718/1	Primary cutaneous CD30 positive T-cell lymphoproliferative disorder
M9718/3	Primary cutaneous anaplastic large cell lymphoma
M9719/3	NK/T-cell lymphoma, nasal and nasal-type
M972	Precursor cell lymphoblastic lymphoma
M9720/3	Malignant histiocytosis (C96.1)
M9722/3	Letterer-Siwe disease (C96.0)
M9723/3	True histiocytic lymphoma (C96.3)
M9724/3	Systemic EBV positive T-cell lymphoproliferative disease of childhood
M9725/1	Hydroa vacciniforme-like lymphoproliferative disorder
M9725/3	Hydroa vacciniforme-like lymphoma
M9726/3	Primary cutaneous gamma-delta T-cell lymphoma
M9727/3	Precursor cell lymphoblastic lymphoma NOS
M9728/3	Precursor B-cell lymphoblastic lymphoma
M9729/3	Precursor T-cell lymphoblastic lymphoma
M973	Plasma cell tumours
M9731/0	Plasma cell tumour, benign
M9731/3	Plasmacytoma NOS
M9732/3	Plasma cell myeloma
M9733/3	Plasma cell leukaemia
M9734/3	Plasmacytoma, extramedullary
M9735/3	Plasmablastic lymphoma
M9737/3	ALK-positive large B-cell lymphoma
M9738/3	HHV8 positive diffuse large B-cell lymphoma
M974	Mast cell tumours
M9740/1	Mastocytoma NOS
M9740/3	Mast cell sarcoma
M9741/1	Indolent systemic mastocytosis
M9741/3	Malignant mastocytosis
M9742/3	Mast cell leukaemia
M9749/3	Erdheim-Chester disease
M975	Neoplasms of histiocytes and accessory lymphoid cells
M9750/3	Malignant histiocytosis
M9751/1	Langerhans cell histiocytosis NOS
M9751/3	Langerhans cell histiocytosis disseminated
M9752/1	Langerhans cell histiocytosis, unifocal
M9753/1	Langerhans cell histiocytosis, multifocal
M9754/3	Langerhans cell histiocytosis, disseminated
M9755/3	Histiocytic sarcoma
M9756/3	Langerhans cell sarcoma
M9757/3	Interdigitating dendritic cell sarcoma
M9758/3	Follicular dendritic cell sarcoma

M9759/3	Fibroblastic reticular cell tumour
M976	Immunoproliferative diseases
M9760/3	Immunoproliferative disease NOS
M9761/1	IgM monoclonal gammopathy of undetermined significance
M9761/3	Waldenstrom macroglobulinaemia
M9762/3	Heavy chain disease NOS
M9763/3	Gamma heavy chain disease (C88.2)
M9764/3	Immunoproliferative small intestinal disease
M9765/1	Monoclonal gammopathy of undetermined significance
M9766/1	Angiocentric immunoproliferative lesion
M9766/3	Lymphomatoid granulomatosis, grade 3
M9767/1	Angioimmunoblastic lymphadenopathy
M9768/1	T-gamma lymphoproliferative disease
M9769/1	Immunoglobulin deposition disease
M980–M994	Leukaemias
M980	Leukaemias, NOS
M9800/3	Leukaemia NOS
M9801/3	Acute leukaemia NOS
M9802/3	Subacute leukaemia NOS (C95.2)
M9803/3	Chronic leukaemia NOS (C95.1)
M9804/3	Aleukaemic leukaemia NOS (C95.7)
M9805/3	Acute biphenotypic leukaemia
M9806/3	Mixed phenotype acute leukaemia with t(9;22)(q34;q11.2); BCR-ABL1
M9807/3	Mixed phenotype acute leukaemia with t(v;11q23); MLL rearranged
M9808/3	Mixed phenotype acute leukaemia, B/myeloid, NOS
M9809/3	Mixed phenotype acute leukaemia, T/myeloid, NOS
M981–M983	Lymphoid leukaemias
M9811/3	B lymphoblastic leukaemia/lymphoma, NOS
M9812/3	B lymphoblastic leukaemia/lymphoma with t(9;22)(q34;q11.2); BCR-ABL1
M9813/3	B lymphoblastic leukaemia/lymphoma with t(v;11q23); MLL rearranged
M9814/3	B lymphoblastic leukaemia/lymphoma with t(12;21)(p13;q22); TEL-AML1 (ETV6-RUNX1)
M9815/3	B lymphoblastic leukaemia/lymphoma with hyperdiploidy
M9816/3	B lymphoblastic leukaemia/lymphoma with hypodiploidy (hypodiploid ALL)
M9817/3	B lymphoblastic leukaemia/lymphoma with t(5;14)(q31;q32); IL3-IGH
M9818/3	B lymphoblastic leukaemia/lymphoma with t(1;19)(q23;p13.3); E2A-PBX1 (TCF3-PBX1)
M9819/3	B lymphoblastic leukaemia/lymphoma, BCR-ABL1-like
M982–M983	Lymphoid leukaemias
M9820/3	Lymphoid leukaemia NOS
M9821/3	Acute lymphoblastic leukaemia NOS (C91.0)
M9822/3	Subacute lymphoid leukaemia (C91.2)
M9823/1	Monoclonal B-cell lymphocytosis, CLL type
M9823/3	B-cell chronic lymphocytic leukaemia/small lymphocytic lymphoma
M9824/3	Aleukaemic lymphoid leukaemia (C91.7)
M9825/3	Prolymphocytic leukaemia (C91.3)
M9826/3	Burkitt cell leukaemia
M9827/3	Adult T-cell leukaemia/lymphoma [HTLV-1 positive]

M9830/3	Plasma cell leukaemia (C90.1)
M9831/1	T-cell large granular lymphocytic leukaemia
M9832/3	Prolymphocytic leukaemia NOS
M9833/3	Prolymphocytic leukaemia, B-cell type
M9834/3	Prolymphocytic leukaemia, T-cell type
M9835/3	Precursor cell lymphoblastic leukaemia NOS
M9836/3	Precursor B-cell lymphoblastic leukaemia
M9837/3	Precursor T-cell lymphoblastic leukaemia
M984–M993	Myeloid leukaemias
M9840/3	Acute erythroid leukaemia
M9841/3	Acute erythraemia (C94.0)
M9842/3	Chronic erythraemia (C94.0)
M9850/3	Lymphosarcoma cell leukaemia (C94.7)
M9860/3	Myeloid leukaemia NOS
M9861/3	Acute myeloid leukaemia NOS
M9862/3	Subacute myeloid leukaemia (C92.2)
M9863/3	Chronic myeloid leukaemia NOS
M9864/3	Aleukaemic myeloid leukaemia (C92.7)
M9865/3	Acute myeloid leukaemia with t(6;9)(p23;q34); DEK-NUP214
M9866/3	Acute promyelocytic leukaemia, t(15;17)(q22;q11-12)
M9867/3	Acute myelomonocytic leukaemia
M9868/3	Chronic myelomonocytic leukaemia (C92.7)
M9869/3	Acute myeloid leukaemia with inv(3)(q21;q26.2) or t(3;3)(q21;q26.2); RPN1-EVI1
M9870/3	Acute basophilic leukaemia
M9871/3	Acute myeloid leukaemia with abnormal marrow eosinophils
M9872/3	Acute myeloid leukaemia, minimal differentiation
M9873/3	Acute myeloid leukaemia without maturation
M9874/3	Acute myeloid leukaemia with maturation
M9875/3	Chronic myelogenous leukaemia, BCR/ABL positive
M9876/3	Atypical chronic myeloid leukaemia, BCR/ABL negative
M9877/3	Acute myeloid leukaemia with mutated NPM1
M9878/3	Acute myeloid leukaemia with biallelic mutation of CEBPA
M9879/3	Acute myeloid leukaemia with mutated RUNX1
M9880/3	Eosinophilic leukaemia (C92.-)
M9890/3	Monocytic leukaemia NOS (C93.9)
M9891/3	Acute monocytic leukaemia
M9892/3	Subacute monocytic leukaemia (C93.2)
M9893/3	Chronic monocytic leukaemia (C93.1)
M9894/3	Aleukaemic monocytic leukaemia (C93.7)
M9895/3	Acute myeloid leukaemia with myelodysplasia-related changes
M9896/3	Acute myeloid leukaemia t(8;21) (q22;q22)
M9897/3	Acute myeloid leukaemia, 11q23 abnormalities
M9898/1	Transient abnormal myelopoiesis
M9898/3	Myeloid leukaemia associated with Down Syndrome
M9900/3	Mast cell leukaemia (C94.3)
M9910/3	Acute megakaryoblastic leukaemia
M9911/3	Acute myeloid leukaemia [megakaryoblastic] with t(1;22)(p13;q13); RBM15-MKL1
M9912/3	Acute myeloid leukaemia with BCR-ABL1

M9920/3	Therapy-related myeloid neoplasm
M9930/3	Myeloid sarcoma
M9931/3	Acute panmyelosis with myelofibrosis
M9932/3	Acute myelofibrosis (C94.5)
M994	Other leukaemias
M9940/3	Hairy cell leukaemia
M9941/3	Leukaemic reticuloendotheliosis (C91.4)
M9945/3	Chronic myelomonocytic leukaemia NOS
M9946/3	Juvenile myelomonocytic leukaemia
M9948/3	Aggressive NK-cell leukaemia
M995–M996	Myeloproliferative neoplasms
M9950/1	Polycythaemia vera (D45)
M9950/3	Polycythaemia vera
M9960/1	Chronic myeloproliferative disease (D47.1)
M9960/3	Myeloproliferative neoplasm NOS
M9961/1	Myelosclerosis with myeloid metaplasia (D47.1)
M9961/3	Primary myelofibrosis
M9962/1	Idiopathic thrombocythaemia (D47.3)
M9962/3	Essential thrombocythaemia
M9963/3	Chronic neutrophilic leukaemia
M9964/3	Chronic eosinophilic leukaemia NOS
M9965/3	Myeloid and lymphoid neoplasms with PDGFRA rearrangement
M9966/3	Myeloid neoplasms with PDGFRB rearrangement
M9967/3	Myeloid and lymphoid neoplasms with FGFR1 abnormalities
M9968/3	Myeloid and lymphoid neoplasm with PCM1-JAK2
M997	Other haematologic neoplasms
M9970/1	Lymphoproliferative disorder NOS
M9971/1	Post transplant lymphoproliferative disorder
M9971/3	Polymorphic post transplant lymphoproliferative disorder
M9975/1	Myeloproliferative disease NOS
M9975/3	Myeloproliferative neoplasm, unclassifiable
M998–M999	Myelodysplastic syndromes
M9980/1	Refractory anaemia NOS (D46.4)
M9980/3	Myelodysplastic syndrome with single lineage dysplasia
M9981/1	Refractory anaemia without sideroblasts (D46.0)
M9982/1	Refractory anaemia with sideroblasts (D46.1)
M9982/3	Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia
M9983/1	Refractory anaemia with excess of blasts (D46.2)
M9983/3	Myelodysplastic syndrome with excess of blasts
M9984/1	Refractory anaemia with excess of blasts with transformation (D46.3)
M9984/3	Refractory anaemia with excess blasts in transformation
M9985/3	Myelodysplastic syndrome with multilineage dysplasia
M9986/3	Myelodysplastic syndrome with isolated del (5q)
M9987/3	Therapy-related myelodysplastic syndrome NOS
M9989/1	Myelodysplastic syndrome NOS (D46.9)
M9989/3	Myelodysplastic syndrome NOS
M9991/3	Refractory neutropenia
M9992/3	Refractory thrombocytopenia

[M9993/3](#)
[Back to top](#)

Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia

Status of changes to ICD-10-AM Appendix A: Morphology of neoplasms

Appendix A Morphology of neoplasms

Status of Glossary description/definition:
Status of Glossary description/definition:

Revised – [Eleventh Edition](#)
Revised – [Twelfth Edition](#)

ICD-10-AM Tenth Edition:

The third edition of the *International Classification of Diseases for Oncology* (ICD-O) was published in 2000. It contains a coded nomenclature for the morphology of neoplasms, which is reproduced here for those who wish to use it in conjunction with Chapter 2. The morphology codes listed here have been updated to align with ICD-O-3, *1 September 2011 Updates* which were valid for use from January 2012.

The morphology code numbers consist of five digits; the first four identify the histological type of the neoplasm and the fifth, following a slash or solidus, indicates its behaviour. The one digit behaviour code is as follows:

- /0 Benign
- /1 Uncertain whether benign or malignant
 - Borderline malignancy
 - Low malignant potential
 - Uncertain malignant potential
- /2 Carcinoma in situ
 - Intraepithelial
 - Noninfiltrating
 - Noninvasive
- /3 Malignant, primary site
- /6 Malignant, metastatic site
 - Malignant, secondary site
- /9 Malignant, uncertain whether primary or metastatic site

In the nomenclature given here, the morphology code numbers include the behaviour code appropriate to the histological type of neoplasm; this behaviour code should be changed if the other reported information makes this appropriate. For example, chordoma is assumed to be malignant and is therefore assigned the code number M9370/3; the term 'benign chordoma' should, however, be coded M9370/0. Similarly, superficial spreading adenocarcinoma (M8143/3) should be coded M8143/2 when described as 'noninvasive', and melanoma (M8720/3) should be coded M8720/6 when described as 'secondary'.

The following table shows the correspondence between the behaviour code and the different sections of Chapter 2:

Behaviour code	Chapter 2 categories
/0 Benign neoplasms	D10–D36
/1 Neoplasms of uncertain and unknown behaviour	D37–D48
/2 In situ neoplasms	D00–D09
/3 Malignant neoplasms, stated or presumed to be primary	C00–C76 C80–C96
/6 Malignant neoplasms, stated or presumed to be secondary	C77–C79

Occasionally a problem arises when a site given in a diagnosis is different from the site indicated by the site-specific code. In such instances, the given Chapter 2 code should be ignored and the appropriate code for the site included in the diagnosis should be used. For example, a code from category C50.- *Malignant neoplasm of breast* is added to the morphologic term 'infiltrating duct carcinoma' (M8500/3), because this type of carcinoma usually arises in the breast. However, if the term 'infiltrating duct carcinoma' is used for a primary carcinoma arising in the pancreas, the correct code would be C25.9 *Malignant neoplasm of pancreas, unspecified*.

A coding difficulty sometimes arises where a morphological diagnosis contains two qualifying adjectives that have different code numbers. An example is 'transitional cell epidermoid carcinoma'. 'Transitional cell carcinoma NOS' is M8120/3 and 'epidermoid carcinoma NOS' is M8070/3. In such circumstances, the higher number (M8120/3 in this example) should be used, as it is usually more specific. For other information about the coding of morphology see the *Australian Coding Standards*.

ICD-10-AM Eleventh Edition:

The third edition of ICD-O was published in 2000. It contains a coded nomenclature for the morphology of neoplasms, and is reproduced here to use in conjunction with Chapter 2. The morphology codes listed here were updated for consistency with ICD-O-3 (*International Classification of Diseases for Oncology Third Edition*), 1 September 2011 Updates, implemented January 2012.

ICD-10-AM morphology codes consist of the letter 'M', followed by five digits. The first four digits identify the neoplasm's histological type, and the fifth digit, following a slash (or solidus), indicates the neoplasm's behaviour. The fifth digit behaviour codes are as follows:

- /0 Benign
- /1 Uncertain whether benign or malignant
 - Borderline malignancy
 - Low malignant potential
 - Uncertain malignant potential
- /2 Carcinoma in situ
 - Intraepithelial
 - Noninfiltrating
 - Noninvasive
- /3 Malignant, primary site
- /6 Malignant, metastatic site
 - Malignant, secondary site
- /9 Malignant, uncertain whether primary or metastatic site

In the nomenclature listed here, the morphology codes include the behaviour code appropriate to the histological type of neoplasm; it is appropriate to assign a different behaviour code if supported by documentation in the clinical record. For example, chordoma is assumed to be malignant and is therefore indexed to the default morphology code M9370/3; 'benign chordoma', however, is classified to M9370/0. Similarly, superficial spreading adenocarcinoma (M8143/3) is classified to M8143/2 when documented as 'noninvasive'.

The following table shows the correspondence between the behaviour code and the different sections of Chapter 2:

Behaviour code		Chapter 2 categories
/0	Benign neoplasms	D10–D36
/1	Neoplasms of uncertain and unknown behaviour	D37–D48
/2	In situ neoplasms	D00–D09
/3	Malignant neoplasms, stated or presumed to be primary	C00–C76 C80–C96
/6	Malignant neoplasms, stated or presumed to be secondary	C77–C79

A documented neoplasm site may differ from the default site listed in the Alphabetic Index. In such instances, the listed default Chapter 2 code in the Alphabetic Index should not be assigned, and the more appropriate site specific code should be assigned from the *Neoplasm* table. For example, C69.9 *Malignant neoplasm of eye, unspecified* is the default site code listed in the Alphabetic Index with type A spindle cell melanoma (M8773/3). However, if the site of the neoplasm documented in the clinical record is specified as the choroid, assign C69.3 *Malignant neoplasm of choroid*. Similarly, infiltrating duct carcinoma (M8500/3) usually arises in the breast (classified to category C50 *Malignant neoplasm of breast*). However, if primary infiltrating duct carcinoma of the pancreas is documented in the clinical record, assign a site code from category C25 *Malignant neoplasm of pancreas*.

Where a documented morphology contains more than one qualifying term classifiable to different morphology codes, assign the morphology code with the higher number. An example is 'transitional cell epidermoid carcinoma'. 'Transitional cell carcinoma NOS' is classified to M8120/3 and 'epidermoid carcinoma NOS' is classified to M8070/3. In such circumstances, the higher number (M8120/3 in this example) is assigned, as it is usually more specific. For further information regarding the coding of morphology, see the *Australian Coding Standards*.

ICD-10-AM Twelfth Edition:

The International Classification of Diseases for Oncology Third Edition (ICD-O-3) was published in 2000. It is a coded nomenclature for the morphology of neoplasms and is reproduced in ICD-10-AM to use in conjunction with Chapter 2. The morphology codes in Appendix A were updated for consistency with ICD-O-3.2 (ICD-O-3 Second Revision), which was implemented internationally in January 2020.

M8000/2 Neoplasm, in situ

Status of code: Created – *Third Edition*
Status of code title: Revised – *Ninth Edition*

ICD-10-AM Third Edition:
M8000/2 Neoplasm, malignant, in situ

ICD-10-AM Ninth Edition:
M8000/2 Neoplasm, in situ

M8000/9 Neoplasm, malignant, uncertain whether primary or metastatic

Status of code: Created – [Second Edition](#)

M8001/2 Tumour cells, in situ

Status of code: Created – [Eighth Edition](#)

M8001/6 Tumour cells, metastatic

Status of code: Created – [Eighth Edition](#)

M8001/9 Tumour cells, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8002/1 Tumour, small cell type, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Third Edition:

M8002/1 Malignant tumour, small cell type, uncertain whether benign or malignant

ICD-10-AM Ninth Edition:

M8002/1 Tumour, small cell type, uncertain whether benign or malignant

M8002/2 Tumour, small cell type, in situ

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Third Edition:

M8002/2 Malignant tumour, small cell type, in situ

ICD-10-AM Ninth Edition:

M8002/2 Tumour, small cell type, in situ

M8002/6 Malignant tumour, small cell type, metastatic

Status of code: Created – [Third Edition](#)

M8002/9 Malignant tumour, small cell type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8003/0 Tumour, giant cell type, benign

Status of code: Created – [Eighth Edition](#)

M8003/1 Tumour, giant cell type, uncertain whether benign or malignant

Status of code: Created – [Second Edition](#)
Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Second Edition:

M8003/1 Tumour, giant cell type

ICD-10-AM Third Edition:

M8003/1 Malignant tumour, giant cell type, uncertain whether benign or malignant

ICD-10-AM Ninth Edition:

M8003/1 Tumour, giant cell type, uncertain whether benign or malignant

M8003/2 Tumour, giant cell type, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Third Edition:

M8003/2 Malignant tumour, giant cell type, in situ

ICD-10-AM Ninth Edition:

M8003/2 Tumour, giant cell type, in situ

M8003/6 Malignant tumour, giant cell type, metastatic

Status of code: Created – [Third Edition](#)

M8003/9 Malignant tumour, giant cell type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8004/0 Tumour, spindle cell type, benign

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Third Edition:

M8004/0 Spindle cell tumour

ICD-10-AM Ninth Edition:

M8004/0 Tumour, spindle cell type, benign

M8004/1 Tumour, spindle cell type, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Third Edition:

M8004/1 Malignant tumour, spindle cell type, uncertain whether benign or malignant

ICD-10-AM Ninth Edition:

M8004/1 Tumour, spindle cell type, uncertain whether benign or malignant

M8004/2 Malignant tumour, spindle cell type, in situ

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Ninth Edition](#)

M8004/3 Malignant tumour, spindle cell type

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8004/3 Malignant tumour, fusiform cell type

ICD-10-AM Third Edition:

M8004/3 Malignant tumour, spindle cell type

M8004/6 Malignant tumour, spindle cell type, metastatic

Status of code: Created – [Third Edition](#)

M8004/9 Malignant tumour, spindle cell type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8005/0 Clear cell tumour NOS

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Ninth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Third Edition:

M8005/0 Clear cell tumour NOS

ICD-10-AM Ninth Edition:

M8005/0 Tumour, clear cell type, benign

ICD-10-AM Twelfth Edition:

M8005/0 Clear cell tumour NOS

M8005/1 Tumour, clear cell type, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Third Edition:

M8005/1 Clear cell tumour, uncertain whether benign or malignant

ICD-10-AM Ninth Edition:

M8005/1 Tumour, clear cell type, uncertain whether benign or malignant

M8005/2 Tumour, clear cell tumour, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Ninth Edition](#)

ICD-10-AM Third Edition:
M8005/2 Clear cell tumour, malignant, in situ

ICD-10-AM Ninth Edition:
M8005/2 Tumour, clear cell type, in situ

M8005/3 Malignant tumour, clear cell type

Status of code: Created – [Third Edition](#)

M8005/6 Malignant tumour, clear cell type, metastatic

Status of code: Created – [Third Edition](#)

M8005/9 Malignant tumour, clear cell type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8010/1 Epithelial tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8010/9 Carcinomatosis

Status of code: Created – [Second Edition](#)

M8011/1 Epithelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8011/2 Epithelioma, in situ

Status of code: Created – [Third Edition](#)

M8011/6 Epithelioma, metastatic

Status of code: Created – [Third Edition](#)

M8011/9 Epithelioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8012/2 Large cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8012/6 Large cell carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8012/9 Large cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8013/2 Large cell neuroendocrine carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8013/3 Large cell neuroendocrine carcinoma

Status of code: Created – [Third Edition](#)

M8013/6 Large cell neuroendocrine carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8013/9 Large cell neuroendocrine carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8014/2 Large cell carcinoma with rhabdoid phenotype, in situ

Status of code: Created – [Third Edition](#)

M8014/3 Large cell carcinoma with rhabdoid phenotype

Status of code: Created – [Third Edition](#)

M8014/6 Large cell carcinoma with rhabdoid phenotype, metastatic

Status of code: Created – [Third Edition](#)

M8014/9 Large cell carcinoma with rhabdoid phenotype, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8015/2 Glassy cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8015/3 Glassy cell carcinoma

Status of code: Created – [Third Edition](#)

M8015/6 Glassy cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8015/9 Glassy cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8020/1 Tumour, undifferentiated NOS, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

M8020/2 Carcinoma, undifferentiated, in situ

Status of code: Created – [Third Edition](#)

M8020/6 Carcinoma, undifferentiated NOS, metastatic

Status of code: Created – [Third Edition](#)

M8020/9 Carcinoma, undifferentiated NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8021/2 Carcinoma, anaplastic NOS, in situ

Status of code: Created – [Third Edition](#)

M8021/6 Carcinoma, anaplastic NOS, metastatic

Status of code: Created – [Third Edition](#)

M8021/9 Carcinoma, anaplastic NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8022/2 Pleomorphic carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8022/6 Pleomorphic carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8022/9 Pleomorphic carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8023/3 Nuclear protein in testis [NUT] associated carcinoma

Status of code: Created – [Twelfth Edition](#)

M8023/6 Nuclear protein in testis [NUT] associated carcinoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M8023/9 Nuclear protein in testis [NUT] associated carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8030/2 Giant cell and spindle cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8030/6 Giant cell and spindle cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8030/9 Giant cell and spindle cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8031/2 Giant cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8031/6 Giant cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8031/9 Giant cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8032/0 Spindle cell tumour, benign

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Ninth Edition](#)

M8032/1 Spindle cell tumour NOS, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Ninth Edition](#)

M8032/2 Spindle cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8032/3 Spindle cell carcinoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8032/3 Spindle cell carcinoma

ICD-10-AM Third Edition:

M8032/3 Spindle cell carcinoma NOS

M8032/6 Spindle cell carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8032/9 Spindle cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8033/1 Pseudosarcomatous tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8033/2 Pseudosarcomatous carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8033/6 Pseudosarcomatous carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8033/9 Pseudosarcomatous carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8034/1 Polygonal cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8034/2 Polygonal cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8034/6 Polygonal cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8034/9 Polygonal cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8035/2 Carcinoma with osteoclast-like giant cells, in situ

Status of code: Created – [Third Edition](#)

M8035/3 Carcinoma with osteoclast-like giant cells

Status of code: Created – [Third Edition](#)

M8035/6 Carcinoma with osteoclast-like giant cells, metastatic

Status of code: Created – [Third Edition](#)

M8035/9 Carcinoma with osteoclast-like giant cells, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8040/0 Tumourlet, benign

Status of code: Created – [Third Edition](#)

M8040/1 Tumourlet NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8040/1 Tumourlet

ICD-10-AM Third Edition:

M8040/1 Tumourlet NOS

M8040/3 Tumourlet, malignant

Status of code: Created – [Eighth Edition](#)

M8040/6 Tumourlet, metastatic

Status of code: Created – [Eighth Edition](#)

M8040/9 Tumourlet, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8041/2 Small cell carcinoma NOS, in situ

Status of code: Created – [Third Edition](#)

M8041/6 Small cell carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8041/9 Small cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8042/2 Oat cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8042/6 Oat cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8042/9 Oat cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8043/2 Small cell carcinoma, fusiform cell, in situ

Status of code: Created – [Eighth Edition](#)

M8043/6 Small cell carcinoma, fusiform cell, metastatic

Status of code: Created – [Third Edition](#)

M8043/9 Small cell carcinoma, fusiform cell, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8044/2 Small cell carcinoma, intermediate cell, in situ

Status of code: Created – [Eighth Edition](#)

M8044/6 Small cell carcinoma, intermediate cell, metastatic

Status of code: Created – [Third Edition](#)

M8044/9 Small cell carcinoma, intermediate cell, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8045/2 Combined small cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8045/2 Small cell-large cell carcinoma, in situ

ICD-10-AM Twelfth Edition:

M8045/2 Combined small cell carcinoma, in situ

M8045/3 Combined small cell carcinoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8045/3 Small cell-large cell carcinoma

ICD-10-AM Twelfth Edition:

M8045/3 Combined small cell carcinoma

M8045/6 Combined small cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8045/6 Small cell-large cell carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8045/6 Combined small cell carcinoma, metastatic

M8045/9 Combined small cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8045/9 Small cell-large cell carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8045/9 Combined small cell carcinoma, uncertain whether primary or metastatic

M8046/2 Non-small cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8046/3 Non-small cell carcinoma

Status of code: Created – [Third Edition](#)

M8046/6 Non-small cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8046/9 Non-small cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8050/0 Papilloma NOS

Status of code title: *Revised – [Third Edition](#)*

ICD-10-AM Second Edition:

M8050/0 Papilloma NOS (except papilloma of urinary bladder M8120/1)

ICD-10-AM Third Edition:

M8050/0 Papilloma NOS

M8050/1 Papilloma, uncertain whether benign or malignant

Status of code: *Created – [Third Edition](#)*

M8050/6 Papillary carcinoma, metastatic

Status of code: *Created – [Third Edition](#)*

M8050/9 Papillary carcinoma NOS, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

M8051/1 Verrucous papilloma, uncertain whether benign or malignant

Status of code: *Created – [Third Edition](#)*

M8051/2 Verrucous carcinoma NOS, in situ

Status of code: *Created – [Eighth Edition](#)*

M8051/6 Verrucous carcinoma NOS, metastatic

Status of code: *Created – [Third Edition](#)*

M8051/9 Verrucous carcinoma NOS, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

M8052/0 Squamous cell papilloma NOS

Status of code title: *Revised – [Third Edition](#)*

ICD-10-AM Second Edition:

M8052/0 Squamous cell papilloma

ICD-10-AM Third Edition:

M8052/0 Squamous cell papilloma NOS

M8052/1 Squamous cell papilloma, uncertain whether benign or malignant

Status of code: *Created – [Third Edition](#)*

M8052/2 Papillary squamous cell carcinoma, noninvasive

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8052/2 Papillary squamous cell carcinoma, non-invasive

ICD-10-AM Twelfth Edition:

M8052/2 Papillary squamous cell carcinoma, noninvasive

M8052/6 Papillary squamous cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8052/9 Papillary squamous cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8053/0 Squamous cell papilloma, inverted

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8053/0 Inverted papilloma

ICD-10-AM Third Edition:

M8053/0 Squamous cell papilloma, inverted

M8053/1 Squamous cell papilloma, inverted, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8053/3 Squamous cell papilloma, inverted, malignant

Status of code: Created – [Eighth Edition](#)

M8053/6 Squamous cell papilloma, inverted, metastatic

Status of code: Created – [Eighth Edition](#)

M8053/9 Squamous cell papilloma, inverted, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8054/0 Warty dyskeratoma

Status of code: Created – [Twelfth Edition](#)

M8054/3 Warty carcinoma

Status of code: Created – [Twelfth Edition](#)

M8054/6 Warty carcinoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M8054/9 Warty carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8060/0 Squamous papillomatosis

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8060/0 Papillomatosis NOS

ICD-10-AM Third Edition:

M8060/0 Squamous papillomatosis

M8060/1 Squamous papillomatosis, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8070/0 Actinic keratosis

Status of code: Created – [Second Edition](#)

Status of code: Deleted – [Third Edition](#)

Status of code: Reactivated – [Twelfth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8070/0 Acanthoma

ICD-10-AM Twelfth Edition:

M8070/0 Actinic keratosis

M8070/1 Squamous cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8070/9 Squamous cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8071/2 Differentiated intraepithelial neoplasia

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8071/2 Squamous cell carcinoma, keratinising, in situ

ICD-10-AM Twelfth Edition:

M8071/2 Differentiated intraepithelial neoplasia

M8071/6 Squamous cell carcinoma, keratinising, metastatic

Status of code: Created – [Third Edition](#)

M8071/9 Squamous cell carcinoma, keratinising NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8072/0 Large cell acanthoma

Status of code: Created – [Twelfth Edition](#)

M8072/1 Squamous cell tumour, large cell, nonkeratinising, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8072/2 Squamous cell carcinoma, large cell, nonkeratinising, in situ

Status of code: Created – [Third Edition](#)

M8072/3 Squamous cell carcinoma, large cell, nonkeratinising NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8072/3 Squamous cell carcinoma, large cell, nonkeratinising

ICD-10-AM Third Edition:

M8072/3 Squamous cell carcinoma, large cell, nonkeratinising NOS

M8072/6 Squamous cell carcinoma, large cell, nonkeratinising NOS, metastatic

Status of code: Created – [Third Edition](#)

M8072/9 Squamous cell carcinoma, large cell, nonkeratinising NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8073/1 Squamous cell tumour, small cell, nonkeratinising, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8073/2 Squamous cell carcinoma, small cell, nonkeratinising, in situ

Status of code: Created – [Third Edition](#)

M8073/6 Squamous cell carcinoma, small cell, nonkeratinising, metastatic

Status of code: Created – [Third Edition](#)

M8073/9 Squamous cell carcinoma, small cell, nonkeratinising, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8074/1 Squamous cell tumour, spindle cell, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8074/2 Squamous cell carcinoma, spindle cell, in situ

Status of code: Created – [Third Edition](#)

M8074/6 Squamous cell carcinoma, spindle cell, metastatic

Status of code: Created – [Third Edition](#)

M8074/9 Squamous cell carcinoma, spindle cell, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8075/1 Squamous cell tumour, adenoid, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8075/2 Squamous cell carcinoma, adenoid, in situ

Status of code: Created – [Third Edition](#)

M8075/3 Squamous cell carcinoma, adenoid

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8075/3 Adenoid squamous cell carcinoma

ICD-10-AM Third Edition:

M8075/3 Squamous cell carcinoma, adenoid

M8075/6 Squamous cell carcinoma, adenoid, metastatic

Status of code: Created – [Third Edition](#)

M8075/9 Squamous cell carcinoma, adenoid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8076/6 Squamous cell carcinoma, microinvasive, metastatic

Status of code: Created – [Eighth Edition](#)

M8076/9 Squamous cell carcinoma, microinvasive, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8077/0 Squamous intraepithelial neoplasia, low grade

Status of code: Created – [Eighth Edition](#)

M8077/2 Squamous intraepithelial neoplasia, high grade

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Second Edition:

M8077/2 Intraepithelial neoplasia, grade III, of cervix, vulva and vagina

ICD-10-AM Third Edition:

M8077/2 Squamous intraepithelial neoplasia, grade III

ICD-10-AM Eighth Edition:

M8077/2 Squamous intraepithelial neoplasia, high grade

M8078/2 Squamous cell carcinoma with horn formation, in situ

Status of code: Created – [Third Edition](#)

M8078/3 Squamous cell carcinoma with horn formation

Status of code: Created – [Third Edition](#)

M8078/6 Squamous cell carcinoma with horn formation, metastatic

Status of code: Created – [Third Edition](#)

M8078/9 Squamous cell carcinoma with horn formation, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8082/2 Lymphoepithelial carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8082/6 Lymphoepithelial carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8082/9 Lymphoepithelial carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8083/1 Basaloid squamous cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8083/2 Basaloid squamous cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8083/3 Basaloid squamous cell carcinoma

Status of code: Created – [Third Edition](#)

M8083/6 Basaloid squamous cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8083/9 Basaloid squamous cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8084/0 Clear cell acanthoma

Status of code: Created – [Twelfth Edition](#)

M8084/1 Squamous cell tumour, clear cell type, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8084/2 Squamous cell carcinoma, clear cell type, in situ

Status of code: Created – [Third Edition](#)

M8084/3 Squamous cell carcinoma, clear cell type

Status of code: Created – [Third Edition](#)

M8084/6 Squamous cell carcinoma, clear cell type, metastatic

Status of code: Created – [Third Edition](#)

M8084/9 Squamous cell carcinoma, clear cell type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8085/3 Squamous cell carcinoma, HPV positive

Status of code: Created – [Twelfth Edition](#)

M8085/6 Squamous cell carcinoma, HPV positive, metastatic

Status of code: Created – [Twelfth Edition](#)

M8085/9 Squamous cell carcinoma, HPV positive, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8086/3 Squamous cell carcinoma, HPV negative

Status of code: Created – [Twelfth Edition](#)

M8086/6 Squamous cell carcinoma, HPV negative, metastatic

Status of code: Created – [Twelfth Edition](#)

M8086/9 Squamous cell carcinoma, HPV negative, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8090/0 Basal cell tumour, benign

Status of code: Created – [Eighth Edition](#)

M8090/1 Basal cell tumour

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8090/1 Basal cell tumour, uncertain whether benign or malignant (D48.5)

ICD-10-AM Third Edition:

M8090/1 Basal cell tumour

M8090/2 Basal cell tumour, in situ

Status of code: Created – [Third Edition](#)

M8090/6 Basal cell carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8090/9 Basal cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8091/2 Superficial basal cell carcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8091/2 Multifocal superficial basal cell carcinoma, in situ

ICD-10-AM Twelfth Edition:

M8091/2 Superficial basal cell carcinoma, in situ

M8091/3 Superficial basal cell carcinoma

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8091/3 Multicentric basal cell carcinoma

ICD-10-AM Third Edition:

M8091/3 Multifocal superficial basal cell carcinoma

ICD-10-AM Twelfth Edition:

M8091/3 Superficial basal cell carcinoma

M8091/6 Superficial basal cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8091/6 Multifocal superficial basal cell carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8091/6 Superficial basal cell carcinoma, metastatic

M8091/9 Superficial basal cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8091/9 Multifocal superficial basal cell carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8091/9 Superficial basal cell carcinoma, uncertain whether primary or metastatic

M8092/2 Infiltrating basal cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8092/3 Infiltrating basal cell carcinoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8092/3 Basal cell carcinoma, morphoea (C44.-)

ICD-10-AM Third Edition:

M8092/3 Infiltrating basal cell carcinoma NOS

M8092/6 Infiltrating basal cell carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8092/9 Infiltrating basal cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8093/1 Basal cell tumour, fibroepithelial, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8093/2 Basal cell carcinoma, fibroepithelial, in situ

Status of code: Created – [Third Edition](#)

M8093/6 Basal cell carcinoma, fibroepithelial, metastatic

Status of code: Created – [Third Edition](#)

M8093/9 Basal cell carcinoma, fibroepithelial, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8094/1 Basosquamous tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8094/2 Basosquamous carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8094/6 Basosquamous carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8094/9 Basosquamous carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8095/2 Metatypical carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8095/6 Metatypical carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8095/9 Metatypical carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8097/1 Basal cell tumour, nodular, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8097/2 Basal cell carcinoma, nodular, in situ

Status of code: Created – [Third Edition](#)

M8097/3 Basal cell carcinoma, nodular

Status of code: Created – [Third Edition](#)

M8097/6 Basal cell carcinoma, nodular, metastatic

Status of code: Created – [Third Edition](#)

M8097/9 Basal cell carcinoma, nodular, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8098/1 Adenoid basal tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8098/2 Adenoid basal carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8098/3 Adenoid basal carcinoma

Status of code: Created – [Third Edition](#)

M8098/6 Adenoid basal carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8098/9 Adenoid basal carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8100/1 Trichoepithelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8100/2 Trichoepithelioma, in situ

Status of code: Created – [Eighth Edition](#)

M8100/3 Trichoblastic carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8100/3 Trichoepithelioma, malignant

ICD-10-AM Twelfth Edition:
M8100/3 Trichoblastic carcinoma

M8100/6 Trichoblastic carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8100/6 Trichoepithelioma, metastatic

ICD-10-AM Twelfth Edition:
M8100/6 Trichoblastic carcinoma, metastatic

M8100/9 Trichoblastic carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8100/6 Trichoepithelioma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8100/6 Trichoblastic carcinoma, uncertain whether primary or metastatic

M8101/1 Trichofolliculoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8101/2 Trichofolliculoma, in situ

Status of code: Created – [Eighth Edition](#)

M8101/3 Trichofolliculoma, malignant

Status of code: Created – [Third Edition](#)

M8101/6 Trichofolliculoma, metastatic

Status of code: Created – [Third Edition](#)

M8101/9 Trichofolliculoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8102/1 Trichilemmoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8102/2 Trichilemmocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8102/3 Trichilemmocarcinoma

Status of code: Created – [Third Edition](#)

M8102/6 Trichilemmocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8102/9 Trichilemmocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8103/0 Pilar tumour

Status of code: Created – [Third Edition](#)

M8103/1 Proliferating trichilemmal cyst

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8103/1 Pilar tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8103/1 Proliferating trichilemmal cyst

M8103/2 Proliferating trichilemmal tumour, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8103/2 Pilar tumour, in situ

ICD-10-AM Twelfth Edition:
M8103/2 Proliferating trichilemmal tumour, in situ

M8103/3 Proliferating trichilemmal tumour, malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8103/3 Pilar tumour, malignant

ICD-10-AM Twelfth Edition:
M8103/3 Proliferating trichilemmal tumour, malignant

M8103/6 Proliferating trichilemmal tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8103/6 Pilar tumour, malignant, metastatic

ICD-10-AM Twelfth Edition:
M8103/6 Proliferating trichilemmal tumour, malignant, metastatic

M8103/9 Proliferating trichilemmal tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8103/9 Pilar tumour, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8103/9 Proliferating trichilemmal tumour, malignant, uncertain whether primary or metastatic

M8104/0 Pilar sheath acanthoma

Status of code: Created – [Twelfth Edition](#)

M8110/0 Pilomatrixoma NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8110/0 Pilomatrixoma NOS

ICD-10-AM Twelfth Edition:
M8110/0 Pilomatrixoma NOS

M8110/1 Pilomatrixoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8110/1 Pilomatrixoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:
M8110/1 Pilomatrixoma, uncertain whether benign or malignant

M8110/2 Pilomatrical carcinoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8110/2 Pilomatrix carcinoma, in situ

ICD-10-AM Twelfth Edition:
M8110/2 Pilomatrical carcinoma, in situ

M8110/3 Pilomatrical carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8110/3 Pilomatrix carcinoma

ICD-10-AM Twelfth Edition:
M8110/3 Pilomatrical carcinoma

M8110/6 Pilomatrical carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8110/6 Pilomatrix carcinoma, metastatic

ICD-10-AM Twelfth Edition:
M8110/6 Pilomatrical carcinoma, metastatic

M8110/9 Pilomatrix carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8110/9 Pilomatrix carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8110/9 Pilomatrix carcinoma, uncertain whether primary or metastatic

M8120/0 Urothelial papilloma NOS

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8120/0 Transitional cell papilloma NOS

ICD-10-AM Third Edition:

M8120/0 Transitional cell papilloma, benign

ICD-10-AM Twelfth Edition:

M8120/0 Urothelial papilloma NOS

M8120/1 Urothelial papilloma NOS

Status of code title: Revised – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8120/1 Urothelial papilloma

ICD-10-AM Third Edition:

M8120/1 Urothelial papilloma NOS

M8120/2 Urothelial carcinoma in situ

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8120/2 Transitional cell carcinoma in situ

ICD-10-AM Twelfth Edition:

M8120/2 Urothelial carcinoma in situ

M8120/6 Transitional cell carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8120/9 Transitional cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8121/0 Sinonasal papilloma, exophytic

Status of code title: *Revised – Third Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Second Edition:
M8121/0 Schneiderian papilloma

ICD-10-AM Third Edition:
M8121/0 Schneiderian papilloma NOS

ICD-10-AM Twelfth Edition:
M8121/0 Sinonasal papilloma, exophytic

M8121/1 Sinonasal papilloma, inverted

Status of code title: *Revised – Third Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Second Edition:
M8121/1 Transitional cell papilloma, inverted

ICD-10-AM Third Edition:
M8121/1 Transitional cell papilloma, inverted NOS

ICD-10-AM Twelfth Edition:
M8121/1 Sinonasal papilloma, inverted

M8121/2 Schneiderian carcinoma, in situ

Status of code: *Created – Eighth Edition*

M8121/6 Schneiderian carcinoma, metastatic

Status of code: *Created – Third Edition*

M8121/9 Schneiderian carcinoma, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

M8122/1 Urothelial carcinoma, sarcomatoid, uncertain whether benign or malignant

Status of code: *Created – Third Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:
M8122/1 Transitional cell tumour, spindle cell, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:
M8122/1 Urothelial carcinoma, sarcomatoid, uncertain whether benign or malignant

M8122/2 Urothelial carcinoma, sarcomatoid, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8122/2 Transitional cell carcinoma, spindle cell, in situ

ICD-10-AM Twelfth Edition:

M8122/2 Urothelial carcinoma, sarcomatoid, in situ

M8122/3 Urothelial carcinoma, sarcomatoid

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8122/3 Transitional cell carcinoma, spindle cell

ICD-10-AM Twelfth Edition:

M8122/3 Urothelial carcinoma, sarcomatoid

M8122/6 Urothelial carcinoma, sarcomatoid, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8122/6 Transitional cell carcinoma, spindle cell, metastatic

ICD-10-AM Twelfth Edition:

M8122/6 Urothelial carcinoma, sarcomatoid, metastatic

M8122/9 Urothelial carcinoma, sarcomatoid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8122/9 Transitional cell carcinoma, spindle cell, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8122/9 Urothelial carcinoma, sarcomatoid, uncertain whether primary or metastatic

M8123/2 Basaloid carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8123/6 Basaloid carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8123/9 Basaloid carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8124/2 Cloacogenic carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8124/6 Cloacogenic carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8124/9 Cloacogenic carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8130/0 Papillary urothelial cell neoplasm

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8130/0 Papillary transitional cell neoplasm

ICD-10-AM Twelfth Edition:

M8130/0 Papillary urothelial cell neoplasm

M8130/1 Papillary urothelial neoplasm of low malignant potential

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8130/1 Papillary transitional cell neoplasm of low malignant potential

ICD-10-AM Twelfth Edition:

M8130/1 Papillary urothelial neoplasm of low malignant potential

M8130/2 Papillary urothelial carcinoma, noninvasive

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8130/2 Papillary transitional cell carcinoma, non-invasive

ICD-10-AM Twelfth Edition:

M8130/2 Papillary urothelial carcinoma, noninvasive

M8130/3 Papillary urothelial carcinoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8130/3 Papillary transitional cell carcinoma

ICD-10-AM Twelfth Edition:

M8130/3 Papillary urothelial carcinoma

M8130/6 Papillary urothelial carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8130/6 Papillary transitional cell carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8130/6 Papillary urothelial carcinoma, metastatic

M8130/9 Papillary urothelial carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8130/9 Papillary transitional cell carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8130/9 Papillary urothelial carcinoma, uncertain whether primary or metastatic

M8131/2 Urothelial carcinoma, micropapillary, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8131/2 Transitional cell carcinoma, micropapillary, in situ

ICD-10-AM Twelfth Edition:

M8131/2 Urothelial carcinoma, micropapillary, in situ

M8131/3 Urothelial carcinoma, micropapillary

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8131/3 Transitional cell carcinoma, micropapillary

ICD-10-AM Twelfth Edition:

M8131/3 Urothelial carcinoma, micropapillary

M8131/6 Urothelial carcinoma, micropapillary, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8131/6 Transitional cell carcinoma, micropapillary, metastatic

ICD-10-AM Twelfth Edition:

M8131/6 Urothelial carcinoma, micropapillary, metastatic

M8131/9 Urothelial carcinoma, micropapillary, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8131/9 Transitional cell carcinoma, micropapillary, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8131/9 Urothelial carcinoma, micropapillary, uncertain whether primary or metastatic

M8140/1 Atypical adenoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8140/1 Bronchial adenoma NOS (D38.1)

ICD-10-AM Third Edition:

M8140/1 Atypical adenoma

M8140/9 Adenocarcinoma, metastatic NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8141/2 Scirrhous adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8141/6 Scirrhous adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8141/9 Scirrhous adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8142/2 Linitis plastica, in situ

Status of code: Created – [Eighth Edition](#)

M8142/6 Linitis plastica, metastatic

Status of code: Created – [Third Edition](#)

M8142/9 Linitis plastica, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8143/2 Superficial spreading adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8143/6 Superficial spreading adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8143/9 Superficial spreading adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8144/0 Adenoma, intestinal type

Status of code: Created – [Twelfth Edition](#)

M8144/2 Adenocarcinoma, intestinal type, in situ

Status of code: Created – [Third Edition](#)

M8144/6 Adenocarcinoma, intestinal type, metastatic

Status of code: Created – [Third Edition](#)

M8144/9 Adenocarcinoma, intestinal type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8145/2 Carcinoma, diffuse type, in situ

Status of code: Created – [Third Edition](#)

M8145/6 Carcinoma, diffuse type, metastatic

Status of code: Created – [Third Edition](#)

M8145/9 Carcinoma, diffuse type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8147/1 Basal cell adenoma, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

M8147/2 Basal cell adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8147/6 Basal cell adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8147/9 Basal cell adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8148/0 Glandular intraepithelial neoplasia, low grade

Status of code: Created – [Eighth Edition](#)

M8148/2 Glandular intraepithelial neoplasia, high grade

Status of code: Created – [Third Edition](#)

Status of code: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M8148/2 Glandular intraepithelial neoplasia, grade III

ICD-10-AM Eighth Edition:

M8148/2 Glandular intraepithelial neoplasia, high grade

M8149/0 Canalicular adenoma

Status of code: Created – [Third Edition](#)

M8150/0 Pancreatic neuroendocrine microadenoma

Status of code title: Revised – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM First Edition:

M8150/0 Islet cell adenoma

ICD-10-AM Eighth Edition:

M8150/0 Pancreatic endocrine tumour, benign

ICD-10-AM Twelfth Edition:

M8150/0 Pancreatic neuroendocrine microadenoma

M8150/1 Pancreatic endocrine tumour, NOS

Status of code: Created – [Third Edition](#)

Status of code: Revised – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Third Edition:

M8150/1 Islet cell tumour NOS

ICD-10-AM Eighth Edition:

M8150/1 Pancreatic endocrine tumour, NOS

M8150/2 Pancreatic neuroendocrine tumour, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8150/2 Pancreatic endocrine tumour, in situ

ICD-10-AM Twelfth Edition:

M8150/2 Pancreatic neuroendocrine tumour, in situ

M8150/3 Pancreatic neuroendocrine tumour, nonfunctioning

Status of code title: *Revised – Eighth Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM First Edition:
M8150/3 Islet cell carcinoma

ICD-10-AM Eighth Edition:
M8150/3 Pancreatic endocrine tumour, malignant

ICD-10-AM Twelfth Edition:
M8150/3 Pancreatic neuroendocrine tumour, nonfunctioning

M8150/6 Pancreatic neuroendocrine tumour, nonfunctioning, metastatic

Status of code: *Created – Third Edition*
Status of code title: *Revised – Eighth Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Third Edition:
M8150/6 Islet cell carcinoma, metastatic

ICD-10-AM Eighth Edition:
M8150/6 Pancreatic endocrine tumour, metastatic

ICD-10-AM Twelfth Edition:
M8150/6 Pancreatic neuroendocrine tumour, nonfunctioning, metastatic

M8150/9 Pancreatic neuroendocrine tumour, nonfunctioning, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*
Status of code title: *Revised – Eighth Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Third Edition:
M8150/9 Islet cell carcinoma, uncertain whether primary or metastatic

ICD-10-AM Eighth Edition:
M8150/9 Pancreatic endocrine tumour, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8150/9 Pancreatic neuroendocrine tumour, nonfunctioning, uncertain whether primary or metastatic

M8151/0 Insulinoma NOS

Status of code: *Deleted – Twelfth Edition*

M8151/1 Insulinoma, uncertain whether benign or malignant

Status of code: *Created – Third Edition*
Status of code: *Deleted – Twelfth Edition*

M8151/2 Insulinoma, in situ

Status of code: *Created – Eighth Edition*

M8151/3 Insulinoma NOS

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8151/3 Insulinoma, malignant

ICD-10-AM Twelfth Edition:

M8151/3 Insulinoma NOS

M8151/6 Insulinoma NOS, metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8151/6 Insulinoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8151/6 Insulinoma NOS, metastatic

M8151/9 Insulinoma NOS, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8151/9 Insulinoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8151/9 Insulinoma NOS, uncertain whether primary or metastatic

M8152/0 Glucagonoma NOS (D13.7)

Status of code: *Deleted – [Third Edition](#)*

M8152/1 Glucagonoma NOS

Status of code: *Created – [Third Edition](#)*

Status of code: *Deleted – [Twelfth Edition](#)*

M8152/2 Glucagonoma, in situ

Status of code: *Created – [Eighth Edition](#)*

M8152/3 Glucagonoma

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8152/3 Glucagonoma, malignant

ICD-10-AM Twelfth Edition:

M8152/3 Glucagonoma

M8152/6 Glucagonoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8152/6 Glucagonoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8152/6 Glucagonoma, metastatic

M8152/9 Glucagonoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8152/9 Glucagonoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8152/9 Glucagonoma, uncertain whether primary or metastatic

M8153/0 Gastrinoma, benign

Status of code: Created – [Eighth Edition](#)

M8153/1 Gastrinoma NOS

Status of code: Deleted – [Twelfth Edition](#)

M8153/2 Gastrinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8153/3 Gastrinoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8153/3 Gastrinoma, malignant

ICD-10-AM Twelfth Edition:

M8153/3 Gastrinoma

M8153/6 Gastrinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8153/6 Gastrinoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8153/6 Gastrinoma, metastatic

M8153/9 Gastrinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8153/9 Gastrinoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8153/9 Gastrinoma, uncertain whether primary or metastatic

M8154/1 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code: Revised – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Third Edition:

M8154/1 Mixed islet cell and exocrine adenomatous tumour, uncertain whether benign or malignant

ICD-10-AM Eighth Edition:

M8154/1 Mixed pancreatic endocrine and exocrine tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8154/1 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], uncertain whether benign or malignant

M8154/2 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8154/2 Mixed pancreatic endocrine and exocrine tumour, in situ

ICD-10-AM Twelfth Edition:

M8154/2 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], in situ

M8154/3 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN]

Status of code title: Revised – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM First Edition:

M8154/3 Mixed islet cell and exocrine adenocarcinoma

ICD-10-AM Eighth Edition:

M8154/3 Mixed pancreatic endocrine and exocrine tumour, malignant

ICD-10-AM Twelfth Edition:

M8154/3 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN]

M8154/6 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Third Edition:

M8154/6 Mixed islet cell and exocrine adenocarcinoma, metastatic

ICD-10-AM Eighth Edition:

M8154/6 Mixed pancreatic endocrine and exocrine tumour, metastatic

ICD-10-AM Twelfth Edition:

M8154/6 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], metastatic

M8154/9 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Third Edition:

M8154/9 Mixed islet cell and exocrine adenocarcinoma, uncertain whether primary or metastatic

ICD-10-AM Eighth Edition:

M8154/9 Mixed pancreatic endocrine and exocrine tumour, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8154/9 Mixed neuroendocrine non-neuroendocrine neoplasm [MiNEN], uncertain whether primary or metastatic

M8155/1 Vipoma NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8155/2 Vipoma, in situ

Status of code: Created – [Eighth Edition](#)

M8155/3 Vipoma

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8155/3 Vipoma

ICD-10-AM Third Edition:

M8155/3 Vipoma, malignant

ICD-10-AM Twelfth Edition:

M8155/3 Vipoma

M8155/6 Vipoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8155/6 Vipoma, malignant, metastatic

ICD-10-AM Twelfth Edition:
M8155/6 Vipoma, metastatic

M8155/9 Vipoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8155/9 Vipoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8155/9 Vipoma, uncertain whether primary or metastatic

M8156/1 Somatostatinoma NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8156/2 Somatostatinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8156/3 Somatostatinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8156/3 Somatostatinoma, malignant

ICD-10-AM Twelfth Edition:
M8156/3 Somatostatinoma

M8156/6 Somatostatinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8156/6 Somatostatinoma, malignant, metastatic

ICD-10-AM Twelfth Edition:
M8156/6 Somatostatinoma, metastatic

M8156/9 Somatostatinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8156/9 Somatostatinoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8156/9 Somatostatinoma, uncertain whether primary or metastatic

M8157/1 Enteroglucagonoma NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M8157/3 Enteroglucagonoma, malignant

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M8157/6 Enteroglucagonoma, malignant, metastatic

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M8157/9 Enteroglucagonoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M8158/1 Endocrine tumour, functioning, NOS

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8158/3 ACTH-producing tumour

Status of code: Created – [Twelfth Edition](#)

M8158/6 ACTH-producing tumour, metastatic

Status of code: Created – [Twelfth Edition](#)

M8158/9 ACTH-producing tumour, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8160/1 Bile duct adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8160/2 Cholangiocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8160/6 Cholangiocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8160/9 Cholangiocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8161/1 Bile duct cystadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8161/2 Bile duct cystadenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8161/6 Bile duct cystadenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8161/9 Bile duct cystadenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8162/2 Perihilar cholangiocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8162/2 Klatskin tumour, in situ

ICD-10-AM Twelfth Edition:

M8162/2 Perihilar cholangiocarcinoma, in situ

M8162/3 Perihilar cholangiocarcinoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8162/3 Klatskin tumour

ICD-10-AM Twelfth Edition:

M8162/3 Perihilar cholangiocarcinoma

M8162/6 Perihilar cholangiocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8162/6 Klatskin tumour, metastatic

ICD-10-AM Twelfth Edition:

M8162/6 Perihilar cholangiocarcinoma, metastatic

M8162/9 Perihilar cholangiocarcinoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8162/9 Klatskin tumour, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8162/9 Perihilar cholangiocarcinoma, malignant, uncertain whether primary or metastatic

M8163/0 Pancreatobiliary neoplasm, noninvasive

Status of code: Created – [Eighth Edition](#)

M8163/2 Papillary neoplasm, pancreatobiliary-type, with high grade intraepithelial neoplasia

Status of code: Created – [Eighth Edition](#)

M8163/3 Pancreatobiliary-type carcinoma

Status of code: Created – [Eighth Edition](#)

M8163/6 Pancreatobiliary-type carcinoma, metastatic

Status of code: Created – [Eighth Edition](#)

M8163/9 Pancreatobiliary-type carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8170/1 Liver cell adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8170/2 Hepatocellular carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8170/6 Hepatocellular carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8170/9 Hepatocellular carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8171/2 Hepatocellular carcinoma, fibrolamellar, in situ

Status of code: Created – [Eighth Edition](#)

M8171/6 Hepatocellular carcinoma, fibrolamellar, metastatic

Status of code: Created – [Third Edition](#)

M8171/9 Hepatocellular carcinoma, fibrolamellar, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8172/2 Hepatocellular carcinoma, scirrhous, in situ

Status of code: Created – [Eighth Edition](#)

M8172/3 Hepatocellular carcinoma, scirrhous

Status of code: Created – [Third Edition](#)

M8172/6 Hepatocellular carcinoma, scirrhous, metastatic

Status of code: Created – [Third Edition](#)

M8172/9 Hepatocellular carcinoma, scirrhous, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8173/2 Hepatocellular carcinoma, spindle cell variant, in situ

Status of code: Created – [Eighth Edition](#)

M8173/3 Hepatocellular carcinoma, spindle cell variant

Status of code: Created – [Third Edition](#)

M8173/6 Hepatocellular carcinoma, spindle cell variant, metastatic

Status of code: Created – [Third Edition](#)

M8173/9 Hepatocellular carcinoma, spindle cell variant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8174/2 Hepatocellular carcinoma, clear cell type, in situ

Status of code: Created – [Eighth Edition](#)

M8174/3 Hepatocellular carcinoma, clear cell type

Status of code: Created – [Third Edition](#)

M8174/6 Hepatocellular carcinoma, clear cell type, metastatic

Status of code: Created – [Third Edition](#)

M8174/9 Hepatocellular carcinoma, clear cell type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8175/2 Hepatocellular carcinoma, pleomorphic type, in situ

Status of code: Created – [Eighth Edition](#)

M8175/3 Hepatocellular carcinoma, pleomorphic type

Status of code: Created – [Third Edition](#)

M8175/6 Hepatocellular carcinoma, pleomorphic type, metastatic

Status of code: Created – [Third Edition](#)

M8175/9 Hepatocellular carcinoma, pleomorphic type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8180/2 Combined hepatocellular carcinoma and cholangiocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8180/6 Combined hepatocellular carcinoma and cholangiocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8180/9 Combined hepatocellular carcinoma and cholangiocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8190/2 Trabecular adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8190/6 Trabecular adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8190/9 Trabecular adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8191/1 Embryonal adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8200/1 Eccrine dermal cylindroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8200/2 Adenoid cystic carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8200/6 Adenoid cystic carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8200/9 Adenoid cystic carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8201/2 Cribriform carcinoma in situ

Status of code: Created – [Third Edition](#)

M8201/3 Cribriform carcinoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8201/3 Cribriform carcinoma

ICD-10-AM Third Edition:

M8201/3 Cribriform carcinoma NOS

M8201/6 Cribriform carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8201/9 Cribriform carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8204/0 Lactating adenoma

Status of code: Created – [Third Edition](#)

M8210/1 Adenomatous polyp, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8210/6 Adenocarcinoma in adenomatous polyp, metastatic

Status of code: Created – [Third Edition](#)

M8210/9 Adenocarcinoma in adenomatous polyp, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8211/1 Tubular adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8211/2 Tubular adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8211/6 Tubular adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8213/3 Serrated adenocarcinoma

Status of code: Created – [Eighth Edition](#)

M8213/6 Serrated adenocarcinoma, metastatic

Status of code: Created – [Eighth Edition](#)

M8213/9 Serrated adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8211/9 Tubular adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8212/0 Flat adenoma

Status of code: Created – [Third Edition](#)

M8212/1 Flat adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8213/0 Serrated adenoma

Status of code: Created – [Third Edition](#)

M8213/1 Serrated adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8214/1 Parietal cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8214/2 Parietal cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8214/3 Parietal cell carcinoma

Status of code: Created – [Third Edition](#)

M8214/6 Parietal cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8214/9 Parietal cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8215/2 Adenocarcinoma of anal glands, in situ

Status of code: Created – [Third Edition](#)

M8215/3 Adenocarcinoma of anal glands

Status of code: Created – [Third Edition](#)

M8215/6 Adenocarcinoma of anal glands, metastatic

Status of code: Created – [Third Edition](#)

M8215/9 Adenocarcinoma of anal glands, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8220/2 Adenocarcinoma in adenomatous polyposis coli, in situ

Status of code: Created – [Third Edition](#)

M8220/6 Adenocarcinoma in adenomatous polyposis coli, metastatic

Status of code: Created – [Third Edition](#)

M8220/9 Adenocarcinoma in adenomatous polyposis coli, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8221/1 Multiple adenomatous polyps, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8221/2 Adenocarcinoma in multiple adenomatous polyps, in situ

Status of code: Created – [Second Edition](#)

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8221/2 Adenocarcinoma in situ multiple adenomatous polyps

ICD-10-AM Third Edition:

M8221/2 Adenocarcinoma in multiple adenomatous polyps, in situ

M8221/6 Adenocarcinoma in multiple adenomatous polyps, metastatic

Status of code: Created – [Third Edition](#)

M8221/9 Adenocarcinoma in multiple adenomatous polyps, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8230/2 Ductal carcinoma in situ, solid type

Status of code: Created – [Third Edition](#)

M8230/6 Solid carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8230/9 Solid carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8231/2 Carcinoma simplex, in situ

Status of code: Created – [Eighth Edition](#)

M8231/6 Carcinoma simplex, metastatic

Status of code: Created – [Third Edition](#)

M8231/9 Carcinoma simplex, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8240/0 Carcinoid tumour, benign

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8240/1 Carcinoid tumour of uncertain malignant potential

Status of code title: Revised – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8240/1 Carcinoid tumour NOS, of appendix (D37.3)

ICD-10-AM Third Edition:

M8240/1 Carcinoid tumour of uncertain malignant potential

M8240/2 Neuroendocrine tumour, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8240/2 Carcinoid tumour, in situ

ICD-10-AM Twelfth Edition:

M8240/2 Neuroendocrine tumour, in situ

M8240/3 Neuroendocrine tumour NOS

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8240/3 Carcinoid tumour NOS (except of appendix M8240/1)

ICD-10-AM Third Edition:

M8240/3 Carcinoid tumour NOS

ICD-10-AM Twelfth Edition:

M8240/3 Neuroendocrine tumour NOS

M8240/6 Neuroendocrine tumour NOS, metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8240/6 Carcinoid tumour NOS, metastatic

ICD-10-AM Twelfth Edition:

M8240/6 Neuroendocrine tumour NOS, metastatic

M8240/9 Neuroendocrine tumour NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8240/9 Carcinoid tumour NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8240/9 Neuroendocrine tumour NOS, uncertain whether primary or metastatic

M8241/0 Enterochromaffin cell carcinoid, benign

Status of code: Created – [Eighth Edition](#)

M8241/1 Enterochromaffin cell carcinoid, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8241/2 Enterochromaffin cell carcinoid, in situ

Status of code: Created – [Eighth Edition](#)

M8241/3 Enterochromaffin cell carcinoid

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8241/3 Carcinoid tumour, argentaffin, malignant

ICD-10-AM Third Edition:

M8241/3 Enterochromaffin cell carcinoid

M8241/6 Enterochromaffin cell carcinoid, metastatic

Status of code: Created – [Third Edition](#)

M8241/9 Enterochromaffin cell carcinoid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8242/1 Enterochromaffin-like cell carcinoid NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8242/2 Enterochromaffin-like cell tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8242/3 Enterochromaffin-like cell tumour

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8242/3 Enterochromaffin-like cell tumour, malignant

ICD-10-AM Twelfth Edition:

M8242/3 Enterochromaffin-like cell tumour

M8242/6 Enterochromaffin-like cell tumour, metastatic

Status of code: Created – [Third Edition](#)

M8242/9 Enterochromaffin-like cell tumour NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8243/1 Goblet cell carcinoid, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8243/2 Goblet cell carcinoid, in situ

Status of code: Created – [Eighth Edition](#)

M8243/6 Goblet cell carcinoid, metastatic

Status of code: Created – [Third Edition](#)

M8243/9 Goblet cell carcinoid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8244/1 Composite carcinoid, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M8244/2 Mixed adenoneuroendocrine carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8244/3 Mixed adenoneuroendocrine carcinoma

Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM First Edition:

M8244/3 Composite carcinoid

ICD-10-AM Eighth Edition:

M8244/3 Mixed adenoneuroendocrine carcinoma

M8244/6 Mixed adenoneuroendocrine carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:
M8244/6 Composite carcinoid, metastatic

ICD-10-AM Eighth Edition:
M8244/6 Mixed adenoneuroendocrine carcinoma, metastatic

M8244/9 Composite carcinoid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:
M8244/9 Composite carcinoid, uncertain whether primary or metastatic

ICD-10-AM Eighth Edition:
M8244/9 Mixed adenoneuroendocrine carcinoma, uncertain whether primary or metastatic

M8245/1 Tubular carcinoid

Status of code: Created – [Third Edition](#)

M8245/2 Adenocarcinoid tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8245/6 Adenocarcinoid tumour, metastatic

Status of code: Created – [Third Edition](#)

M8245/9 Adenocarcinoid tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8246/0 Neuroendocrine tumour, benign

Status of code: Created – [Eleventh Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8246/1 Neuroendocrine tumour NOS, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8246/2 Neuroendocrine carcinoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M8246/3 Neuroendocrine carcinoma NOS

Status of code: Created – [Third Edition](#)

M8246/6 Neuroendocrine carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8246/9 Neuroendocrine carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8247/2 Merkel cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8247/6 Merkel cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8247/9 Merkel cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8249/2 Neuroendocrine tumour, grade 2, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8249/2 Atypical carcinoid tumour, in situ

ICD-10-AM Twelfth Edition:

M8249/2 Neuroendocrine tumour, grade 2, in situ

M8249/3 Neuroendocrine tumour, grade 2

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8249/3 Atypical carcinoid tumour

ICD-10-AM Twelfth Edition:

M8249/3 Neuroendocrine tumour, grade 2

M8249/6 Neuroendocrine tumour, grade 2, metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8249/6 Atypical carcinoid tumour, metastatic

ICD-10-AM Twelfth Edition:

M8249/6 Neuroendocrine tumour, grade 2, metastatic

M8249/9 Neuroendocrine tumour, grade 2, malignant, uncertain whether primary or metastatic

Status of code: Created – *Third Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8249/9 Atypical carcinoid tumour, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8249/9 Neuroendocrine tumour, grade 2, malignant, uncertain whether primary or metastatic

M8250/0 Atypical adenomatous hyperplasia

Status of code: Created – *Twelfth Edition*

M8250/2 Adenocarcinoma in situ of lung, nonmucinous

Status of code: Created – *Eighth Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8250/2 Bronchiolo-alveolar adenocarcinoma NOS, in situ

ICD-10-AM Twelfth Edition:

M8250/2 Adenocarcinoma in situ of lung, nonmucinous

M8250/3 Lepidic adenocarcinoma

Status of code title: Revised – *Third Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Second Edition:

M8250/3 Bronchiolo-alveolar adenocarcinoma

ICD-10-AM Third Edition:

M8250/3 Bronchiolo-alveolar adenocarcinoma NOS

ICD-10-AM Twelfth Edition:

M8250/3 Lepidic adenocarcinoma

M8250/6 Lepidic adenocarcinoma, metastatic

Status of code: Created – *Third Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8250/6 Bronchiolo-alveolar adenocarcinoma NOS, metastatic

ICD-10-AM Twelfth Edition:

M8250/6 Lepidic adenocarcinoma, metastatic

M8250/9 Lepidic adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8250/9 Bronchiolo-alveolar adenocarcinoma NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8250/9 Lepidic adenocarcinoma, uncertain whether primary or metastatic

M8251/2 Alveolar adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8251/6 Alveolar adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8251/9 Alveolar adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8252/1 Bronchiolo-alveolar tumour, non-mucinous, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8252/2 Bronchiolo-alveolar carcinoma, non-mucinous, in situ

Status of code: Created – [Third Edition](#)

M8252/3 Bronchiolo-alveolar carcinoma, non-mucinous

Status of code: Created – [Third Edition](#)

M8252/6 Bronchiolo-alveolar carcinoma, non-mucinous, metastatic

Status of code: Created – [Third Edition](#)

M8252/9 Bronchiolo-alveolar carcinoma, non-mucinous, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8253/1 Bronchiolo-alveolar tumour, mucinous, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8253/2 Adenocarcinoma in situ of lung, mucinous

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8253/2 Bronchiolo-alveolar carcinoma, mucinous, in situ

ICD-10-AM Twelfth Edition:

M8253/2 Adenocarcinoma in situ of lung, mucinous

M8253/3 Adenocarcinoma of lung, mucinous

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8253/3 Bronchiolo-alveolar carcinoma, mucinous

ICD-10-AM Twelfth Edition:

M8253/3 Adenocarcinoma of lung, mucinous

M8253/6 Adenocarcinoma of lung, mucinous, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8253/6 Bronchiolo-alveolar carcinoma, mucinous, metastatic

ICD-10-AM Twelfth Edition:

M8253/6 Adenocarcinoma of lung, mucinous, metastatic

M8253/9 Adenocarcinoma of lung, mucinous, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8253/9 Bronchiolo-alveolar carcinoma, mucinous, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8253/9 Adenocarcinoma of lung, mucinous, uncertain whether primary or metastatic

M8254/1 Bronchiolo-alveolar tumour, mixed mucinous and non-mucinous, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8254/2 Adenocarcinoma of lung, mixed mucinous and nonmucinous, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8254/2 Bronchiolo-alveolar carcinoma, mixed mucinous and non-mucinous, in situ

ICD-10-AM Twelfth Edition:

M8254/2 Adenocarcinoma of lung, mixed mucinous and nonmucinous, in situ

M8254/3 Adenocarcinoma of lung, mixed mucinous and nonmucinous

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8254/3 Bronchiolo-alveolar carcinoma, mixed mucinous and non-mucinous

ICD-10-AM Twelfth Edition:

M8254/3 Adenocarcinoma of lung, mixed mucinous and nonmucinous

M8254/6 Adenocarcinoma of lung, mixed mucinous and nonmucinous, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8254/6 Bronchiolo-alveolar carcinoma, mixed mucinous and non-mucinous, metastatic

ICD-10-AM Twelfth Edition:

M8254/6 Adenocarcinoma of lung, mixed mucinous and nonmucinous, metastatic

M8254/9 Adenocarcinoma of lung, mixed mucinous and nonmucinous, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8254/9 Bronchiolo-alveolar carcinoma, mixed mucinous and non-mucinous, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8254/9 Adenocarcinoma of lung, mixed mucinous and nonmucinous, uncertain whether primary or metastatic

M8255/1 Adenomatous tumour with mixed subtypes, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8255/2 Adenocarcinoma with mixed subtypes, in situ

Status of code: Created – [Third Edition](#)

M8255/3 Adenocarcinoma with mixed subtypes

Status of code: Created – [Third Edition](#)

M8255/6 Adenocarcinoma with mixed subtypes, metastatic

Status of code: Created – [Third Edition](#)

M8255/9 Adenocarcinoma with mixed subtypes, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8256/3 Minimally invasive adenocarcinoma, nonmucinous

Status of code: Created – [Twelfth Edition](#)

M8256/6 Minimally invasive adenocarcinoma, nonmucinous, metastatic

Status of code: Created – [Twelfth Edition](#)

M8256/9 Minimally invasive adenocarcinoma, nonmucinous, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8257/3 Minimally invasive adenocarcinoma, mucinous

Status of code: Created – [Twelfth Edition](#)

M8257/6 Minimally invasive adenocarcinoma, mucinous, metastatic

Status of code: Created – [Twelfth Edition](#)

M8257/9 Minimally invasive adenocarcinoma, mucinous, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8260/1 Aggressive papillary tumour

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8260/1 Papillary adenoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8260/1 Aggressive papillary tumour

M8260/2 Papillary adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8260/6 Papillary adenocarcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8260/9 Papillary adenocarcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8261/0 Villous adenoma NOS

Status of code: Created – [Third Edition](#)

M8261/1 Villous adenoma NOS, uncertain whether benign or malignant

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8261/1 Villous adenoma NOS

ICD-10-AM Third Edition:

M8261/1 Villous adenoma NOS, uncertain whether benign or malignant

M8261/6 Adenocarcinoma in villous adenoma, metastatic

Status of code: Created – [Third Edition](#)

M8261/9 Adenocarcinoma in villous adenoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8262/2 Villous adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8262/6 Villous adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8262/9 Villous adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8263/1 Tubulovillous adenoma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8263/6 Adenocarcinoma in tubulovillous adenoma, metastatic

Status of code: Created – [Third Edition](#)

M8263/9 Adenocarcinoma in tubulovillous adenoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8264/0 Papillomatosis, glandular

Status of code: Created – [Third Edition](#)

M8265/3 Micropapillary carcinoma NOS

Status of code: Created – [Eighth Edition](#)

M8265/6 Micropapillary carcinoma NOS, metastatic

Status of code: Created – [Eighth Edition](#)

M8265/9 Micropapillary carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8270/1 Chromophobe adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8270/2 Chromophobe carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8270/6 Chromophobe carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8270/9 Chromophobe carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8271/0 Lactotroph adenoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8271/0 Prolactinoma

ICD-10-AM Twelfth Edition:

M8271/0 Lactotroph adenoma

M8271/2 Lactotroph adenoma, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8271/2 Prolactinoma, in situ

ICD-10-AM Twelfth Edition:

M8271/2 Lactotroph adenoma, in situ

M8271/3 Lactotroph adenoma, malignant

Status of code: Created – [Fourth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8271/3 Prolactinoma, malignant

ICD-10-AM Twelfth Edition:

M8271/3 Lactotroph adenoma, malignant

M8271/6 Lactotroph adenoma, malignant, metastatic

Status of code: Created – [Fourth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8271/6 Prolactinoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8271/6 Lactotroph adenoma, malignant, metastatic

M8271/9 Lactotroph adenoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8271/9 Prolactinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8271/9 Lactotroph adenoma, uncertain whether primary or metastatic

M8272/0 Pituitary adenoma NOS

Status of code: Created – [Third Edition](#)

M8272/1 Pituitary adenoma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8272/2 Pituitary carcinoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M8272/3 Pituitary carcinoma NOS

Status of code: Created – [Third Edition](#)

M8272/6 Pituitary carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8272/9 Pituitary carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8273/3 Pituitary blastoma

Status of code: Created – [Twelfth Edition](#)

M8273/6 Pituitary blastoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M8273/9 Pituitary blastoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8280/1 Acidophil adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8280/2 Acidophil carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8280/6 Acidophil carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8280/9 Acidophil carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8281/1 Mixed acidophil-basophil adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8281/2 Mixed acidophil-basophil carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8281/6 Mixed acidophil-basophil carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8281/9 Mixed acidophil-basophil carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8290/1 Oxyphilic adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8290/2 Oxyphilic adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8290/6 Oxyphilic adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8290/9 Oxyphilic adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8300/1 Basophil adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8300/2 Basophil carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8300/6 Basophil carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8300/9 Basophil carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8310/1 Clear cell adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8310/2 Clear cell adenocarcinoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M8310/6 Clear cell adenocarcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8310/9 Clear cell adenocarcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8311/3 Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8311/3 Hypernephroid tumour, malignant

ICD-10-AM Twelfth Edition:

M8311/3 Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma

M8311/6 Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma, metastatic

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8311/6 Hypernephroid tumour, metastatic

ICD-10-AM Twelfth Edition:

M8311/6 Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma, metastatic

M8311/9 Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8311/9 Hypernephroid tumour, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8311/9 Hereditary leiomyomatosis and renal cell carcinoma [HLRCC] syndrome-associated renal cell carcinoma, uncertain whether primary or metastatic

M8312/1 Renal cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8312/2 Renal cell carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8312/3 Renal cell carcinoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8312/3 Renal cell carcinoma

ICD-10-AM Third Edition:

M8312/3 Renal cell carcinoma NOS

M8312/6 Renal cell carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8312/9 Renal cell carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8313/1 Clear cell borderline tumour

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8313/1 Clear cell adenofibroma of borderline malignancy

ICD-10-AM Twelfth Edition:

M8313/1 Clear cell borderline tumour

M8313/2 Clear cell adenocarcinofibroma, in situ

Status of code: Created – [Eighth Edition](#)

M8313/3 Clear cell adenocarcinofibroma

Status of code: Created – [Third Edition](#)

M8313/6 Clear cell adenocarcinofibroma, metastatic

Status of code: Created – [Third Edition](#)

M8313/9 Clear cell adenocarcinofibroma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8314/0 Lipid-rich adenoma, benign

Status of code: Created – [Eighth Edition](#)

M8314/2 Lipid-rich adenoma, in situ

Status of code: Created – [Eighth Edition](#)

M8314/6 Lipid-rich carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8314/9 Lipid-rich carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8315/2 Glycogen-rich carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8315/6 Glycogen-rich carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8315/9 Glycogen-rich carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8316/1 Multilocular cystic renal neoplasm of low malignant potential

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8316/1 Cyst-associated renal cell tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8316/1 Multilocular cystic renal neoplasm of low malignant potential

M8316/2 Cyst-associated renal cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8316/3 Cyst-associated renal cell carcinoma

Status of code: Created – [Third Edition](#)

M8316/6 Cyst-associated renal cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8316/9 Cyst-associated renal cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8317/1 Renal cell tumour, chromophobe type, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8317/2 Renal cell carcinoma, chromophobe type, in situ

Status of code: Created – [Eighth Edition](#)

M8317/3 Renal cell carcinoma, chromophobe type

Status of code: Created – [Third Edition](#)

M8317/6 Renal cell carcinoma, chromophobe type, metastatic

Status of code: Created – [Third Edition](#)

M8317/9 Renal cell carcinoma, chromophobe type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8318/1 Renal cell tumour, sarcomatoid, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8318/2 Renal cell carcinoma, sarcomatoid, in situ

Status of code: Created – [Eighth Edition](#)

M8318/3 Renal cell carcinoma, sarcomatoid

Status of code: Created – [Third Edition](#)

M8318/6 Renal cell carcinoma, sarcomatoid, metastatic

Status of code: Created – [Third Edition](#)

M8318/9 Renal cell carcinoma, sarcomatoid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8319/1 Collecting duct tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8319/2 Collecting duct carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8319/3 Collecting duct carcinoma

Status of code: Created – [Third Edition](#)

M8319/6 Collecting duct carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8319/9 Collecting duct carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8320/2 Granular cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8320/6 Granular cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8320/9 Granular cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8321/1 Chief cell adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8321/2 Chief cell adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8321/3 Chief cell adenocarcinoma, malignant

Status of code: Created – [Third Edition](#)

M8321/6 Chief cell adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8321/9 Chief cell adenoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8322/1 Water-clear cell adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8322/2 Water-clear cell adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8322/6 Water-clear cell adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8322/9 Water-clear cell adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8323/1 Clear cell papillary renal cell carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8323/1 Mixed cell adenoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8323/1 Clear cell papillary renal cell carcinoma

M8323/2 Mixed cell adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8323/6 Mixed cell adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8323/9 Mixed cell adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8324/1 Lipoadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8325/0 Metanephric adenoma

Status of code: Created – [Third Edition](#)

M8325/1 Metanephric adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8330/0 Follicular adenoma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8330/0 Follicular adenoma

ICD-10-AM Twelfth Edition:

M8330/0 Follicular adenoma NOS

M8330/1 Atypical follicular adenoma

Status of code: Created – [Third Edition](#)

M8330/2 Follicular carcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8330/2 Follicular adenocarcinoma, in situ

ICD-10-AM Twelfth Edition:

M8330/2 Follicular carcinoma, in situ

M8330/3 Follicular carcinoma NOS

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8330/3 Follicular adenocarcinoma NOS

ICD-10-AM Twelfth Edition:

M8330/3 Follicular carcinoma NOS

M8330/6 Follicular carcinoma NOS, metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8330/6 Follicular adenocarcinoma NOS, metastatic

ICD-10-AM Twelfth Edition:

M8330/6 Follicular carcinoma NOS, metastatic

M8330/9 Follicular carcinoma NOS, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8330/9 Follicular adenocarcinoma NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8330/9 Follicular carcinoma NOS, uncertain whether primary or metastatic

M8331/2 Follicular adenocarcinoma, well differentiated, in situ

Status of code: *Created – [Third Edition](#)*

M8331/6 Follicular adenocarcinoma, well differentiated, metastatic

Status of code: *Created – [Third Edition](#)*

M8331/9 Follicular adenocarcinoma, well differentiated, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

M8332/2 Follicular adenocarcinoma, trabecular, in situ

Status of code: *Created – [Third Edition](#)*

M8332/6 Follicular adenocarcinoma, trabecular, metastatic

Status of code: *Created – [Third Edition](#)*

M8332/9 Follicular adenocarcinoma, trabecular, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

M8333/0 Microfollicular adenoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8333/0 Microfollicular adenoma

ICD-10-AM Third Edition:

M8333/0 Microfollicular adenoma NOS

M8333/1 Microfollicular adenoma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8333/2 Fetal adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8333/3 Fetal adenocarcinoma

Status of code: Created – [Third Edition](#)

M8333/6 Fetal adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8333/9 Fetal adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8334/1 Macrofollicular adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8335/1 Follicular tumour of uncertain malignant potential

Status of code: Created – [Twelfth Edition](#)

M8335/3 Follicular carcinoma, minimally invasive

Status of code: Created – [Third Edition](#)

M8335/6 Follicular carcinoma, minimally invasive, metastatic

Status of code: Created – [Third Edition](#)

M8335/9 Follicular carcinoma, minimally invasive, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8336/0 Hyalinising trabecular adenoma

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8336/1 Hyalinising trabecular tumour

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8336/1 Hyalinising trabecular adenoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8336/1 Hyalinising trabecular tumour

M8337/1 Poorly differentiated thyroid tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8337/1 Insular tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8337/1 Poorly differentiated thyroid tumour, uncertain whether benign or malignant

M8337/2 Poorly differentiated thyroid carcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8337/2 Insular carcinoma, in situ

ICD-10-AM Twelfth Edition:

M8337/2 Poorly differentiated thyroid carcinoma, in situ

M8337/3 Poorly differentiated thyroid carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8337/3 Insular carcinoma

ICD-10-AM Twelfth Edition:

M8337/3 Poorly differentiated thyroid carcinoma

M8337/6 Poorly differentiated thyroid carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8337/6 Insular carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8337/6 Poorly differentiated thyroid carcinoma, metastatic

M8337/9 Poorly differentiated thyroid carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8337/9 Insular carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8337/9 Poorly differentiated thyroid carcinoma, uncertain whether primary or metastatic

M8339/3 Follicular carcinoma, encapsulated, angioinvasive

Status of code: Created – [Twelfth Edition](#)

M8339/6 Follicular carcinoma, encapsulated, angioinvasive, metastatic

Status of code: Created – [Twelfth Edition](#)

M8339/9 Follicular carcinoma, encapsulated, angioinvasive, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8340/1 Papillary tumour, follicular variant, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8340/2 Papillary carcinoma, follicular variant, in situ

Status of code: Created – [Third Edition](#)

M8340/6 Papillary carcinoma, follicular variant, metastatic

Status of code: Created – [Third Edition](#)

M8340/9 Papillary carcinoma, follicular variant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8341/1 Papillary microtumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8341/2 Papillary microcarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8341/3 Papillary microcarcinoma

Status of code: Created – [Third Edition](#)

M8341/6 Papillary microcarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8341/9 Papillary microcarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8342/1 Papillary tumour, oncocytic variant uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8342/1 Papillary tumour, oxyphilic cell, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8342/1 Papillary tumour, oncocytic variant uncertain whether benign or malignant

M8342/2 Papillary carcinoma, oncocytic variant, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8342/2 Papillary carcinoma, oxyphilic cell, in situ

ICD-10-AM Twelfth Edition:

M8342/2 Papillary carcinoma, oncocytic variant, in situ

M8342/3 Papillary carcinoma, oncocytic variant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8342/3 Papillary carcinoma, oxyphilic cell

ICD-10-AM Twelfth Edition:

M8342/3 Papillary carcinoma, oncocytic variant

M8342/6 Papillary carcinoma, oncocytic variant, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8342/6 Papillary carcinoma, oxyphilic cell, metastatic

ICD-10-AM Twelfth Edition:

M8342/6 Papillary carcinoma, oncocytic variant, metastatic

M8342/9 Papillary carcinoma, oncocytic variant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8342/9 Papillary carcinoma, oxyphilic cell, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8342/9 Papillary carcinoma, oncocytic variant, uncertain whether primary or metastatic

M8343/1 Papillary tumour, encapsulated, of thyroid, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8343/1 Papillary tumour, encapsulated, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8343/1 Papillary tumour, encapsulated, of thyroid, uncertain whether benign or malignant

M8343/2 Papillary carcinoma, encapsulated, of thyroid, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8343/2 Papillary carcinoma, encapsulated, in situ

ICD-10-AM Twelfth Edition:

M8343/2 Papillary carcinoma, encapsulated, of thyroid, in situ

M8343/3 Papillary carcinoma, encapsulated, of thyroid

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8343/3 Papillary carcinoma, encapsulated

ICD-10-AM Twelfth Edition:

M8343/3 Papillary carcinoma, encapsulated, of thyroid

M8343/6 Papillary carcinoma, encapsulated, of thyroid, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8343/6 Papillary carcinoma, encapsulated, metastatic

ICD-10-AM Twelfth Edition:

M8343/6 Papillary carcinoma, encapsulated, of thyroid, metastatic

M8343/9 Papillary carcinoma, encapsulated, of thyroid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8343/9 Papillary carcinoma, encapsulated, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8343/9 Papillary carcinoma, encapsulated, of thyroid, uncertain whether primary or metastatic

M8344/1 Papillary tumour, columnar cell, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8344/2 Papillary carcinoma, columnar cell, in situ

Status of code: Created – [Third Edition](#)

M8344/3 Papillary carcinoma, columnar cell

Status of code: Created – [Third Edition](#)

M8344/6 Papillary carcinoma, columnar cell, metastatic

Status of code: Created – [Third Edition](#)

M8344/9 Papillary carcinoma, columnar cell, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8345/1 Medullary thyroid tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8345/1 Medullary tumour with amyloid stroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8345/1 Medullary thyroid tumour, uncertain whether benign or malignant

M8345/2 Medullary thyroid carcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8345/2 Medullary carcinoma with amyloid stroma, in situ

ICD-10-AM Twelfth Edition:

M8345/2 Medullary thyroid carcinoma, in situ

M8345/3 Medullary thyroid carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8345/3 Medullary carcinoma with amyloid stroma

ICD-10-AM Twelfth Edition:

M8345/3 Medullary thyroid carcinoma

M8345/6 Medullary thyroid carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8345/6 Medullary carcinoma with amyloid stroma, metastatic

ICD-10-AM Twelfth Edition:

M8345/6 Medullary thyroid carcinoma, metastatic

M8345/9 Medullary thyroid carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8345/9 Medullary carcinoma with amyloid stroma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8345/9 Medullary thyroid carcinoma, uncertain whether primary or metastatic

M8346/1 Mixed medullary-follicular tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8346/2 Mixed medullary-follicular carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8346/3 Mixed medullary-follicular carcinoma

Status of code: Created – [Third Edition](#)

M8346/6 Mixed medullary-follicular carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8346/9 Mixed medullary-follicular carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8347/1 Mixed medullary-papillary tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8347/2 Mixed medullary-papillary carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8347/3 Mixed medullary-papillary carcinoma

Status of code: Created – [Third Edition](#)

M8347/6 Mixed medullary-papillary carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8347/9 Mixed medullary-papillary carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8348/1 Well differentiated tumour of uncertain malignant potential

Status of code: Created – [Twelfth Edition](#)

M8349/1 Noninvasive follicular thyroid neoplasm with papillary-like nuclear features [NIFTP]

Status of code: Created – [Twelfth Edition](#)

M8350/1 Nonencapsulated sclerosing tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8350/2 Nonencapsulated sclerosing carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8350/6 Nonencapsulated sclerosing carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8350/9 Nonencapsulated sclerosing carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8361/0 Juxtaglomerular tumour, benign

Status of code: Created – [Third Edition](#)

M8361/1 Juxtaglomerular tumour (D41.0)

Status of code: Deleted – [Third Edition](#)

M8361/2 Juxtaglomerular tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8361/3 Juxtaglomerular tumour, malignant

Status of code: Created – [Third Edition](#)

M8361/6 Juxtaglomerular tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8361/9 Juxtaglomerular tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8370/1 Adrenal cortical tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8370/2 Adrenal cortical carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8370/6 Adrenal cortical carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8370/9 Adrenal cortical carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8371/1 Adrenal cortical adenoma, compact cell, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8372/0 Adrenal cortical adenoma, pigmented

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8372/0 Adrenal cortical adenoma, heavily pigmented variant (D35.0)

ICD-10-AM Third Edition:

M8372/0 Adrenal cortical adenoma, pigmented

M8372/1 Adrenal cortical adenoma, pigmented, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8373/1 Adrenal cortical adenoma, clear cell, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8374/1 Adrenal cortical adenoma, glomerulosa cell, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8375/1 Adrenal cortical adenoma, mixed cell, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8380/2 Endometrioid intraepithelial neoplasia

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8380/2 Endometrioid adenocarcinoma NOS, in situ

ICD-10-AM Twelfth Edition:

M8380/2 Endometrioid intraepithelial neoplasia

M8380/3 Endometrioid adenocarcinoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8380/3 Endometrioid adenocarcinoma (C56)

ICD-10-AM Third Edition:

M8380/3 Endometrioid adenocarcinoma NOS

M8380/6 Endometrioid adenocarcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8380/9 Endometrioid adenocarcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8381/2 Endometrioid adenofibroma, in situ

Status of code: Created – [Eighth Edition](#)

M8381/6 Endometrioid adenofibroma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8381/9 Endometrioid adenofibroma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8382/2 Endometrioid adenocarcinoma, secretory variant, in situ

Status of code: Created – [Eighth Edition](#)

M8382/3 Endometrioid adenocarcinoma, secretory variant

Status of code: Created – [Third Edition](#)

M8382/6 Endometrioid adenocarcinoma, secretory variant, metastatic

Status of code: Created – [Eighth Edition](#)

M8382/9 Endometrioid adenocarcinoma, secretory variant, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8383/2 Endometrioid adenocarcinoma, ciliated cell variant, in situ

Status of code: Created – [Eighth Edition](#)

M8383/3 Endometrioid adenocarcinoma, ciliated cell variant

Status of code: Created – [Third Edition](#)

M8383/6 Endometrioid adenocarcinoma, ciliated cell variant, metastatic

Status of code: Created – [Third Edition](#)

M8383/9 Endometrioid adenocarcinoma, ciliated cell variant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8384/2 Adenocarcinoma, endocervical type, in situ

Status of code: Created – [Eighth Edition](#)

M8384/3 Adenocarcinoma, endocervical type

Status of code: Created – [Third Edition](#)

M8384/6 Adenocarcinoma, endocervical type, metastatic

Status of code: Created – [Third Edition](#)

M8384/9 Adenocarcinoma, endocervical type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8390/1 Skin appendage adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8390/2 Adnexal adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8390/2 Skin appendage carcinoma, in situ

ICD-10-AM Twelfth Edition:

M8390/2 Adnexal adenocarcinoma, in situ

M8390/3 Adnexal adenocarcinoma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8390/3 Skin appendage carcinoma

ICD-10-AM Twelfth Edition:

M8390/3 Adnexal adenocarcinoma NOS

M8390/6 Adnexal adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8390/6 Skin appendage carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8390/6 Adnexal adenocarcinoma, metastatic

M8390/9 Adnexal adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8390/9 Skin appendage carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8390/9 Adnexal adenocarcinoma, uncertain whether primary or metastatic

M8391/0 Follicular fibroma

Status of code: Created – [Third Edition](#)

M8391/1 Follicular fibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8392/0 Syringofibroadenoma

Status of code: Created – [Third Edition](#)

M8392/1 Syringofibroadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8400/2 Sweat gland adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8400/6 Sweat gland adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8400/9 Sweat gland adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8401/1 Apocrine adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8401/2 Apocrine adenocarcinoma, in situ

Status of code: Created – [Second Edition](#)

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8401/2 Apocrine adenoma in situ

ICD-10-AM Third Edition:

M8401/2 Apocrine adenocarcinoma, in situ

M8401/6 Apocrine adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8401/9 Apocrine adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8402/0 Hidradenoma NOS

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8402/0 Eccrine acrospiroma (D23.-)

ICD-10-AM Third Edition:

M8402/0 Nodular hidradenoma

ICD-10-AM Twelfth Edition:

M8402/0 Hidradenoma NOS

M8402/1 Hidradenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8402/1 Nodular hidradenoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8402/1 Hidradenoma, uncertain whether benign or malignant

M8402/2 Hidradenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8402/2 Nodular hidradenoma, in situ

ICD-10-AM Twelfth Edition:

M8402/2 Hidradenocarcinoma, in situ

M8402/3 Hidradenocarcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8402/3 Nodular hidradenoma, malignant

ICD-10-AM Twelfth Edition:

M8402/3 Hidradenocarcinoma

M8402/6 Hidradenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8402/6 Nodular hidradenoma, metastatic

ICD-10-AM Twelfth Edition:

M8402/6 Hidradenocarcinoma, metastatic

M8402/9 Hidradenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8402/9 Nodular hidradenoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8402/9 Hidradenocarcinoma, uncertain whether primary or metastatic

M8403/0 Spiradenoma NOS

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8403/0 Eccrine spiradenoma

ICD-10-AM Twelfth Edition:

M8403/0 Spiradenoma NOS

M8403/1 Spiradenoma, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8403/1 Eccrine spiradenoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8403/1 Spiradenoma, uncertain whether benign or malignant

M8403/2 Malignant eccrine spiradenoma, in situ

Status of code: *Created – Third Edition*

M8403/3 Malignant eccrine spiradenoma

Status of code: *Created – Third Edition*

M8403/6 Malignant eccrine spiradenoma, metastatic

Status of code: *Created – Third Edition*

M8403/9 Malignant eccrine spiradenoma, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

M8404/1 Hidrocystoma, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M8404/2 Hidrocystoma, in situ

Status of code: *Created – Eighth Edition*

M8405/1 Papillary hidradenoma, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M8406/0 Syringocystadenoma papilliferum

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8406/0 Papillary syringadenoma

ICD-10-AM Twelfth Edition:

M8406/0 Syringocystadenoma papilliferum

M8406/1 Syringocystadenoma papilliferum, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8406/1 Papillary syringadenoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8406/1 Syringocystadenoma papilliferum, uncertain whether benign or malignant

M8406/3 Syringocystadenocarcinoma papilliferum

Status of code: Created – [Twelfth Edition](#)

M8406/6 Syringocystadenocarcinoma papilliferum, metastatic

Status of code: Created – [Twelfth Edition](#)

M8406/9 Syringocystadenocarcinoma papilliferum, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8407/1 Syringoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8407/2 Syringoma, in situ

Status of code: Created – [Eighth Edition](#)

M8407/3 Microcystic adnexal carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8407/3 Sclerosing sweat duct carcinoma

ICD-10-AM Twelfth Edition:

M8407/3 Microcystic adnexal carcinoma

M8407/6 Microcystic adnexal carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8407/6 Sclerosing sweat duct carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8407/6 Microcystic adnexal carcinoma, metastatic

M8407/9 Microcystic adnexal carcinoma, uncertain whether primary or metastatic

Status of code: Created – *Third Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8407/9 Sclerosing sweat duct carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8407/9 Microcystic adnexal carcinoma, uncertain whether primary or metastatic

M8408/1 Aggressive digital papillary adenoma

Status of code: Created – *Third Edition*
Status of code: Deleted – *Twelfth Edition*

M8408/2 Digital papillary adenocarcinoma, in situ

Status of code: Created – *Eighth Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8408/2 Eccrine papillary adenocarcinoma, in situ

ICD-10-AM Twelfth Edition:

M8408/2 Digital papillary adenocarcinoma, in situ

M8408/3 Digital papillary adenocarcinoma

Status of code: Created – *Third Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8408/3 Eccrine papillary adenocarcinoma

ICD-10-AM Twelfth Edition:

M8408/3 Digital papillary adenocarcinoma

M8408/6 Digital papillary adenocarcinoma, metastatic

Status of code: Created – *Third Edition*
Status of code title: Revised – *Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8408/6 Eccrine papillary adenocarcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8408/6 Digital papillary adenocarcinoma, metastatic

M8408/9 Digital papillary adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8408/9 Eccrine papillary adenocarcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8408/9 Digital papillary adenocarcinoma, uncertain whether primary or metastatic

M8409/0 Poroma NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8409/0 Eccrine poroma

ICD-10-AM Twelfth Edition:

M8409/0 Poroma NOS

M8409/1 Poroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8409/1 Eccrine poroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8409/1 Poroma, uncertain whether benign or malignant

M8409/2 Porocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8409/2 Eccrine poroma, in situ

ICD-10-AM Twelfth Edition:

M8409/2 Porocarcinoma, in situ

M8409/3 Porocarcinoma NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8409/3 Eccrine poroma, malignant

ICD-10-AM Twelfth Edition:

M8409/3 Porocarcinoma NOS

M8409/6 Porocarcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8409/6 Eccrine poroma, metastatic

ICD-10-AM Twelfth Edition:
M8409/6 Porocarcinoma, metastatic

M8409/9 Porocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8409/9 Eccrine poroma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8409/9 Porocarcinoma, uncertain whether primary or metastatic

M8410/0 Sebaceoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8410/0 Sebaceous adenoma

ICD-10-AM Twelfth Edition:
M8410/0 Sebaceoma

M8410/1 Sebaceoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8410/1 Sebaceous adenoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:
M8410/1 Sebaceoma, uncertain whether benign or malignant

M8410/2 Sebaceous carcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8410/2 Sebaceous adenocarcinoma, in situ

ICD-10-AM Twelfth Edition:
M8410/2 Sebaceous carcinoma, in situ

M8410/3 Sebaceous carcinoma

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8410/3 Sebaceous adenocarcinoma

ICD-10-AM Twelfth Edition:

M8410/3 Sebaceous carcinoma

M8410/6 Sebaceous carcinoma, metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8410/6 Sebaceous adenocarcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8410/6 Sebaceous carcinoma, metastatic

M8410/9 Sebaceous carcinoma, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8410/9 Sebaceous adenocarcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8410/9 Sebaceous carcinoma, uncertain whether primary or metastatic

M8413/2 Eccrine adenocarcinoma, in situ

Status of code: *Created – [Third Edition](#)*

M8413/3 Eccrine adenocarcinoma

Status of code: *Created – [Third Edition](#)*

M8413/6 Eccrine adenocarcinoma, metastatic

Status of code: *Created – [Third Edition](#)*

M8413/9 Eccrine adenocarcinoma, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

M8420/1 Ceruminous adenoma, uncertain whether benign or malignant

Status of code: *Created – [Third Edition](#)*

M8420/2 Ceruminous adenocarcinoma, in situ

Status of code: *Created – [Third Edition](#)*

M8420/6 Ceruminous adenocarcinoma, metastatic

Status of code: *Created – [Third Edition](#)*

M8420/9 Ceruminous adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8430/2 Mucoepidermoid carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8430/6 Mucoepidermoid carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8430/9 Mucoepidermoid carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8440/1 Cystadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8440/2 Cystadenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8440/6 Cystadenocarcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8440/9 Cystadenocarcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8441/1 Serous cystadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8441/2 Serous intraepithelial carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8441/2 Serous cystadenocarcinoma, in situ

ICD-10-AM Twelfth Edition:

M8441/2 Serous intraepithelial carcinoma

M8441/3 Serous carcinoma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8441/3 Serous cystadenocarcinoma NOS

ICD-10-AM Twelfth Edition:

M8441/3 Serous carcinoma NOS

M8441/6 Serous carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8441/6 Serous cystadenocarcinoma NOS, metastatic

ICD-10-AM Twelfth Edition:

M8441/6 Serous carcinoma NOS, metastatic

M8441/9 Serous carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8441/9 Serous cystadenocarcinoma NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8441/9 Serous carcinoma NOS, uncertain whether primary or metastatic

M8442/1 Serous borderline tumour NOS

Status of code: Created – [Second Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8442/1 Serous cystadenoma, borderline malignancy

ICD-10-AM Twelfth Edition:

M8442/1 Serous borderline tumour NOS

M8442/3 Serous borderline tumour NOS, with malignant transformation

Status of code: Deleted – [Third Edition](#)
Status of code: Reactivated – [Eighth Edition](#)
Status of code title: Revised – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Third Edition:

M8442/3 Serous cystadenoma, borderline malignancy of ovary (C56)

ICD-10-AM Eighth Edition:

M8442/3 Serous cystadenoma, borderline, with malignant transformation

ICD-10-AM Twelfth Edition:

M8442/3 Serous borderline tumour NOS, with malignant transformation

M8442/6 Serous borderline tumour NOS, with malignant transformation, metastatic

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8442/6 Serous cystadenoma, borderline, with malignant transformation, metastatic

ICD-10-AM Twelfth Edition:

M8442/6 Serous borderline tumour NOS, with malignant transformation, metastatic

M8442/9 Serous borderline tumour NOS, with malignant transformation, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8442/9 Serous cystadenoma, borderline, with malignant transformation, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8442/9 Serous borderline tumour NOS, with malignant transformation, uncertain whether primary or metastatic

M8443/0 Clear cell cystadenoma

Status of code: Created – [Third Edition](#)

M8444/1 Clear cell cystic tumour of borderline malignancy

Status of code: Created – [Third Edition](#)

M8450/2 Papillary cystadenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

M8450/6 Papillary cystadenocarcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8450/9 Papillary cystadenocarcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8451/1 Papillary cystadenoma, borderline malignancy

Status of code: Created – [Second Edition](#)

M8451/2 Papillary cystadenoma, borderline, with malignant transformation, in situ

Status of code: Created – [Eighth Edition](#)

M8451/3 Papillary cystadenoma, borderline malignancy of ovary (C56)

Status of code: Deleted – [Third Edition](#)

M8451/6 Papillary cystadenoma, borderline, with malignant transformation, metastatic

Status of code: Created – [Eighth Edition](#)

M8451/9 Papillary cystadenoma, borderline, with malignant transformation, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8452/1 Solid pseudopapillary tumour of ovary

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8452/1 Papillary cystic tumour (D37.7)

ICD-10-AM Third Edition:

M8452/1 Solid pseudopapillary tumour

ICD-10-AM Twelfth Edition:

M8452/1 Solid pseudopapillary tumour of ovary

M8452/2 Solid pseudopapillary neoplasm of pancreas, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8452/2 Solid pseudopapillary carcinoma, in situ

ICD-10-AM Twelfth Edition:

M8452/2 Solid pseudopapillary neoplasm of pancreas, in situ

M8452/3 Solid pseudopapillary neoplasm of pancreas

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8452/3 Solid pseudopapillary carcinoma

ICD-10-AM Twelfth Edition:

M8452/3 Solid pseudopapillary neoplasm of pancreas

M8452/6 Solid pseudopapillary neoplasm of pancreas, metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8452/6 Solid pseudopapillary carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8452/6 Solid pseudopapillary neoplasm of pancreas, metastatic

M8452/9 Solid pseudopapillary neoplasm of pancreas, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8452/9 Solid pseudopapillary carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8452/9 Solid pseudopapillary neoplasm of pancreas, uncertain whether primary or metastatic

M8453/0 Intraductal papillary-mucinous adenoma

Status of code: Created – [Third Edition](#)

M8453/1 Intraductal papillary-mucinous tumour with moderate dysplasia

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M8453/2 Intraductal papillary-mucinous neoplasm with high grade dysplasia

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8453/2 Intraductal papillary-mucinous carcinoma, non-invasive

ICD-10-AM Twelfth Edition:

M8453/2 Intraductal papillary-mucinous neoplasm with high grade dysplasia

M8453/3 Intraductal papillary-mucinous neoplasm with associated invasive carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8453/3 Intraductal papillary-mucinous carcinoma, invasive

ICD-10-AM Twelfth Edition:

M8453/3 Intraductal papillary-mucinous neoplasm with associated invasive carcinoma

M8453/6 Intraductal papillary-mucinous neoplasm with associated invasive carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8453/6 Intraductal papillary-mucinous carcinoma, invasive, metastatic

ICD-10-AM Twelfth Edition:

M8453/6 Intraductal papillary-mucinous neoplasm with associated invasive carcinoma, metastatic

M8453/9 Intraductal papillary-mucinous neoplasm with associated invasive carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8453/9 Intraductal papillary-mucinous carcinoma, invasive, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8453/9 Intraductal papillary-mucinous neoplasm with associated invasive carcinoma, uncertain whether primary or metastatic

M8454/0 Cystic tumour of atrio-ventricular node

Status of code: Created – [Third Edition](#)

M8460/0 Papillary serous cystadenoma NOS

Status of code: Deleted – [Twelfth Edition](#)

M8460/1 Papillary serous cystadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8460/2 Serous borderline tumour, micropapillary variant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8460/2 Papillary serous cystadenocarcinoma, in situ

ICD-10-AM Twelfth Edition:

M8460/2 Serous borderline tumour, micropapillary variant

M8460/3 Low grade serous carcinoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8460/3 Papillary serous cystadenocarcinoma

ICD-10-AM Twelfth Edition:

M8460/3 Low grade serous carcinoma

M8460/6 Low grade serous carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8460/6 Papillary serous cystadenocarcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8460/6 Low grade serous carcinoma, metastatic

M8460/9 Low grade serous carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8460/9 Papillary serous cystadenocarcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8460/9 Low grade serous carcinoma, uncertain whether primary or metastatic

M8461/1 Serous surface papilloma, borderline malignancy

Status of code: Created – [Second Edition](#)
Status of code: Deleted – [Third Edition](#)

M8461/2 High grade serous carcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8461/2 Serous surface papillary carcinoma, in situ

ICD-10-AM Twelfth Edition:

M8461/2 High grade serous carcinoma, in situ

M8461/3 High grade serous carcinoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8461/3 Serous surface papillary carcinoma

ICD-10-AM Twelfth Edition:

M8461/3 High grade serous carcinoma

M8461/6 High grade serous carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8461/6 Serous surface papillary carcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8461/6 High grade serous carcinoma, metastatic

M8461/9 High grade serous carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8461/9 Serous surface papillary carcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8461/9 High grade serous carcinoma, uncertain whether primary or metastatic

M8462/1 Serous papillary cystic tumour of borderline malignancy

Status of code: Created – [Second Edition](#)
Status of code title: Revised – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8462/1 Papillary serous cystadenoma, borderline malignancy

ICD-10-AM Third Edition:

M8462/1 Serous papillary cystic tumour of borderline malignancy

M8462/3 Papillary serous cystadenoma, borderline malignancy of ovary (C56)

Status of code: Deleted – [Third Edition](#)

M8463/1 Serous surface papillary tumour of borderline malignancy

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8470/1 Mucinous cystic tumour with moderate dysplasia

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M8470/2 Mucinous cystic neoplasm with high grade dysplasia

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8470/2 Mucinous cystadenocarcinoma, non-invasive

ICD-10-AM Twelfth Edition:

M8470/2 Mucinous cystic neoplasm with high grade dysplasia

M8470/6 Mucinous cystadenocarcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8470/9 Mucinous cystadenocarcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8471/0 Papillary mucinous cystadenoma NOS

Status of code: Deleted – [Twelfth Edition](#)

M8471/1 Papillary mucinous cystadenoma, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8471/2 Papillary mucinous cystadenocarcinoma, in situ

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8471/3 Papillary mucinous cystadenocarcinoma

Status of code: Deleted – [Twelfth Edition](#)

M8471/6 Papillary mucinous cystadenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8471/9 Papillary mucinous cystadenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8472/0 Mucinous cystic tumour, benign

Status of code: Created – [Eighth Edition](#)

M8472/1 Mucinous cystic tumour of borderline malignancy

Status of code: Created – [Second Edition](#)

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8472/1 Mucinous cystadenoma, borderline malignancy

ICD-10-AM Third Edition:

M8472/1 Mucinous cystic tumour of borderline malignancy

M8472/2 Mucinous cystic tumour, borderline, with malignant transformation, in situ

Status of code: Created – [Eighth Edition](#)

M8472/3 Mucinous cystic tumour, borderline, with malignant transformation

Status of code: Deleted – [Third Edition](#)
Status of code: Reactivated – [Eighth Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M8472/3 Mucinous cystadenoma, borderline malignancy of ovary (C56)

ICD-10-AM Eighth Edition:

M8472/3 Mucinous cystic tumour, borderline, with malignant transformation

M8472/6 Mucinous cystic tumour, borderline, with malignant transformation, metastatic

Status of code: Created – [Eighth Edition](#)

M8472/9 Mucinous cystic tumour, borderline, with malignant transformation, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8473/1 Papillary mucinous cystadenoma, borderline malignancy

Status of code: Created – [Second Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8473/2 Papillary mucinous cystic tumour, borderline, with malignant transformation, in situ

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8473/3 Papillary mucinous cystic tumour, borderline, with malignant transformation

Status of code: Deleted – [Third Edition](#)
Status of code: Reactivated – [Eighth Edition](#)
Status of code title: Revised – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Third Edition:

M8473/3 Papillary mucinous cystadenoma, borderline malignancy of ovary (C56)

ICD-10-AM Eighth Edition:

M8473/3 Papillary mucinous cystic tumour, borderline, with malignant transformation

M8473/6 Papillary mucinous cystic tumour, borderline, with malignant transformation, metastatic

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8473/9 Papillary mucinous cystic tumour, borderline, with malignant transformation, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8474/0 Seromucinous cystadenoma

Status of code: Created – [Twelfth Edition](#)

M8474/1 Seromucinous borderline tumour

Status of code: Created – [Twelfth Edition](#)

M8474/3 Seromucinous carcinoma

Status of code: Created – [Twelfth Edition](#)

M8474/6 Seromucinous carcinoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M8474/9 Seromucinous carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8480/1 Low grade appendiceal mucinous neoplasm

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M8480/1 Mucinous adenoma, uncertain whether benign or malignant

ICD-10-AM Eighth Edition:

M8480/1 Low grade appendiceal mucinous neoplasm

M8480/2 Mucinous adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8480/6 Pseudomyxoma peritonei

Status of code title: Revised – [Seventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Sixth Edition:

M8480/6 Pseudomyxoma peritonei

ICD-10-AM Seventh Edition:

M8480/6 Mucinous adenocarcinoma, metastatic [Pseudomyxoma peritonei]

ICD-10-AM Twelfth Edition:

M8480/6 Pseudomyxoma peritonei

M8480/9 Mucinous adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8481/2 Mucin-producing adenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8481/6 Mucin-producing adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8481/9 Mucin-producing adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8482/2 Mucinous carcinoma, gastric type, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8482/2 Mucinous adenocarcinoma, endocervical type, in situ

ICD-10-AM Twelfth Edition:

M8482/2 Mucinous carcinoma, gastric type, in situ

M8482/3 Mucinous carcinoma, gastric type

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8482/3 Mucinous adenocarcinoma, endocervical type

ICD-10-AM Twelfth Edition:

M8482/3 Mucinous carcinoma, gastric type

M8482/6 Mucinous carcinoma, gastric type, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8482/6 Mucinous adenocarcinoma, endocervical type, metastatic

ICD-10-AM Twelfth Edition:

M8482/6 Mucinous carcinoma, gastric type, metastatic

M8482/9 Mucinous carcinoma, gastric type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8482/9 Mucinous adenocarcinoma, endocervical type, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8482/9 Mucinous carcinoma, gastric type, uncertain whether primary or metastatic

M8490/2 Signet ring cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8490/9 Signet ring cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M850–M854 Ductal and lobular neoplasms

Status of block title: *Revised – Third Edition*

ICD-10-AM Second Edition:

M850–M854 Ductal, lobular and medullary neoplasms

ICD-10-AM Third Edition:

M850–M854 Ductal and lobular neoplasms

M8500/1 Infiltrating duct tumour NOS, uncertain whether benign or malignant

Status of code: *Created – Eighth Edition*

M8500/3 Infiltrating duct carcinoma NOS

Status of code title: *Revised – Third Edition*

ICD-10-AM Second Edition:

M8500/3 Infiltrating duct carcinoma (C50.-)

ICD-10-AM Third Edition:

M8500/3 Infiltrating duct carcinoma NOS

M8500/6 Infiltrating duct carcinoma NOS, metastatic

Status of code: *Created – Third Edition*

M8500/9 Infiltrating duct carcinoma NOS, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

M8501/6 Comedocarcinoma NOS, metastatic

Status of code: *Created – Third Edition*

M8501/9 Comedocarcinoma NOS, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

M8502/2 Secretory carcinoma, in situ

Status of code: *Created – Third Edition*

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8502/2 Secretory carcinoma of breast, in situ

ICD-10-AM Twelfth Edition:

M8502/2 Secretory carcinoma, in situ

M8502/3 Secretory carcinoma

Status of code: *Revised – Third Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Second Edition:

M8502/3 Juvenile carcinoma of breast (C50.-)

ICD-10-AM Third Edition:

M8502/3 Secretory carcinoma of breast

ICD-10-AM Twelfth Edition:

M8502/3 Secretory carcinoma

M8502/6 Secretory carcinoma, metastatic

Status of code: *Created – Third Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8502/6 Secretory carcinoma of breast, metastatic

ICD-10-AM Twelfth Edition:

M8502/6 Secretory carcinoma, metastatic

M8502/9 Secretory carcinoma, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*
Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8502/9 Secretory carcinoma of breast, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8502/9 Secretory carcinoma, uncertain whether primary or metastatic

M8503/6 Intraductal papillary adenocarcinoma with invasion, metastatic

Status of code: *Created – Third Edition*

M8503/9 Intraductal papillary adenocarcinoma with invasion, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

M8504/1 Intracystic papillary adenoma, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M8504/2 Encapsulated papillary carcinoma

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8504/2 Noninfiltrating intracystic carcinoma

ICD-10-AM Twelfth Edition:

M8504/2 Encapsulated papillary carcinoma

M8504/3 Encapsulated papillary carcinoma with invasion

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8504/3 Intracystic carcinoma NOS

ICD-10-AM Twelfth Edition:

M8504/3 Encapsulated papillary carcinoma with invasion

M8504/6 Encapsulated papillary carcinoma with invasion, metastatic

Status of code: *Created – Third Edition*

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8504/6 Intracystic carcinoma NOS, metastatic

ICD-10-AM Twelfth Edition:

M8504/6 Encapsulated papillary carcinoma with invasion, metastatic

M8504/9 Encapsulated papillary carcinoma with invasion, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8504/9 Intracystic carcinoma NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8504/9 Encapsulated papillary carcinoma with invasion, uncertain whether primary or metastatic

M8505/1 Intraductal papillomatosis, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M8506/1 Adenoma of nipple, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M8507/2 Intraductal micropapillary carcinoma

Status of code: *Created – Third Edition*

M8507/3 Invasive micropapillary carcinoma of breast

Status of code: *Created – Twelfth Edition*

M8507/6 Invasive micropapillary carcinoma of breast, metastatic

Status of code: *Created – Twelfth Edition*

M8507/9 Invasive micropapillary carcinoma of breast, uncertain whether primary or metastatic

Status of code: *Created – Twelfth Edition*

M8508/2 Cystic hypersecretory carcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8508/3 Cystic hypersecretory carcinoma

Status of code: Created – [Third Edition](#)

M8508/6 Cystic hypersecretory carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8508/9 Cystic hypersecretory carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8509/2 Solid papillary carcinoma in situ

Status of code: Created – [Twelfth Edition](#)

M8509/3 Solid papillary carcinoma with invasion

Status of code: Created – [Twelfth Edition](#)

M8509/6 Solid papillary carcinoma with invasion, metastatic

Status of code: Created – [Twelfth Edition](#)

M8509/9 Solid papillary carcinoma with invasion, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8510/2 Medullary carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8510/6 Medullary carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8510/9 Medullary carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8511/3 Medullary carcinoma with amyloid stroma (C73)

Status of code: Deleted – [Third Edition](#)

M8512/2 Medullary carcinoma with lymphoid stroma, in situ

Status of code: Created – [Third Edition](#)

M8512/6 Medullary carcinoma with lymphoid stroma, metastatic

Status of code: Created – [Third Edition](#)

M8512/9 Medullary carcinoma with lymphoid stroma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8513/2 Atypical medullary carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8513/3 Atypical medullary carcinoma

Status of code: Created – [Third Edition](#)

M8513/6 Atypical medullary carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8513/9 Atypical medullary carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8514/2 Duct carcinoma, desmoplastic type, in situ

Status of code: Created – [Third Edition](#)

M8514/3 Duct carcinoma, desmoplastic type

Status of code: Created – [Third Edition](#)

M8514/6 Duct carcinoma, desmoplastic type, metastatic

Status of code: Created – [Third Edition](#)

M8514/9 Duct carcinoma, desmoplastic type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8519/2 Lobular carcinoma in situ, pleomorphic

Status of code: Created – [Twelfth Edition](#)

M8520/2 Lobular carcinoma in situ NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8520/2 Lobular carcinoma in situ (D05.0)

ICD-10-AM Third Edition:

M8520/2 Lobular carcinoma in situ NOS

M8520/6 Lobular carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8520/9 Lobular carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8521/2 Infiltrating ductular carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8521/6 Infiltrating ductular carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8521/9 Infiltrating ductular carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8522/6 Infiltrating duct and lobular carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8522/9 Infiltrating duct and lobular carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8523/2 Infiltrating duct mixed with other types of carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8523/3 Infiltrating duct mixed with other types of carcinoma

Status of code: Created – [Third Edition](#)

M8523/6 Infiltrating duct mixed with other types of carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8523/9 Infiltrating duct mixed with other types of carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8524/2 Infiltrating lobular mixed with other types of carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8524/3 Infiltrating lobular mixed with other types of carcinoma

Status of code: Created – [Third Edition](#)

M8524/6 Infiltrating lobular mixed with other types of carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8524/9 Infiltrating lobular mixed with other types of carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8525/2 Polymorphous adenocarcinoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8525/2 Polymorphous low grade adenocarcinoma, in situ

ICD-10-AM Twelfth Edition:

M8525/2 Polymorphous adenocarcinoma, in situ

M8525/3 Polymorphous adenocarcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8525/3 Polymorphous low grade adenocarcinoma

ICD-10-AM Twelfth Edition:

M8525/3 Polymorphous adenocarcinoma

M8525/6 Polymorphous adenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8525/6 Polymorphous low grade adenocarcinoma, metastatic

ICD-10-AM Twelfth Edition:

M8525/6 Polymorphous adenocarcinoma, metastatic

M8525/9 Polymorphous adenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8525/9 Polymorphous low grade adenocarcinoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8525/9 Polymorphous adenocarcinoma, uncertain whether primary or metastatic

M8530/2 Inflammatory carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8530/6 Inflammatory carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8530/9 Inflammatory carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8540/2 Paget disease, mammary, in situ

Status of code: Created – [Third Edition](#)

M8540/6 Paget disease, mammary, metastatic

Status of code: Created – [Third Edition](#)

M8540/9 Paget disease, mammary, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8541/2 Paget disease and infiltrating duct carcinoma of breast, in situ

Status of code: Created – [Third Edition](#)

M8541/6 Paget disease and infiltrating duct carcinoma of breast, metastatic

Status of code: Created – [Third Edition](#)

M8541/9 Paget disease and infiltrating duct carcinoma of breast, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8542/2 Paget disease, extramammary, in situ

Status of code: Created – [Third Edition](#)

M8542/3 Paget disease, extramammary

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8542/3 Paget's disease, extramammary (except Paget's disease of bone)

ICD-10-AM Third Edition:

M8542/3 Paget disease, extramammary

M8542/6 Paget disease, extramammary, metastatic

Status of code: Created – [Third Edition](#)

M8542/9 Paget disease, extramammary, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8543/2 Paget disease and intraductal carcinoma of breast, in situ

Status of code: Created – [Third Edition](#)

M8543/6 Paget disease and intraductal carcinoma of breast, metastatic

Status of code: Created – [Third Edition](#)

M8543/9 Paget disease and intraductal carcinoma of breast, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8550/2 Acinar cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8550/6 Acinar cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8550/9 Acinar cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8551/2 Acinar cell cystadenocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8551/3 Acinar cell cystadenocarcinoma

Status of code: Created – [Third Edition](#)

M8551/6 Acinar cell cystadenocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8551/9 Acinar cell cystadenocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8552/3 Mixed acinar-ductal carcinoma

Status of code: Created – [Eighth Edition](#)

M8552/6 Mixed acinar-ductal carcinoma, metastatic

Status of code: Created – [Eighth Edition](#)

M8552/9 Mixed acinar-ductal carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8560/0 Mixed squamous cell and glandular papilloma

Status of code: Created – [Third Edition](#)

M8560/1 Adenosquamous tumour, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

M8560/2 Adenosquamous carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8560/6 Adenosquamous carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8560/9 Adenosquamous carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8561/1 Adenolymphoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8562/2 Epithelial-myoepithelial carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8562/6 Epithelial-myoepithelial carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8562/9 Epithelial-myoepithelial carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8563/0 Lymphadenoma

Status of code: Created – [Twelfth Edition](#)

M8570/2 Adenocarcinoma with squamous metaplasia, in situ

Status of code: Created – [Third Edition](#)

M8570/6 Adenocarcinoma with squamous metaplasia, metastatic

Status of code: Created – [Third Edition](#)

M8570/9 Adenocarcinoma with squamous metaplasia, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8571/2 Adenocarcinoma with cartilaginous and osseous metaplasia, in situ

Status of code: Created – [Third Edition](#)

M8571/6 Adenocarcinoma with cartilaginous and osseous metaplasia, metastatic

Status of code: Created – [Third Edition](#)

M8571/9 Adenocarcinoma with cartilaginous and osseous metaplasia, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8572/2 Adenocarcinoma with spindle cell metaplasia, in situ

Status of code: Created – [Third Edition](#)

M8572/6 Adenocarcinoma with spindle cell metaplasia, metastatic

Status of code: Created – [Third Edition](#)

M8572/9 Adenocarcinoma with spindle cell metaplasia, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8573/2 Adenocarcinoma with apocrine metaplasia, in situ

Status of code: Created – [Third Edition](#)

M8573/6 Adenocarcinoma with apocrine metaplasia, metastatic

Status of code: Created – [Third Edition](#)

M8573/9 Adenocarcinoma with apocrine metaplasia, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8574/2 Adenocarcinoma with neuroendocrine differentiation, in situ

Status of code: Created – [Third Edition](#)

M8574/3 Adenocarcinoma with neuroendocrine differentiation

Status of code: Created – [Third Edition](#)

M8574/6 Adenocarcinoma with neuroendocrine differentiation, metastatic

Status of code: Created – [Third Edition](#)

M8574/9 Adenocarcinoma with neuroendocrine differentiation, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8575/2 Metaplastic carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8575/3 Metaplastic carcinoma NOS

Status of code: Created – [Third Edition](#)

M8575/6 Metaplastic carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8575/9 Metaplastic carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8576/2 Hepatoid adenocarcinoma, in situ

Status of code: *Created – Third Edition*

M8576/3 Hepatoid adenocarcinoma

Status of code: *Created – Third Edition*

M8576/6 Hepatoid adenocarcinoma, metastatic

Status of code: *Created – Third Edition*

M8576/9 Hepatoid adenocarcinoma, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

M858 Thymic epithelial neoplasms

Status of code: *Created – Third Edition*

M8580/0 Microscopic thymoma

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8580/0 Thymoma, benign

ICD-10-AM Twelfth Edition:

M8580/0 Microscopic thymoma

M8580/1 Micronodular thymoma with lymphoid stroma

Status of code: *Created – Third Edition*

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M8580/1 Thymoma NOS

ICD-10-AM Twelfth Edition:

M8580/1 Micronodular thymoma with lymphoid stroma

M8580/2 Thymoma, in situ

Status of code: *Created – Eighth Edition*

M8580/3 Thymoma NOS

Status of code title: *Revised – Third Edition*

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Second Edition:

M8580/3 Thymoma, malignant (C37.9)

ICD-10-AM Third Edition:

M8580/3 Thymoma, malignant NOS

ICD-10-AM Twelfth Edition:

M8580/3 Thymoma NOS

M8580/6 Thymoma NOS, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8580/6 Thymoma, malignant NOS, metastatic

ICD-10-AM Twelfth Edition:

M8580/6 Thymoma NOS, metastatic

M8580/9 Thymoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8580/9 Thymoma, malignant NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8580/9 Thymoma NOS, uncertain whether primary or metastatic

M8581/1 Thymoma, type A NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8581/2 Thymoma, type A, in situ

Status of code: Created – [Eighth Edition](#)

M8581/3 Thymoma, type A

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8581/3 Thymoma, type A, malignant

ICD-10-AM Twelfth Edition:

M8581/3 Thymoma, type A

M8581/6 Thymoma, type A, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8581/6 Thymoma, type A, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8581/6 Thymoma, type A, metastatic

M8581/9 Thymoma, type A, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8581/9 Thymoma, type A, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8581/9 Thymoma, type A, uncertain whether primary or metastatic

M8582/1 Thymoma, type AB NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8582/2 Thymoma, type AB, in situ

Status of code: Created – [Eighth Edition](#)

M8582/3 Thymoma, type AB

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8582/3 Thymoma, type AB, malignant

ICD-10-AM Twelfth Edition:

M8582/3 Thymoma, type AB

M8582/6 Thymoma, type AB, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8582/6 Thymoma, type AB, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8582/6 Thymoma, type AB, metastatic

M8582/9 Thymoma, type AB, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8582/9 Thymoma, type AB, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8582/9 Thymoma, type AB, uncertain whether primary or metastatic

M8583/1 Thymoma, type B1 NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8583/2 Thymoma, type B1, in situ

Status of code: Created – [Eighth Edition](#)

M8583/3 Thymoma, type B1

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8583/3 Thymoma, type B1, malignant

ICD-10-AM Twelfth Edition:

M8583/3 Thymoma, type B1

M8583/6 Thymoma, type B1, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8583/6 Thymoma, type B1, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8583/6 Thymoma, type B1, metastatic

M8583/9 Thymoma, type B1, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8583/9 Thymoma, type B1, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8583/9 Thymoma, type B1, uncertain whether primary or metastatic

M8584/1 Thymoma, type B2 NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8584/2 Thymoma, type B2, in situ

Status of code: Created – [Eighth Edition](#)

M8584/3 Thymoma, type B2

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8584/3 Thymoma, type B2, malignant

ICD-10-AM Twelfth Edition:

M8584/3 Thymoma, type B2

M8584/6 Thymoma, type B2, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8584/6 Thymoma, type B2, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8584/6 Thymoma, type B2, metastatic

M8584/9 Thymoma, type B2, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8584/9 Thymoma, type B2, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8584/9 Thymoma, type B2, uncertain whether primary or metastatic

M8585/1 Thymoma type B3 NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M8585/2 Thymoma, type B3, in situ

Status of code: Created – [Eighth Edition](#)

M8585/3 Thymoma, type B3

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8585/3 Thymoma type, B3, malignant

ICD-10-AM Twelfth Edition:

M8585/3 Thymoma, type B3

M8585/6 Thymoma, type B3, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8585/6 Thymoma type, B3, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8585/6 Thymoma, type B3, metastatic

M8585/9 Thymoma, type B3, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8585/9 Thymoma type, B3, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8585/9 Thymoma, type B3, uncertain whether primary or metastatic

M8586/2 Thymic carcinoma, in situ

Status of code: Created – [Third Edition](#)

M8586/3 Thymic carcinoma NOS

Status of code: Created – [Third Edition](#)

M8586/6 Thymic carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8586/9 Thymic carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8587/0 Ectopic hamartomatous thymoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8587/0 Ectopic hamartomatous thymoma

ICD-10-AM Twelfth Edition:

M8587/0 Ectopic hamartomatous thymoma

M8588/2 Spindle epithelial tumour with thymus-like element, in situ

Status of code: Created – [Third Edition](#)

M8588/3 Spindle epithelial tumour with thymus-like element

Status of code: Created – [Third Edition](#)

M8588/6 Spindle epithelial tumour with thymus-like element, metastatic

Status of code: Created – [Third Edition](#)

M8588/9 Spindle epithelial tumour, malignant with thymus-like element, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8589/2 Intrathyroid thymic carcinoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8589/2 Carcinoma showing thymus-like element, in situ

ICD-10-AM Twelfth Edition:

M8589/2 Intrathyroid thymic carcinoma, in situ

M8589/3 Intrathyroid thymic carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8589/3 Carcinoma showing thymus-like element

ICD-10-AM Twelfth Edition:

M8589/3 Intrathyroid thymic carcinoma

M8589/6 Intrathyroid thymic carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8589/6 Carcinoma showing thymus-like element, metastatic

ICD-10-AM Twelfth Edition:

M8589/6 Intrathyroid thymic carcinoma, metastatic

M8589/9 Intrathyroid thymic carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8589/9 Carcinoma showing thymus-like element, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8589/9 Intrathyroid thymic carcinoma, uncertain whether primary or metastatic

M8590/0 Sex cord stromal tumour, benign

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8590/0 Sex cord-gonadal stromal tumour, benign

ICD-10-AM Twelfth Edition:

M8590/0 Sex cord stromal tumour, benign

M8590/1 Sex cord-gonadal stromal tumour NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8590/1 Sex cord-gonadal stromal tumour

ICD-10-AM Third Edition:

M8590/1 Sex cord-gonadal stromal tumour NOS

M8590/2 Sex cord-gonadal stromal tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8590/3 Sex cord-gonadal stromal tumour, malignant

Status of code: Created – [Third Edition](#)

M8590/6 Sex cord-gonadal stromal tumour, metastatic

Status of code: Created – [Third Edition](#)

M8590/9 Sex cord-gonadal stromal tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8591/1 Sex cord-gonadal stromal tumour, incompletely differentiated

Status of code: Created – [Third Edition](#)

M8591/2 Sex cord-gonadal stromal tumour, incompletely differentiated, in situ

Status of code: Created – [Eighth Edition](#)

M8591/3 Sex cord-gonadal stromal tumour, incompletely differentiated, malignant

Status of code: Created – [Third Edition](#)

M8591/6 Sex cord-gonadal stromal tumour, incompletely differentiated, metastatic

Status of code: Created – [Third Edition](#)

M8591/9 Sex cord-gonadal stromal tumour, malignant, incompletely differentiated, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8592/1 Sex cord-gonadal stromal tumour, mixed forms

Status of code: Created – [Third Edition](#)

M8592/2 Sex cord-gonadal stromal tumour, mixed forms, in situ

Status of code: Created – [Eighth Edition](#)

M8592/3 Sex cord-gonadal stromal tumour, mixed forms, malignant

Status of code: Created – [Third Edition](#)

M8592/6 Sex cord-gonadal stromal tumour, mixed forms, metastatic

Status of code: Created – [Third Edition](#)

M8592/9 Sex cord-gonadal stromal tumour, mixed forms, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8593/1 Stromal tumour with minor sex cord elements

Status of code: Created – [Third Edition](#)

M8593/2 Stromal tumour with minor sex cord elements, in situ

Status of code: Created – [Eighth Edition](#)

M8593/3 Stromal tumour with minor sex cord elements, malignant

Status of code: Created – [Third Edition](#)

M8593/6 Stromal tumour with minor sex cord elements, metastatic

Status of code: Created – [Third Edition](#)

M8593/9 Stromal tumour, malignant with minor sex cord elements, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8594/1 Mixed germ cell-sex cord-stromal tumour NOS

Status of code: Created – [Twelfth Edition](#)

M8600/1 Thecoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8600/2 Thecoma, in situ

Status of code: Created – [Eighth Edition](#)

M8600/6 Thecoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8600/9 Thecoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8610/1 Luteoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8610/2 Luteoma, in situ

Status of code: Created – [Eighth Edition](#)

M8610/3 Luteoma, malignant

Status of code: Created – [Third Edition](#)

M8610/6 Luteoma, metastatic

Status of code: Created – [Third Edition](#)

M8610/9 Luteoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8620/1 Adult granulosa cell tumour of testis

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8620/1 Granulosa cell tumour NOS (D39.1)

ICD-10-AM Third Edition:

M8620/1 Granulosa cell tumour, adult type

ICD-10-AM Twelfth Edition:

M8620/1 Adult granulosa cell tumour of testis

M8620/2 Adult granulosa cell tumour, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8620/2 Granulosa cell tumour, in situ

ICD-10-AM Twelfth Edition:

M8620/2 Adult granulosa cell tumour, in situ

M8620/3 Adult granulosa cell tumour of ovary

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8620/3 Granulosa cell tumour, malignant

ICD-10-AM Twelfth Edition:

M8620/3 Adult granulosa cell tumour of ovary

M8620/6 Adult granulosa cell tumour of ovary, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8620/6 Granulosa cell tumour, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8620/6 Adult granulosa cell tumour of ovary, metastatic

M8620/9 Adult granulosa cell tumour of ovary, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8620/9 Granulosa cell tumour, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8620/9 Adult granulosa cell tumour of ovary, uncertain whether primary or metastatic

M8621/2 Granulosa cell-theca cell tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8621/3 Granulosa cell-theca cell tumour, malignant

Status of code: Created – [Eighth Edition](#)

M8621/6 Granulosa cell-theca cell tumour, metastatic

Status of code: Created – [Eighth Edition](#)

M8621/9 Granulosa cell-theca cell tumour, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8622/0 Granulosa cell tumour of testis, juvenile

Status of code: Created – [Eleventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8622/0 Granulosa cell tumour, juvenile, benign

ICD-10-AM Twelfth Edition:

M8622/0 Granulosa cell tumour of testis, juvenile

M8622/1 Granulosa cell tumour, juvenile

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Eleventh Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8622/1 Juvenile granulosa cell tumour (D39.1)

ICD-10-AM Third Edition:

M8622/1 Granulosa cell tumour, juvenile

ICD-10-AM Eleventh Edition:

M8622/1 Granulosa cell tumour, juvenile, NOS

ICD-10-AM Twelfth Edition:

M8622/1 Granulosa cell tumour, juvenile

M8630/2 Androblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M8630/6 Androblastoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8630/9 Androblastoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8631/0 Sertoli-Leydig cell tumour, well differentiated

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8631/0 Sertoli-Leydig cell tumour

ICD-10-AM Third Edition:

M8631/0 Sertoli-Leydig cell tumour, well differentiated

M8631/1 Sertoli-Leydig cell tumour of intermediate differentiation

Status of code: Created – [Third Edition](#)

M8631/2 Sertoli-Leydig cell tumour, poorly differentiated, in situ

Status of code: Created – [Eighth Edition](#)

M8631/3 Sertoli-Leydig cell tumour, poorly differentiated

Status of code: Created – [Third Edition](#)

M8631/6 Sertoli-Leydig cell tumour, poorly differentiated, metastatic

Status of code: Created – [Third Edition](#)

M8631/9 Sertoli-Leydig cell tumour, malignant, poorly differentiated, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8632/2 Gynandroblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M8632/3 Gynandroblastoma, malignant

Status of code: Created – [Third Edition](#)

M8632/6 Gynandroblastoma, metastatic

Status of code: Created – [Third Edition](#)

M8632/9 Gynandroblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8633/1 Sertoli-Leydig cell tumour, retiform

Status of code: Created – [Third Edition](#)

M8634/1 Sertoli-Leydig cell tumour, intermediate differentiation, with heterologous elements

Status of code: Created – [Third Edition](#)

M8634/2 Sertoli-Leydig cell tumour, poorly differentiated, with heterologous elements, in situ

Status of code: Created – [Eighth Edition](#)

M8634/3 Sertoli-Leydig cell tumour, poorly differentiated, with heterologous elements

Status of code: Created – [Third Edition](#)

M8634/6 Sertoli-Leydig cell tumour, poorly differentiated, with heterologous elements, metastatic

Status of code: Created – [Third Edition](#)

M8634/9 Sertoli-Leydig cell tumour, malignant, poorly differentiated, with heterologous elements, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8640/0 Sertoli cell tumour NOS

Status of code: Deleted – [Third Edition](#)

M8640/1 Sertoli cell tumour NOS

Status of code: Created – [Third Edition](#)

M8640/2 Sertoli cell carcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M8640/6 Sertoli cell carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M8640/9 Sertoli cell carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8642/1 Large cell calcifying Sertoli cell tumour

Status of code: Created – [Third Edition](#)

M8643/1 Intratubular large cell hyalinising Sertoli cell neoplasia

Status of code: Created – [Twelfth Edition](#)

M8650/0 Leydig cell tumour of ovary NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8650/0 Leydig cell tumour, benign

ICD-10-AM Twelfth Edition:

M8650/0 Leydig cell tumour of ovary NOS

M8650/1 Leydig cell tumour of testis NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8650/1 Leydig cell tumour NOS

ICD-10-AM Twelfth Edition:

M8650/1 Leydig cell tumour of testis NOS

M8650/2 Leydig cell tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8650/6 Leydig cell tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8650/9 Leydig cell tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8670/2 Lipid cell tumour of ovary, in situ

Status of code: Created – [Eighth Edition](#)

M8670/3 Steroid cell tumour, malignant

Status of code: Created – [Third Edition](#)

M8670/6 Steroid cell tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8670/9 Steroid cell tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8671/1 Adrenal rest tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8680/0 Paraganglioma, benign

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8680/1 Paraganglioma NOS

Status of code: Deleted – [Twelfth Edition](#)

M8680/2 Paraganglioma, in situ

Status of code: Created – [Eighth Edition](#)

M8680/3 Paraganglioma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8680/3 Paraganglioma, malignant

ICD-10-AM Twelfth Edition:

M8680/3 Paraganglioma NOS

M8680/6 Paraganglioma NOS, metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8680/6 Paraganglioma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8680/6 Paraganglioma NOS, metastatic

M8680/9 Paraganglioma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8680/9 Paraganglioma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8680/9 Paraganglioma NOS, uncertain whether primary or metastatic

M8681/1 Sympathetic paraganglioma

Status of code: Deleted – [Twelfth Edition](#)

M8681/3 Sympathetic paraganglioma

Status of code: Created – [Twelfth Edition](#)

M8681/6 Sympathetic paraganglioma, metastatic

Status of code: Created – [Twelfth Edition](#)

M8681/9 Sympathetic paraganglioma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8682/1 Parasympathetic paraganglioma

Status of code: Deleted – [Twelfth Edition](#)

M8682/3 Parasympathetic paraganglioma

Status of code: Created – [Twelfth Edition](#)

M8682/6 Parasympathetic paraganglioma, metastatic

Status of code: Created – [Twelfth Edition](#)

M8682/9 Parasympathetic paraganglioma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8683/1 Gangliocytic paraganglioma, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

M8690/0 Glomus jugulare tumour, benign

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8690/1 Glomus jugulare tumour NOS

Status of code title: Revised – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8690/1 Glomus jugulare tumour (D44.7)

ICD-10-AM Third Edition:

M8690/1 Glomus jugulare tumour NOS

M8690/2 Middle ear paraganglioma, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8690/2 Glomus jugulare tumour NOS, in situ

ICD-10-AM Twelfth Edition:

M8690/2 Middle ear paraganglioma, in situ

M8690/3 Middle ear paraganglioma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8690/3 Glomus jugulare tumour NOS, malignant

ICD-10-AM Twelfth Edition:

M8690/3 Middle ear paraganglioma

M8690/6 Middle ear paraganglioma, malignant, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8690/6 Glomus jugulare tumour NOS, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8690/6 Middle ear paraganglioma, malignant, metastatic

M8690/9 Middle ear paraganglioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8690/9 Glomus jugulare tumour NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8690/9 Middle ear paraganglioma, uncertain whether primary or metastatic

M8691/1 Aortic body tumour

Status of code: Deleted – [Twelfth Edition](#)

M8691/2 Aortic body tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8691/3 Aortic body tumour

Status of code: Created – [Second Edition](#)
Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8691/3 Paraganglioma aortic body, malignant (C75.5)

ICD-10-AM Third Edition:

M8691/3 Aortic body tumour, malignant

ICD-10-AM Twelfth Edition:

M8691/3 Aortic body tumour

M8691/6 Aortic body tumour, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8691/6 Aortic body tumour, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8691/6 Aortic body tumour, metastatic

M8691/9 Aortic body tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8692/1 Carotid body tumour

Status of code: Deleted – [Twelfth Edition](#)

M8692/3 Carotid body paraganglioma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8692/3 Carotid body tumour, malignant

ICD-10-AM Twelfth Edition:

M8692/3 Carotid body paraganglioma

M8692/6 Carotid body paraganglioma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8692/6 Carotid body tumour, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8692/6 Carotid body paraganglioma, metastatic

M8692/9 Carotid body paraganglioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8692/9 Carotid body tumour, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8692/9 Carotid body paraganglioma, uncertain whether primary or metastatic

M8693/1 Extra-adrenal paraganglioma NOS

Status of code: Deleted – [Twelfth Edition](#)

M8693/2 Extra-adrenal paraganglioma, in situ

Status of code: Created – [Eighth Edition](#)

M8693/3 Extra-adrenal paraganglioma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8693/3 Extra-adrenal paraganglioma, malignant

ICD-10-AM Twelfth Edition:

M8693/3 Extra-adrenal paraganglioma NOS

M8693/6 Extra-adrenal paraganglioma NOS, metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8693/6 Extra-adrenal paraganglioma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8693/6 Extra-adrenal paraganglioma NOS, metastatic

M8693/9 Extra-adrenal paraganglioma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8693/9 Extra-adrenal paraganglioma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8693/9 Extra-adrenal paraganglioma NOS, uncertain whether primary or metastatic

M8700/0 Pheochromocytoma NOS

Status of code: Deleted – [Twelfth Edition](#)

M8700/1 Pheochromocytoma, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8700/2 Pheochromocytoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8700/2 Pheochromocytoma, in situ

ICD-10-AM Twelfth Edition:

M8700/2 Pheochromocytoma NOS, in situ

M8700/3 Phaeochromocytoma NOS

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8700/3 Phaeochromocytoma, malignant

ICD-10-AM Twelfth Edition:

M8700/3 Phaeochromocytoma NOS

M8700/6 Phaeochromocytoma NOS, metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8700/6 Phaeochromocytoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8700/6 Phaeochromocytoma NOS, metastatic

M8700/9 Phaeochromocytoma NOS, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

Status of code title: *Revised – [Twelfth Edition](#)*

ICD-10-AM Eleventh Edition:

M8700/9 Phaeochromocytoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8700/9 Phaeochromocytoma NOS, uncertain whether primary or metastatic

M8710/2 Phaeochromocytoma, in situ

Status of code: *Created – [Eighth Edition](#)*

M8710/6 Glomangiosarcoma, metastatic

Status of code: *Created – [Third Edition](#)*

M8710/9 Glomangiosarcoma, uncertain whether primary or metastatic

Status of code: *Created – [Third Edition](#)*

M8711/0 Glomus tumour NOS

Status of code title: *Revised – [Third Edition](#)*

ICD-10-AM Second Edition:

M8711/0 Glomus tumour

ICD-10-AM Third Edition:

M8711/0 Glomus tumour NOS

M8711/1 Glomangiomatosis

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8711/1 Glomus tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8711/1 Glomangiomatosis

M8711/2 Glomus tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8711/3 Glomus tumour, malignant

Status of code: Created – [Third Edition](#)

M8711/6 Glomus tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8711/9 Glomus tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8712/2 Glomangioma, in situ

Status of code: Created – [Eighth Edition](#)

M8712/3 Glomangioma, malignant

Status of code: Created – [Third Edition](#)

M8712/6 Glomangioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8712/9 Glomangioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8713/2 Glomangiomyoma, in situ

Status of code: Created – [Eighth Edition](#)

M8714/0 Perivascular epithelioid tumour, benign

Status of code: Created – [Twelfth Edition](#)

M8714/3 Perivascular epithelioid tumour, malignant

Status of code: Created – [Twelfth Edition](#)

M8714/6 Perivascular epithelioid tumour, metastatic

Status of code: Created – [Twelfth Edition](#)

M8714/9 Perivascular epithelioid tumour, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8720/1 Pigmented naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8720/6 Malignant melanoma NOS, metastatic

Status of code: Created – [Second Edition](#)

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8720/6 Melanoma metastatic

ICD-10-AM Third Edition:

M8720/6 Malignant melanoma NOS, metastatic

M8720/9 Malignant melanoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8721/2 Nodular melanoma, in situ

Status of code: Created – [Eighth Edition](#)

M8721/6 Nodular melanoma, metastatic

Status of code: Created – [Third Edition](#)

M8721/9 Nodular melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8722/1 Balloon cell naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8722/2 Balloon cell melanoma, in situ

Status of code: Created – [Third Edition](#)

M8722/6 Balloon cell melanoma, metastatic

Status of code: Created – [Third Edition](#)

M8722/9 Balloon cell melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8723/1 Melanoma, regressing, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

M8723/2 Malignant melanoma, regressing, in situ

Status of code: Created – [Third Edition](#)

M8723/6 Malignant melanoma, regressing, metastatic

Status of code: Created – [Third Edition](#)

M8723/9 Malignant melanoma, regressing, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8724/0 Fibrous papule of nose (D22.3)

Status of code: Deleted – [Third Edition](#)

M8725/1 Neuronaevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8725/3 Neuronaevus, malignant

Status of code: Created – [Eighth Edition](#)

M8725/6 Neuronaevus, metastatic

Status of code: Created – [Eighth Edition](#)

M8725/9 Neuronaevus, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8726/1 Magnocellular naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8726/3 Magnocellular naevus, malignant

Status of code: Created – [Eighth Edition](#)

M8726/6 Magnocellular naevus, metastatic

Status of code: Created – [Eighth Edition](#)

M8726/9 Magnocellular naevus, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8727/1 Dysplastic naevus, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

M8727/2 Melanoma in dysplastic naevus, in situ

Status of code: Created – [Third Edition](#)

M8727/3 Melanoma in dysplastic naevus, malignant

Status of code: Created – [Third Edition](#)

M8727/6 Melanoma in dysplastic naevus, metastatic

Status of code: Created – [Third Edition](#)

M8727/9 Melanoma in dysplastic naevus, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8728/0 Meningeal melanocytosis

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8728/0 Diffuse melanocytosis

ICD-10-AM Twelfth Edition:
M8728/0 Meningeal melanocytosis

M8728/1 Meningeal melanocytoma

Status of code: Created – [Third Edition](#)

M8728/2 Meningeal melanomatosis, in situ

Status of code: Created – [Third Edition](#)

M8728/3 Meningeal melanomatosis

Status of code: Created – [Third Edition](#)

M8728/6 Meningeal melanomatosis, metastatic

Status of code: Created – [Third Edition](#)

M8728/9 Meningeal melanomatosis, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8730/1 Nonpigmented naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8730/2 Amelanotic melanoma, in situ

Status of code: Created – [Third Edition](#)

M8730/6 Amelanotic melanoma, metastatic

Status of code: Created – [Third Edition](#)

M8730/9 Amelanotic melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8740/1 Junctional naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8740/2 Malignant melanoma in junctional naevus, in situ

Status of code: Created – [Third Edition](#)

M8740/6 Malignant melanoma in junctional naevus, metastatic

Status of code: Created – [Third Edition](#)

M8740/9 Malignant melanoma in junctional naevus, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8741/1 Precancerous melanosis, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8741/6 Malignant melanoma in precancerous melanosis, metastatic

Status of code: Created – [Third Edition](#)

M8741/9 Malignant melanoma in precancerous melanosis, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8742/0 Lentiginous melanocytic naevus

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8742/0 Lentigo maligna, benign

ICD-10-AM Twelfth Edition:

M8742/0 Lentiginous melanocytic naevus

M8742/1 Lentigo maligna, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8742/2 Lentigo maligna

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8742/2 Hutchinson's melanotic freckle NOS (D03.-)

ICD-10-AM Third Edition:

M8742/2 Lentigo maligna

M8742/3 Lentigo maligna melanoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8742/3 Malignant melanoma in Hutchinson's melanotic freckle (C43.-)

ICD-10-AM Third Edition:

M8742/3 Lentigo maligna melanoma

M8742/6 Lentigo maligna melanoma, metastatic

Status of code: Created – [Third Edition](#)

M8742/9 Lentigo maligna melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8743/1 Low cumulative sun damage melanoma, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8743/1 Superficial spreading melanoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8743/1 Low cumulative sun damage melanoma, uncertain whether benign or malignant

M8743/2 Low cumulative sun damage melanoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8743/2 Superficial spreading melanoma, in situ

ICD-10-AM Twelfth Edition:

M8743/2 Low cumulative sun damage melanoma, in situ

M8743/3 Low cumulative sun damage melanoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8743/3 Superficial spreading melanoma

ICD-10-AM Twelfth Edition:

M8743/3 Low cumulative sun damage melanoma

M8743/6 Low cumulative sun damage melanoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8743/6 Superficial spreading melanoma, metastatic

ICD-10-AM Twelfth Edition:

M8743/6 Low cumulative sun damage melanoma, metastatic

M8743/9 Low cumulative sun damage melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8743/9 Superficial spreading melanoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8743/9 Low cumulative sun damage melanoma, uncertain whether primary or metastatic

M8744/0 Acral naevus

Status of code: Created – [Twelfth Edition](#)

M8744/2 Acral melanoma, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8744/2 Acral lentiginous melanoma, malignant, in situ

ICD-10-AM Twelfth Edition:

M8744/2 Acral melanoma, in situ

M8744/3 Acral melanoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8744/3 Acral lentiginous melanoma, malignant

ICD-10-AM Twelfth Edition:

M8744/3 Acral melanoma

M8744/6 Acral melanoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8744/6 Acral lentiginous melanoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8744/6 Acral melanoma, metastatic

M8744/9 Acral melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8744/9 Acral lentiginous melanoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8744/9 Acral melanoma, uncertain whether primary or metastatic

M8745/2 Desmoplastic melanoma NOS, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8745/2 Desmoplastic melanoma, malignant, in situ

ICD-10-AM Twelfth Edition:

M8745/2 Desmoplastic melanoma NOS, in situ

M8745/3 Desmoplastic melanoma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8745/3 Desmoplastic melanoma, malignant

ICD-10-AM Twelfth Edition:

M8745/3 Desmoplastic melanoma NOS

M8745/6 Desmoplastic melanoma NOS, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8745/6 Desmoplastic melanoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M8745/6 Desmoplastic melanoma NOS, metastatic

M8745/9 Desmoplastic melanoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8745/9 Desmoplastic melanoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8745/9 Desmoplastic melanoma NOS, uncertain whether primary or metastatic

M8746/2 Mucosal lentiginous melanoma, in situ

Status of code: Created – [Third Edition](#)

M8746/3 Mucosal lentiginous melanoma

Status of code: Created – [Third Edition](#)

M8746/6 Mucosal lentiginous melanoma, metastatic

Status of code: Created – [Third Edition](#)

M8746/9 Mucosal lentiginous melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8750/0 Dermal naevus

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8750/0 Intradermal naevus

ICD-10-AM Twelfth Edition:

M8750/0 Dermal naevus

M8750/1 Dermal naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8750/1 Intradermal naevus, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8750/1 Dermal naevus, uncertain whether benign or malignant

M8750/2 Dermal naevus, in situ

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8750/2 Intradermal naevus, in situ

ICD-10-AM Twelfth Edition:

M8750/2 Dermal naevus, in situ

M8750/3 Dermal naevus, malignant

Status of code: Created – [Eighth Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8750/3 Intradermal naevus, malignant

ICD-10-AM Twelfth Edition:

M8750/3 Dermal naevus, malignant

M8750/6 Dermal naevus, metastatic

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8750/6 Intradermal naevus, metastatic

ICD-10-AM Twelfth Edition:
M8750/6 Dermal naevus, metastatic

M8750/9 Dermal naevus, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8750/9 Intradermal naevus, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8750/9 Dermal naevus, uncertain whether primary or metastatic

M8760/1 Compound naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8760/2 Compound naevus, in situ

Status of code: Created – [Eighth Edition](#)

M8760/3 Compound naevus, malignant

Status of code: Created – [Eighth Edition](#)

M8760/6 Compound naevus, metastatic

Status of code: Created – [Eighth Edition](#)

M8760/9 Compound naevus, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8761/0 Congenital melanocytic naevus NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8761/0 Small congenital naevus

ICD-10-AM Twelfth Edition:
M8761/0 Congenital melanocytic naevus NOS

M8761/2 Malignant melanoma arising in giant congenital naevus, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8761/2 Malignant melanoma in giant pigmented naevus, in situ

ICD-10-AM Twelfth Edition:

M8761/2 Malignant melanoma arising in giant congenital naevus, in situ

M8761/3 Malignant melanoma arising in giant congenital naevus

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8761/3 Malignant melanoma in giant pigmented naevus

ICD-10-AM Twelfth Edition:

M8761/3 Malignant melanoma arising in giant congenital naevus

M8761/6 Malignant melanoma arising in giant congenital naevus, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8761/6 Malignant melanoma in giant pigmented naevus, metastatic

ICD-10-AM Twelfth Edition:

M8761/6 Malignant melanoma arising in giant congenital naevus, metastatic

M8761/9 Malignant melanoma arising in giant congenital naevus, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8761/9 Malignant melanoma in giant pigmented naevus, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8761/9 Malignant melanoma arising in giant congenital naevus, uncertain whether primary or metastatic

M8762/1 Proliferative dermal lesion in congenital naevus

Status of code: Created – [Third Edition](#)

M8770/1 Epithelioid and spindle cell naevus, uncertain whether benign or malignant

Status of code: Created – [Eighth Edition](#)

M8770/2 Spitz tumour, in situ

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8770/2 Epithelioid and spindle cell melanoma, in situ

ICD-10-AM Twelfth Edition:

M8770/2 Spitz tumour, in situ

M8770/3 Malignant Spitz tumour

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8770/3 Mixed epithelioid and spindle cell melanoma

ICD-10-AM Twelfth Edition:

M8770/3 Malignant Spitz tumour

M8770/6 Malignant Spitz tumour, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8770/6 Mixed epithelioid and spindle cell melanoma, metastatic

ICD-10-AM Twelfth Edition:

M8770/6 Malignant Spitz tumour, metastatic

M8770/9 Malignant Spitz tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8770/9 Mixed epithelioid and spindle cell melanoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8770/9 Malignant Spitz tumour, uncertain whether primary or metastatic

M8771/1 Epithelioid cell naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8771/2 Epithelioid cell melanoma, in situ

Status of code: Created – [Third Edition](#)

M8771/6 Epithelioid cell melanoma, metastatic

Status of code: Created – [Third Edition](#)

M8771/9 Epithelioid cell melanoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8772/0 Spindle cell naevus NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8772/0 Spindle cell naevus (D22.-)

ICD-10-AM Third Edition:

M8772/0 Spindle cell naevus NOS

M8772/1 Spindle cell naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8772/2 Spindle cell melanoma, in situ

Status of code: Created – [Third Edition](#)

M8772/6 Spindle cell melanoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8772/9 Spindle cell melanoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8773/2 Spindle cell melanoma, type A, in situ

Status of code: Created – [Third Edition](#)

M8773/6 Spindle cell melanoma, type A, metastatic

Status of code: Created – [Third Edition](#)

M8773/9 Spindle cell melanoma, type A, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8774/2 Spindle cell melanoma, type B, in situ

Status of code: Created – [Third Edition](#)

M8774/6 Spindle cell melanoma, type B, metastatic

Status of code: Created – [Third Edition](#)

M8774/9 Spindle cell melanoma, type B, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8780/1 Pigmented epithelioid melanocytoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8780/1 Blue naevus, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8780/1 Pigmented epithelioid melanocytoma

M8780/2 Blue naevus, in situ

Status of code: Created – [Eighth Edition](#)

M8780/6 Blue naevus, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8780/9 Blue naevus, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8790/1 Cellular blue naevus, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8790/3 Cellular blue naevus, malignant

Status of code: Created – [Eighth Edition](#)

M8790/6 Cellular blue naevus, metastatic

Status of code: Created – [Eighth Edition](#)

M8790/9 Cellular blue naevus, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8800/6 Sarcoma, metastatic

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8800/6 Sarcomatosis NOS

ICD-10-AM Third Edition:

M8800/6 Sarcoma, metastatic

M8800/9 Sarcomatosis NOS

Status of code: Created – [Third Edition](#)

M8801/1 Spindle cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8801/6 Spindle cell sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8801/9 Spindle cell sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8802/1 Pleomorphic hyalinising angiectatic tumour

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8802/1 Giant cell tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8802/1 Pleomorphic hyalinising angiectatic tumour

M8802/3 Giant cell sarcoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8802/3 Giant cell sarcoma (except of bone M9250/3)

ICD-10-AM Third Edition:

M8802/3 Giant cell sarcoma

M8802/6 Giant cell sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8802/9 Giant cell sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8803/6 Small cell sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8803/9 Small cell sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8804/2 Epithelioid sarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M8804/6 Epithelioid sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8804/9 Epithelioid sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8805/3 Undifferentiated sarcoma

Status of code: Created – [Third Edition](#)

M8805/6 Undifferentiated sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8805/9 Undifferentiated sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8806/3 Desmoplastic small round cell tumour

Status of code: Created – [Third Edition](#)

M8806/6 Desmoplastic small round cell tumour, metastatic

Status of code: Created – [Third Edition](#)

M8806/9 Desmoplastic small round cell tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8810/1 Cellular fibroma

Status of code: Created – [Third Edition](#)

M8810/6 Fibrosarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8810/9 Fibrosarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8811/0 Fibromyxoma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8811/0 Fibromyxoma

ICD-10-AM Twelfth Edition:

M8811/0 Fibromyxoma NOS

M8811/1 Myxoinflammatory fibroblastic sarcoma

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8811/1 Fibromyxoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8811/1 Myxoinflammatory fibroblastic sarcoma

M8811/3 Myxofibrosarcoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8811/3 Fibromyxosarcoma

ICD-10-AM Twelfth Edition:

M8811/3 Myxofibrosarcoma

M8811/6 Myxofibrosarcoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8811/6 Fibromyxosarcoma, metastatic

ICD-10-AM Twelfth Edition:
M8811/6 Myxofibrosarcoma, metastatic

M8811/9 Myxofibrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8811/9 Fibromyxosarcoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8811/9 Myxofibrosarcoma, uncertain whether primary or metastatic

M8812/1 Periosteal fibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8812/6 Periosteal fibrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8812/9 Periosteal fibrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8813/0 Fibroma of tendon sheath

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8813/0 Fascial fibroma

ICD-10-AM Twelfth Edition:
M8813/0 Fibroma of tendon sheath

M8813/1 Palmar/plantar type fibromatosis

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8813/1 Fascial fibroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:
M8813/1 Palmar/plantar type fibromatosis

M8813/6 Fascial fibrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8813/9 Fascial fibrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8814/1 Infantile fibrosarcoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8814/6 Infantile fibrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8814/9 Infantile fibrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8815/0 Solitary fibrous tumour/haemangiopericytoma, grade 1

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8815/0 Solitary fibrous tumour

ICD-10-AM Twelfth Edition:

M8815/0 Solitary fibrous tumour/haemangiopericytoma, grade 1

M8815/1 Solitary fibrous tumour NOS

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8815/1 Solitary fibrous tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8815/1 Solitary fibrous tumour NOS

M8815/3 Solitary fibrous tumour, malignant

Status of code: Created – [Third Edition](#)

M8815/6 Solitary fibrous tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8815/9 Solitary fibrous tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8816/0 Calcifying aponeurotic fibroma

Status of code: Created – [Twelfth Edition](#)

M8817/0 Calcifying fibrous tumour

Status of code: Created – [Twelfth Edition](#)

M8818/0 Fibrous dysplasia

Status of code: Created – [Twelfth Edition](#)

M8820/3 Elastofibroma, malignant

Status of code: Created – [Eighth Edition](#)

M8820/6 Elastofibroma, metastatic

Status of code: Created – [Eighth Edition](#)

M8820/9 Elastofibroma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8821/3 Aggressive fibromatosis, malignant

Status of code: Created – [Third Edition](#)

M8821/6 Aggressive fibromatosis, metastatic

Status of code: Created – [Third Edition](#)

M8821/9 Aggressive fibromatosis, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8822/3 Abdominal fibromatosis, malignant

Status of code: Created – [Third Edition](#)

M8822/6 Abdominal fibromatosis, metastatic

Status of code: Created – [Third Edition](#)

M8822/9 Abdominal fibromatosis, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8823/0 Sclerotic fibroma

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8823/0 Desmoplastic fibroma

ICD-10-AM Twelfth Edition:

M8823/0 Sclerotic fibroma

M8823/1 Desmoplastic fibroma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8823/1 Desmoplastic fibroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8823/1 Desmoplastic fibroma

M8824/0 Myofibroma

Status of code: Created – [Third Edition](#)

M8825/0 Myofibroblastoma

Status of code: Created – [Third Edition](#)

M8825/1 Myofibroblastic tumour NOS

Status of code: Created – [Third Edition](#)

M8825/3 Myofibroblastic sarcoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8825/3 Myofibroblastic tumour NOS, malignant

ICD-10-AM Twelfth Edition:

M8825/3 Myofibroblastic sarcoma

M8825/6 Myofibroblastic sarcoma, metastatic

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8825/6 Myofibroblastic tumour NOS, metastatic

ICD-10-AM Twelfth Edition:

M8825/6 Myofibroblastic sarcoma, metastatic

M8825/9 Myofibroblastic sarcoma, uncertain whether primary or metastatic

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8825/9 Myofibroblastic tumour NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8825/9 Myofibroblastic sarcoma, uncertain whether primary or metastatic

M8826/0 Angiomyofibroblastoma

Status of code: Created – [Third Edition](#)

M8826/1 Angiomyofibroblastoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8827/1 Myofibroblastic tumour, peribronchial

Status of code: Created – [Third Edition](#)

M8827/3 Myofibroblastic tumour, peribronchial, malignant

Status of code: Created – [Third Edition](#)

M8827/6 Myofibroblastic tumour, peribronchial, metastatic

Status of code: Created – [Third Edition](#)

M8827/9 Myofibroblastic tumour, peribronchial, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8828/0 Nodular fasciitis

Status of code: Created – [Twelfth Edition](#)

M8830/0 Benign fibrous histiocyoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8830/0 Fibrous histiocyoma NOS

ICD-10-AM Third Edition:

M8830/0 Benign fibrous histiocyoma

M8830/3 Malignant fibrous histiocyoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8830/3 Fibrous histiocyoma, malignant

ICD-10-AM Third Edition:

M8830/3 Malignant fibrous histiocyoma

M8830/6 Malignant fibrous histiocyoma, metastatic

Status of code: Created – [Third Edition](#)

M8830/9 Malignant fibrous histiocyoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8831/0 Histiocyoma NOS

Status of code: Created – [Third Edition](#)

M8831/1 Histiocyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8832/1 Dermatofibrosarcoma protuberans NOS

Status of code: Created – [Second Edition](#)
Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M8832/1 Dermatofibroma protuberans

ICD-10-AM Third Edition:

M8832/1 Dermatofibroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8832/1 Dermatofibrosarcoma protuberans NOS

M8832/3 Dermatofibrosarcoma protuberans, fibrosarcomatous

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8832/3 Dermatofibrosarcoma NOS

ICD-10-AM Twelfth Edition:

M8832/3 Dermatofibrosarcoma protuberans, fibrosarcomatous

M8832/6 Dermatofibrosarcoma protuberans, fibrosarcomatous, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8832/6 Dermatofibrosarcoma NOS, metastatic

ICD-10-AM Twelfth Edition:

M8832/6 Dermatofibrosarcoma protuberans, fibrosarcomatous, metastatic

M8832/9 Dermatofibrosarcoma protuberans, fibrosarcomatous, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8832/9 Dermatofibrosarcoma NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8832/9 Dermatofibrosarcoma protuberans, fibrosarcomatous, uncertain whether primary or metastatic

M8833/1 Pigmented dermatofibrosarcoma protuberans

Status of code: Created – [Twelfth Edition](#)

M8833/3 Pigmented dermatofibrosarcoma protuberans

Status of code: Deleted – [Twelfth Edition](#)

M8833/6 Pigmented dermatofibrosarcoma protuberans, metastatic

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8833/9 Pigmented dermatofibrosarcoma protuberans, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8834/1 Giant cell fibroblastoma

Status of code: Created – [Third Edition](#)

M8835/1 Plexiform fibrohistiocytic tumour

Status of code: Created – [Third Edition](#)

M8835/3 Plexiform fibrohistiocytic tumour, malignant

Status of code: Created – [Third Edition](#)

M8835/6 Plexiform fibrohistiocytic tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8835/9 Plexiform fibrohistiocytic tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8836/1 Angiomatoid fibrous histiocytoma

Status of code: Created – [Third Edition](#)

M8836/3 Angiomatoid fibrous histiocytoma, malignant

Status of code: Created – [Third Edition](#)

M8836/6 Angiomatoid fibrous histiocytoma, metastatic

Status of code: Created – [Third Edition](#)

M8836/9 Angiomatoid fibrous histiocytoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8840/6 Myxosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8840/9 Myxosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8841/0 Angiomyxoma NOS

Status of code: Created – [Twelfth Edition](#)

M8841/1 Angiomyxoma

Status of code: Deleted – [Twelfth Edition](#)

M8841/3 Angiomyxoma, malignant

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8841/6 Angiomyxoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8841/9 Angiomyxoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8842/0 Ossifying fibromyxoid tumour NOS

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8842/0 Ossifying fibromyxoid tumour

ICD-10-AM Twelfth Edition:

M8842/0 Ossifying fibromyxoid tumour NOS

M8842/1 Ossifying fibromyxoid tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8842/3 Ossifying fibromyxoid tumour, malignant

Status of code: Created – [Twelfth Edition](#)

M8842/6 Ossifying fibromyxoid tumour, metastatic

Status of code: Created – [Twelfth Edition](#)

M8842/9 Ossifying fibromyxoid tumour, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8850/1 Atypical lipomatous tumour

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8850/1 Atypical lipoma

ICD-10-AM Twelfth Edition:

M8850/1 Atypical lipomatous tumour

M8850/6 Liposarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8850/9 Liposarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8851/1 Lipofibromatosis

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8851/1 Fibrolipoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8851/1 Lipofibromatosis

M8851/3 Liposarcoma, well differentiated NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8851/3 Liposarcoma, well differentiated

ICD-10-AM Twelfth Edition:

M8851/3 Liposarcoma, well differentiated NOS

M8851/6 Liposarcoma, well differentiated NOS, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8851/6 Liposarcoma, well differentiated, metastatic

ICD-10-AM Twelfth Edition:

M8851/6 Liposarcoma, well differentiated NOS, metastatic

M8851/9 Liposarcoma, well differentiated NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8851/9 Liposarcoma, well differentiated, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8851/9 Liposarcoma, well differentiated NOS, uncertain whether primary or metastatic

M8852/1 Fibromyxolipoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8852/6 Myxoid liposarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8852/9 Myxoid liposarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8853/6 Round cell liposarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8853/9 Round cell liposarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8854/6 Pleomorphic liposarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8854/9 Pleomorphic liposarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8855/6 Mixed liposarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8855/9 Mixed liposarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8857/1 Spindle cell lipoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8857/3 Fibroblastic liposarcoma

Status of code: Created – [Third Edition](#)

M8857/6 Fibroblastic liposarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8857/9 Fibroblastic liposarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8858/6 Dedifferentiated liposarcoma, metastatic

Status of code: Created – [Eighth Edition](#)

M8858/9 Dedifferentiated liposarcoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8860/1 Angiomyolipoma, epithelioid

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8860/1 Angiomyolipoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8860/1 Angiomyolipoma, epithelioid

M8860/3 Angiomyoliposarcoma

Status of code: Created – [Second Edition](#)

M8860/6 Angiomyoliposarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8860/9 Angiomyoliposarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8861/1 Angiolipoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8862/0 Chondroid lipoma

Status of code: Created – [Twelfth Edition](#)

M8870/1 Myelolipoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8880/1 Hibernoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8880/3 Hibernoma, malignant

Status of code: Created – [Third Edition](#)

M8880/6 Hibernoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8880/9 Hibernoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8890/6 Leiomyosarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8890/9 Leiomyosarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8891/1 Epithelioid leiomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8891/6 Epithelioid leiomyosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8891/9 Epithelioid leiomyosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8892/1 Cellular leiomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8893/1 Bizarre leiomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8893/3 Bizarre leiomyoma, malignant

Status of code: Created – [Eighth Edition](#)

M8893/6 Bizarre leiomyoma, metastatic

Status of code: Created – [Eighth Edition](#)

M8893/9 Bizarre leiomyoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M8894/0 Angioleiomyoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8894/0 Angiomyoma

ICD-10-AM Twelfth Edition:

M8894/0 Angioleiomyoma

M8894/1 Angioleiomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8894/1 Angioleiomyoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8894/1 Angioleiomyoma, uncertain whether benign or malignant

M8894/6 Angiomyosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8894/9 Angiomyosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8895/1 Myoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8895/6 Myosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8895/9 Myosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8896/0 Myxoid leiomyoma

Status of code: Created – [Twelfth Edition](#)

M8896/6 Myxoid leiomyosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8896/9 Myxoid leiomyosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8897/1 Smooth muscle tumour of uncertain malignant potential

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8897/1 Smooth muscle tumour NOS

ICD-10-AM Third Edition:

M8897/1 Smooth muscle tumour of uncertain malignant potential

M8898/1 Metastasising leiomyoma

Status of code: Created – [Third Edition](#)

M8900/1 Rhabdomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8900/6 Rhabdomyosarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8900/9 Rhabdomyosarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8901/3 Pleomorphic rhabdomyosarcoma, adult type

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8901/3 Pleomorphic rhabdomyosarcoma

ICD-10-AM Third Edition:

M8901/3 Pleomorphic rhabdomyosarcoma, adult type

M8901/6 Pleomorphic rhabdomyosarcoma, adult type, metastatic

Status of code: Created – [Third Edition](#)

M8901/9 Pleomorphic rhabdomyosarcoma, adult type, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8902/6 Mixed type rhabdomyosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8902/9 Mixed type rhabdomyosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8903/1 Fetal rhabdomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8904/0 Adult cellular rhabdomyoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8904/0 Adult rhabdomyoma

ICD-10-AM Twelfth Edition:

M8904/0 Adult cellular rhabdomyoma

M8904/1 Adult cellular rhabdomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8904/1 Adult rhabdomyoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M8904/1 Adult cellular rhabdomyoma, uncertain whether benign or malignant

M8905/0 Genital rhabdomyoma

Status of code: Created – [Third Edition](#)

M8905/1 Genital rhabdomyoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8910/3 Embryonal rhabdomyosarcoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M8910/3 Embryonal rhabdomyosarcoma

ICD-10-AM Third Edition:

M8910/3 Embryonal rhabdomyosarcoma NOS

M8910/6 Embryonal rhabdomyosarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8910/9 Embryonal rhabdomyosarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8912/3 Spindle cell rhabdomyosarcoma

Status of code: Created – [Third Edition](#)

M8912/6 Spindle cell rhabdomyosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8912/9 Spindle cell rhabdomyosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8920/6 Alveolar rhabdomyosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8920/9 Alveolar rhabdomyosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8921/3 Ectomesenchymoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8921/3 Rhabdomyosarcoma with ganglionic differentiation

ICD-10-AM Twelfth Edition:

M8921/3 Ectomesenchymoma

M8921/6 Ectomesenchymoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8921/6 Rhabdomyosarcoma with ganglionic differentiation, metastatic

ICD-10-AM Twelfth Edition:

M8921/6 Ectomesenchymoma, metastatic

M8921/9 Ectomesenchymoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8921/9 Rhabdomyosarcoma with ganglionic differentiation, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8921/9 Ectomesenchymoma, uncertain whether primary or metastatic

M8930/0 Endometrial stromal nodule

Status of code title: Revised – [Second Edition](#)
Status of code title: Revised – [Third Edition](#)

ICD-10-AM First Edition:

M8930/0 Endometrial stromal nodule (D26.1)

ICD-10-AM Second Edition:

M8930/0 Stromal nodule

ICD-10-AM Third Edition:

M8930/0 Endometrial stromal nodule

M8930/1 Endometrial stromal nodule, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8930/3 Endometrial stromal sarcoma NOS

Status of code title: Revised – [Second Edition](#)

Status of code title: Revised – [Third Edition](#)

ICD-10-AM First Edition:

M8930/3 Endometrial stromal sarcoma (C54.-)

ICD-10-AM Second Edition:

M8930/3 Stromal sarcoma

ICD-10-AM Third Edition:

M8930/3 Endometrial stromal sarcoma NOS

M8930/6 Endometrial stromal sarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8930/9 Endometrial stromal sarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8931/1 Endometrial stromal tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8931/3 Endometrial stromal sarcoma, low grade

Status of code: Created – [Third Edition](#)

M8931/6 Endometrial stromal sarcoma, low grade, metastatic

Status of code: Created – [Third Edition](#)

M8931/9 Endometrial stromal sarcoma, low grade, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8933/6 Adenosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8933/9 Adenosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8934/3 Carcinofibroma

Status of code: Created – [Third Edition](#)

M8934/6 Carcinofibroma, metastatic

Status of code: Created – [Third Edition](#)

M8934/9 Carcinofibroma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8935/0 Stromal tumour, benign

Status of code: Created – [Third Edition](#)

M8935/1 Stromal tumour NOS

Status of code: Created – [Third Edition](#)

M8935/3 Stromal sarcoma NOS

Status of code: Created – [Third Edition](#)

M8935/6 Stromal sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8935/9 Stromal sarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8936/0 Gastrointestinal stromal tumour, benign

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8936/1 Gastrointestinal stromal tumour NOS

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M8936/3 Gastrointestinal stromal tumour

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8936/3 Gastrointestinal stromal sarcoma

ICD-10-AM Twelfth Edition:

M8936/3 Gastrointestinal stromal tumour

M8936/6 Gastrointestinal stromal tumour, metastatic

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8936/6 Gastrointestinal stromal sarcoma, metastatic

ICD-10-AM Twelfth Edition:

M8936/6 Gastrointestinal stromal tumour, metastatic

M8936/9 Gastrointestinal stromal tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8936/9 Gastrointestinal stromal sarcoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8936/9 Gastrointestinal stromal tumour, uncertain whether primary or metastatic

M8940/1 Pleomorphic adenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8940/2 Mixed tumour, in situ NOS

Status of code: Created – [Eighth Edition](#)

M8940/6 Mixed tumour, metastatic

Status of code: Created – [Third Edition](#)

M8940/9 Mixed tumour, malignant NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8941/2 Carcinoma ex pleomorphic adenoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8941/2 Carcinoma in pleomorphic adenoma, in situ

ICD-10-AM Twelfth Edition:

M8941/2 Carcinoma ex pleomorphic adenoma, in situ

M8941/3 Carcinoma ex pleomorphic adenoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8941/3 Carcinoma in pleomorphic adenoma

ICD-10-AM Twelfth Edition:

M8941/3 Carcinoma ex pleomorphic adenoma

M8941/6 Carcinoma ex pleomorphic adenoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8941/6 Carcinoma in pleomorphic adenoma, metastatic

ICD-10-AM Twelfth Edition:

M8941/6 Carcinoma ex pleomorphic adenoma, metastatic

M8941/9 Carcinoma ex pleomorphic adenoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8941/9 Carcinoma in pleomorphic adenoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8941/9 Carcinoma ex pleomorphic adenoma, uncertain whether primary or metastatic

M8950/1 Mullerian mixed tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8950/2 Mullerian mixed tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8950/6 Mullerian mixed tumour, metastatic

Status of code: Created – [Third Edition](#)

M8950/9 Mullerian mixed tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8951/1 Mesodermal mixed tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8951/6 Mesodermal mixed tumour, metastatic

Status of code: Created – [Third Edition](#)

M8951/2 Mesodermal mixed tumour, in situ

Status of code: Created – [Eighth Edition](#)

M8951/9 Mesodermal mixed tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8959/0 Benign cystic nephroma

Status of code: Created – [Third Edition](#)

M8959/1 Cystic partially differentiated nephroblastoma

Status of code: Created – [Third Edition](#)

M8959/2 Cystic nephroma, in situ

Status of code: Created – [Eighth Edition](#)

M8959/3 Malignant cystic nephroma

Status of code: Created – [Third Edition](#)

M8959/6 Malignant cystic nephroma, metastatic

Status of code: Created – [Third Edition](#)

M8959/9 Malignant cystic nephroma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8960/2 Nephroblastoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M8960/6 Nephroblastoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8960/9 Nephroblastoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8963/3 Rhabdoid tumour NOS

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:
M8963/3 Rhabdoid sarcoma

ICD-10-AM Third Edition:
M8963/3 Malignant rhabdoid tumour

ICD-10-AM Twelfth Edition:
M8963/3 Rhabdoid tumour NOS

M8963/6 Rhabdoid tumour NOS, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8963/6 Malignant rhabdoid tumour, metastatic

ICD-10-AM Twelfth Edition:
M8963/6 Rhabdoid tumour NOS, metastatic

M8963/9 Rhabdoid tumour NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8963/9 Malignant rhabdoid tumour, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M8963/9 Rhabdoid tumour NOS, uncertain whether primary or metastatic

M8964/6 Clear cell sarcoma of kidney, metastatic

Status of code: Created – [Third Edition](#)

M8964/9 Clear cell sarcoma of kidney, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8965/0 Nephrogenic adenofibroma

Status of code: Created – [Third Edition](#)

M8965/1 Nephrogenic adenofibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8966/0 Renomedullary interstitial cell tumour

Status of code: Created – [Third Edition](#)

M8966/1 Renomedullary interstitial cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8967/0 Ossifying renal tumour

Status of code: Created – [Third Edition](#)

M8967/1 Ossifying renal tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8967/3 Ossifying renal tumour, malignant

Status of code: Created – [Third Edition](#)

M8967/6 Ossifying renal tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8967/9 Ossifying renal tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8970/2 Hepatoblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M8970/6 Hepatoblastoma, metastatic

Status of code: Created – [Third Edition](#)

M8970/9 Hepatoblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8971/2 Pancreatoblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M8971/6 Pancreatoblastoma, metastatic

Status of code: Created – [Third Edition](#)

M8971/9 Pancreatoblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8972/2 Pulmonary blastoma, in situ

Status of code: Created – [Eighth Edition](#)

M8972/6 Pulmonary blastoma, metastatic

Status of code: Created – [Third Edition](#)

M8972/9 Pulmonary blastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8973/2 Pleuropulmonary blastoma, in situ

Status of code: Created – [Eighth Edition](#)

M8973/3 Pleuropulmonary blastoma

Status of code: Created – [Third Edition](#)

M8973/6 Pleuropulmonary blastoma, metastatic

Status of code: Created – [Third Edition](#)

M8973/9 Pleuropulmonary blastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8974/1 Sialoblastoma

Status of code: Created – [Third Edition](#)

M8974/3 Sialoblastoma, malignant

Status of code: Created – [Third Edition](#)

M8974/6 Sialoblastoma, metastatic

Status of code: Created – [Third Edition](#)

M8974/9 Sialoblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8975/1 Calcifying nested stromal-epithelial tumour

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8975/1 Calcifying nested epithelial stromal tumour

ICD-10-AM Twelfth Edition:

M8975/1 Calcifying nested stromal-epithelial tumour

M8980/2 Carcinosarcoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M8980/6 Carcinosarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M8980/9 Carcinosarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8981/2 Carcinosarcoma, embryonal, in situ

Status of code: Created – [Eighth Edition](#)

M8981/6 Carcinosarcoma, embryonal, metastatic

Status of code: Created – [Third Edition](#)

M8981/9 Carcinosarcoma, embryonal, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8982/0 Myoepithelioma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M8982/0 Myoepithelioma

ICD-10-AM Twelfth Edition:

M8982/0 Myoepithelioma NOS

M8982/1 Myoepithelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8982/2 Myoepithelioma, in situ

Status of code: Created – [Eighth Edition](#)

M8982/3 Myoepithelial carcinoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8982/3 Malignant myoepithelioma

ICD-10-AM Twelfth Edition:
M8982/3 Myoepithelial carcinoma

M8982/6 Myoepithelial carcinoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8982/6 Malignant myoepithelioma, metastatic

ICD-10-AM Twelfth Edition:
M8982/6 Myoepithelial carcinoma, metastatic

M8982/9 Myoepithelial carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8982/9 Malignant myoepithelioma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:
M8982/9 Myoepithelial carcinoma, uncertain whether primary or metastatic

M8983/0 Adenomyoepithelioma NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M8983/0 Adenomyoepithelioma

ICD-10-AM Twelfth Edition:
M8983/0 Adenomyoepithelioma NOS

M8983/1 Adenomyoepithelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M8983/3 Adenomyoepithelioma with carcinoma

Status of code: Created – [Twelfth Edition](#)

M8983/6 Adenomyoepithelioma with carcinoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M8983/9 Adenomyoepithelioma with carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M8990/2 Mesenchymoma, in situ

Status of code: Created – [Eighth Edition](#)

M8990/6 Mesenchymoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M8990/9 Mesenchymoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8991/2 Embryonal sarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M8991/6 Embryonal sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M8991/9 Embryonal sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M8992/0 Pulmonary hamartoma

Status of code: Created – [Twelfth Edition](#)

M9000/2 Brenner tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9000/6 Brenner tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9000/9 Brenner tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9010/1 Fibroadenoma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9010/2 Fibroadenoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9010/3 Fibroadenoma NOS, malignant

Status of code: Created – [Third Edition](#)

M9010/6 Fibroadenoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9010/9 Fibroadenoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9011/1 Intracanalicular fibroadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9012/1 Pericanalicular fibroadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9013/1 Adenofibroma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9014/0 Serous adenofibroma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9014/0 Serous adenofibroma

ICD-10-AM Third Edition:

M9014/0 Serous adenofibroma NOS

M9014/1 Serous adenofibroma of borderline malignancy

Status of code: Created – [Third Edition](#)

M9014/2 Serous adenocarcinofibroma, in situ

Status of code: Created – [Eighth Edition](#)

M9014/3 Serous adenocarcinofibroma

Status of code: Created – [Third Edition](#)

M9014/6 Serous adenocarcinofibroma, metastatic

Status of code: Created – [Third Edition](#)

M9014/9 Serous adenocarcinofibroma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9015/0 Mucinous adenofibroma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9015/0 Mucinous adenofibroma

ICD-10-AM Third Edition:

M9015/0 Mucinous adenofibroma NOS

M9015/1 Mucinous adenofibroma of borderline malignancy

Status of code: Created – [Third Edition](#)

M9015/2 Mucinous adenocarcinofibroma, in situ

Status of code: Created – [Eighth Edition](#)

M9015/3 Mucinous adenocarcinofibroma

Status of code: Created – [Third Edition](#)

M9015/6 Mucinous adenocarcinofibroma, metastatic

Status of code: Created – [Third Edition](#)

M9015/9 Mucinous adenocarcinofibroma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9020/1 Phyllodes tumour, borderline

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9020/1 Phyllodes tumour NOS (D48.6)

ICD-10-AM Third Edition:

M9020/1 Phyllodes tumour, borderline

M9020/2 Phyllodes tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9020/6 Phyllodes tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9020/9 Phyllodes tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9030/1 Juvenile fibroadenoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9040/1 Synovioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9040/6 Synovial sarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9040/9 Synovial sarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9041/6 Synovial sarcoma, spindle cell, metastatic

Status of code: Created – [Third Edition](#)

M9041/9 Synovial sarcoma, spindle cell, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9042/6 Synovial sarcoma, epithelioid cell, metastatic

Status of code: Created – [Third Edition](#)

M9042/9 Synovial sarcoma, epithelioid cell, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9043/6 Synovial sarcoma, biphasic, metastatic

Status of code: Created – [Third Edition](#)

M9043/9 Synovial sarcoma, biphasic, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9044/3 Clear cell sarcoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9044/3 Clear cell sarcoma (except of kidney M8964/3)

ICD-10-AM Third Edition:

M9044/3 Clear cell sarcoma NOS

M9044/6 Clear cell sarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9044/9 Clear cell sarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9045/3 Biphenotypic sinonasal sarcoma

Status of code: Created – [Twelfth Edition](#)

M9045/6 Biphenotypic sinonasal sarcoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M9045/9 Biphenotypic sinonasal sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9050/1 Mesothelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9050/6 Mesothelioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9050/9 Mesothelioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9051/1 Fibrous mesothelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9051/6 Fibrous mesothelioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9051/9 Fibrous mesothelioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9052/1 Well differentiated papillary mesothelioma of pleura

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9052/1 Epithelioid mesothelioma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9052/1 Well differentiated papillary mesothelioma of pleura

M9052/6 Epithelioid mesothelioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9052/9 Epithelioid mesothelioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9053/0 Mesothelioma, biphasic, benign (D19.-)

Status of code: Deleted – [Third Edition](#)

M9053/6 Mesothelioma, biphasic, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9053/9 Mesothelioma, biphasic, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9054/1 Adenomatoid tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9055/0 Peritoneal inclusion cysts

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9055/0 Multicystic mesothelioma, benign

ICD-10-AM Twelfth Edition:

M9055/0 Peritoneal inclusion cysts

M9055/1 Cystic mesothelioma NOS

Status of code title: Revised – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9055/1 Cystic mesothelioma

ICD-10-AM Third Edition:

M9055/1 Cystic mesothelioma NOS

M9055/3 Cystic mesothelioma NOS, malignant

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9055/6 Cystic mesothelioma NOS, metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9055/9 Cystic mesothelioma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9060/2 Dysgerminoma, in situ

Status of code: Created – [Eighth Edition](#)

M9060/6 Dysgerminoma, metastatic

Status of code: Created – [Third Edition](#)

M9060/9 Dysgerminoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9061/2 Seminoma, in situ

Status of code: Created – [Third Edition](#)

M9061/6 Seminoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9061/9 Seminoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9062/2 Seminoma, anaplastic, in situ

Status of code: Created – [Eighth Edition](#)

M9062/6 Seminoma, anaplastic, metastatic

Status of code: Created – [Third Edition](#)

M9062/9 Seminoma, anaplastic, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9063/2 Spermatocytic seminoma, in situ

Status of code: Created – [Third Edition](#)

M9063/6 Spermatocytic seminoma, metastatic

Status of code: Created – [Third Edition](#)

M9063/9 Spermatocytic seminoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9064/0 Germinoma, benign

Status of code: Created – [Eighth Edition](#)

M9064/2 Intratubular malignant germ cells

Status of code: Created – [Third Edition](#)

M9064/6 Germinoma, metastatic

Status of code: Created – [Third Edition](#)

M9064/9 Germinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9065/2 Germ cell tumour, nonseminomatous, in situ

Status of code: Created – [Third Edition](#)

M9065/3 Germ cell tumour, nonseminomatous

Status of code: Created – [Third Edition](#)

M9065/6 Germ cell tumour, nonseminomatous, metastatic

Status of code: Created – [Third Edition](#)

M9065/9 Germ cell tumour, nonseminomatous, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9070/2 Embryonal carcinoma NOS, in situ

Status of code: Created – [Third Edition](#)

M9070/6 Embryonal carcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9070/9 Embryonal carcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9071/2 Yolk sac tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9071/3 Yolk sac tumour

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9071/3 Endodermal sinus tumour

ICD-10-AM Third Edition:

M9071/3 Yolk sac tumour

M9071/6 Yolk sac tumour, metastatic

Status of code: Created – [Third Edition](#)

M9071/9 Yolk sac tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9072/2 Polyembryoma, in situ

Status of code: Created – [Eighth Edition](#)

M9072/6 Polyembryoma, metastatic

Status of code: Created – [Third Edition](#)

M9072/9 Polyembryoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9073/3 Gonadoblastoma, malignant

Status of code: Created – [Third Edition](#)

M9073/2 Gonadoblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9073/6 Gonadoblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9073/9 Gonadoblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9080/2 Teratoma, in situ, NOS

Status of code: Created – [Eighth Edition](#)

M9080/6 Teratoma, malignant NOS, metastatic

Status of code: Created – [Third Edition](#)

M9080/9 Teratoma, malignant NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9081/2 Teratocarcinoma, in situ

Status of code: Created – [Eighth Edition](#)

M9081/6 Teratocarcinoma, metastatic

Status of code: Created – [Third Edition](#)

M9081/9 Teratocarcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9082/2 Malignant teratoma, undifferentiated, in situ

Status of code: Created – [Eighth Edition](#)

M9082/6 Malignant teratoma, undifferentiated, metastatic

Status of code: Created – [Third Edition](#)

M9082/9 Malignant teratoma, undifferentiated, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9083/2 Malignant teratoma, intermediate, in situ

Status of code: Created – [Eighth Edition](#)

M9083/6 Malignant teratoma, intermediate, metastatic

Status of code: Created – [Third Edition](#)

M9083/9 Malignant teratoma, intermediate, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9084/1 Dermoid cyst NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9084/2 Teratoma with malignant transformation, in situ

Status of code: Created – [Eighth Edition](#)

M9084/6 Teratoma with malignant transformation, metastatic

Status of code: Created – [Third Edition](#)

M9084/9 Teratoma with malignant transformation, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9085/1 Mixed germ cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9085/2 Mixed germ cell tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9085/6 Mixed germ cell tumour, metastatic

Status of code: Created – [Third Edition](#)

M9085/9 Mixed germ cell tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9086/3 Germ cell tumour with associated haematological malignancy

Status of code: Created – [Twelfth Edition](#)

M9086/6 Germ cell tumour with associated haematological malignancy, metastatic

Status of code: Created – [Twelfth Edition](#)

M9086/9 Germ cell tumour with associated haematological malignancy, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9090/1 Struma ovarii, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9090/2 Struma ovarii, in situ

Status of code: Created – [Eighth Edition](#)

M9090/6 Struma ovarii, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9090/9 Struma ovarii, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9091/2 Strumal carcinoid, in situ

Status of code: Created – [Eighth Edition](#)

M9091/3 Strumal carcinoid, malignant

Status of code: Created – [Third Edition](#)

M9091/6 Strumal carcinoid, metastatic

Status of code: Created – [Third Edition](#)

M9091/9 Strumal carcinoid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9100/2 Choriocarcinoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9100/6 Choriocarcinoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9100/9 Choriocarcinoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9101/2 Choriocarcinoma combined with other germ cell elements, in situ

Status of code: Created – [Eighth Edition](#)

M9101/6 Choriocarcinoma combined with other germ cell elements, metastatic

Status of code: Created – [Third Edition](#)

M9101/9 Choriocarcinoma combined with other germ cell elements, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9102/2 Malignant teratoma, trophoblastic, in situ

Status of code: Created – [Eighth Edition](#)

M9102/6 Malignant teratoma, trophoblastic, metastatic

Status of code: Created – [Third Edition](#)

M9102/9 Malignant teratoma, trophoblastic, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9104/2 Placental site trophoblastic tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9104/3 Placental site trophoblastic tumour, malignant

Status of code: Created – [Third Edition](#)

M9104/6 Placental site trophoblastic tumour, metastatic

Status of code: Created – [Third Edition](#)

M9104/9 Placental site trophoblastic tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9105/2 Trophoblastic tumour, epithelioid, in situ

Status of code: Created – [Eighth Edition](#)

M9105/3 Trophoblastic tumour, epithelioid

Status of code: Created – [Third Edition](#)

M9105/6 Trophoblastic tumour, epithelioid, metastatic

Status of code: Created – [Third Edition](#)

M9105/9 Trophoblastic tumour, epithelioid, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9110/0 Adenoma of rete ovarii

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9110/0 Mesonephroma, benign

ICD-10-AM Twelfth Edition:

M9110/0 Adenoma of rete ovarii

M9110/1 Wolffian tumour

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9110/1 Mesonephric tumour

ICD-10-AM Third Edition:

M9110/1 Mesonephric tumour NOS

ICD-10-AM Twelfth Edition:

M9110/1 Wolffian tumour

M9110/2 Mesonephroma, in situ

Status of code: Created – [Eighth Edition](#)

M9110/6 Mesonephroma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9110/9 Mesonephroma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9120/1 Haemangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9120/2 Haemangiosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9120/6 Haemangiosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9120/9 Haemangiosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9121/3 Cavernous haemangioma, malignant

Status of code: Created – [Eighth Edition](#)

M9121/6 Cavernous haemangioma, metastatic

Status of code: Created – [Eighth Edition](#)

M9121/9 Cavernous haemangioma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9124/2 Kupffer cell sarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9124/6 Kupffer cell sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9124/9 Kupffer cell sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9125/3 Epithelioid haemangioma, malignant

Status of code: Created – [Eighth Edition](#)

M9125/6 Epithelioid haemangioma, metastatic

Status of code: Created – [Eighth Edition](#)

M9125/9 Epithelioid haemangioma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9126/0 Atypical vascular lesion

Status of code: Deleted – [Third Edition](#)
Status of code: Reactivated – [Twelfth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:
M9126/0 Histiocytoid haemangioma (D18.0)

ICD-10-AM Twelfth Edition:
M9126/0 Atypical vascular lesion

M9130/2 Haemangioendothelioma, in situ

Status of code: Created – [Eighth Edition](#)

M9130/6 Haemangioendothelioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9130/9 Haemangioendothelioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9131/1 Capillary haemangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9132/1 Intramuscular haemangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9132/2 Intramuscular haemangioma, in situ

Status of code: Created – [Eighth Edition](#)

M9132/3 Intramuscular haemangioma, malignant

Status of code: Created – [Third Edition](#)

M9132/6 Intramuscular haemangioma, metastatic

Status of code: Created – [Third Edition](#)

M9132/9 Intramuscular haemangioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9133/1 Epithelioid haemangioendothelioma NOS

Status of code: Deleted – [Twelfth Edition](#)

M9133/2 Epithelioid haemangioendothelioma, in situ

Status of code: Created – [Eighth Edition](#)

M9133/3 Epithelioid haemangioendothelioma NOS

Status of code: **Revised – [Twelfth Edition](#)**

ICD-10-AM Eleventh Edition:

M9133/3 Epithelioid haemangioendothelioma, malignant

ICD-10-AM Twelfth Edition:

M9133/3 Epithelioid haemangioendothelioma NOS

M9133/6 Epithelioid haemangioendothelioma NOS, metastatic

Status of code: **Created – [Third Edition](#)**

Status of code title: **Revised – [Twelfth Edition](#)**

ICD-10-AM Eleventh Edition:

M9133/6 Epithelioid haemangioendothelioma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M9133/6 Epithelioid haemangioendothelioma NOS, metastatic

M9133/9 Epithelioid haemangioendothelioma NOS, uncertain whether primary or metastatic

Status of code: **Created – [Third Edition](#)**

Status of code title: **Revised – [Twelfth Edition](#)**

ICD-10-AM Eleventh Edition:

M9133/9 Epithelioid haemangioendothelioma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9133/9 Epithelioid haemangioendothelioma NOS, uncertain whether primary or metastatic

M9134/1 Intravascular bronchial alveolar tumour (D38.1)

Status of code: **Deleted – [Third Edition](#)**

M9135/1 Papillary intralymphatic angioendothelioma

Status of code: **Created – [Third Edition](#)**

Status of code title: **Revised – [Twelfth Edition](#)**

ICD-10-AM Eleventh Edition:

M9135/1 Endovascular papillary angioendothelioma

ICD-10-AM Twelfth Edition:

M9135/1 Papillary intralymphatic angioendothelioma

M9135/3 Papillary intralymphatic angioendothelioma, malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9135/3 Endovascular papillary angioendothelioma, malignant

ICD-10-AM Twelfth Edition:

M9135/3 Papillary intralymphatic angioendothelioma, malignant

M9135/6 Papillary intralymphatic angioendothelioma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9135/6 Endovascular papillary angioendothelioma, metastatic

ICD-10-AM Twelfth Edition:

M9135/6 Papillary intralymphatic angioendothelioma, metastatic

M9135/9 Papillary intralymphatic angioendothelioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9135/9 Endovascular papillary angioendothelioma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9135/9 Papillary intralymphatic angioendothelioma, uncertain whether primary or metastatic

M9136/1 Spindle cell haemangioendothelioma

Status of code: Created – [Third Edition](#)

M9136/3 Spindle cell haemangioendothelioma, malignant

Status of code: Created – [Third Edition](#)

M9136/6 Spindle cell haemangioendothelioma, metastatic

Status of code: Created – [Third Edition](#)

M9136/9 Spindle cell haemangioendothelioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9137/0 Myointimoma

Status of code: Created – [Twelfth Edition](#)

M9137/3 Intimal sarcoma

Status of code: Created – [Twelfth Edition](#)

M9137/6 Intimal sarcoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M9137/9 Intimal sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9138/1 Pseudomyogenic [epithelioid sarcoma-like] haemangioendothelioma

Status of code: Created – [Twelfth Edition](#)

M9140/6 Kaposi sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9140/9 Kaposi sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9150/0 Haemangiopericytoma, benign

Status of code: Deleted – [Twelfth Edition](#)

M9150/1 Haemangiopericytoma NOS

Status of code: Deleted – [Twelfth Edition](#)

M9150/2 Haemangiopericytoma, in situ

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9150/3 Haemangiopericytoma, malignant

Status of code: Deleted – [Twelfth Edition](#)

M9150/6 Haemangiopericytoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9150/9 Haemangiopericytoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9160/1 Angiofibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9161/0 Acquired tufted haemangioma

Status of code: Created – [Third Edition](#)

M9161/2 Haemangioblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9161/3 Haemangioblastoma, malignant

Status of code: Created – [Third Edition](#)

M9161/6 Haemangioblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9161/9 Haemangioblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9170/1 Lymphangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9170/2 Lymphangiosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9170/6 Lymphangiosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9170/9 Lymphangiosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9171/0 Capillary lymphangioma

Status of code: Created – [Third Edition](#)

M9171/1 Capillary lymphangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9172/1 Cavernous lymphangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9173/1 Cystic lymphangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9174/1 Lymphangioleiomyomatosis

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9174/1 Lymphangiomyomatosis

ICD-10-AM Twelfth Edition:

M9174/1 Lymphangioleiomyomatosis

M9175/1 Haemolymphangioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9175/2 Haemolymphangioma, in situ

Status of code: Created – [Eighth Edition](#)

M9175/3 Haemolymphangioma, malignant

Status of code: Created – [Third Edition](#)

M9175/6 Haemolymphangioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9175/9 Haemolymphangioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9180/1 Osteoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9180/2 Osteosarcoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9180/6 Osteosarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9180/9 Osteosarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9181/2 Chondroblastic osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9181/6 Chondroblastic osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9181/9 Chondroblastic osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9182/2 Fibroblastic osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9182/6 Fibroblastic osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9182/9 Fibroblastic osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9183/2 Telangiectatic osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9183/6 Telangiectatic osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9183/9 Telangiectatic osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9184/2 Osteosarcoma in Paget disease of bone, in situ

Status of code: Created – [Eighth Edition](#)

M9184/6 Osteosarcoma in Paget disease of bone, metastatic

Status of code: Created – [Third Edition](#)

M9184/9 Osteosarcoma in Paget disease of bone, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9185/2 Small cell osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9185/6 Small cell osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9185/9 Small cell osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9186/2 Central osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9186/3 Central osteosarcoma

Status of code: Created – [Third Edition](#)

M9186/6 Central osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9186/9 Central osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9187/2 Low grade central osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9187/2 Intraosseous well differentiated osteosarcoma, in situ

ICD-10-AM Twelfth Edition:

M9187/2 Low grade central osteosarcoma, in situ

M9187/3 Low grade central osteosarcoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9187/3 Intraosseous well differentiated osteosarcoma

ICD-10-AM Twelfth Edition:

M9187/3 Low grade central osteosarcoma

M9187/6 Low grade central osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9187/6 Intraosseous well differentiated osteosarcoma, metastatic

ICD-10-AM Twelfth Edition:

M9187/6 Low grade central osteosarcoma, metastatic

M9187/9 Low grade central osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9187/9 Intraosseous well differentiated osteosarcoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9187/9 Low grade central osteosarcoma, uncertain whether primary or metastatic

M9190/3 Juxtacortical osteosarcoma (C40.-, C41.-)

Status of code: Deleted – [Third Edition](#)

M9191/1 Osteoid osteoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9192/2 Parosteal osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9192/3 Parosteal osteosarcoma

Status of code: Created – [Third Edition](#)

M9192/6 Parosteal osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9192/9 Parosteal osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9193/2 Periosteal osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9193/3 Periosteal osteosarcoma

Status of code: Created – [Third Edition](#)

M9193/6 Periosteal osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9193/9 Periosteal osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9194/2 High grade surface osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9194/3 High grade surface osteosarcoma

Status of code: Created – [Third Edition](#)

M9194/6 High grade surface osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9194/9 High grade surface osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9195/2 Intracortical osteosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9195/3 Intracortical osteosarcoma

Status of code: Created – [Third Edition](#)

M9195/6 Intracortical osteosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9195/9 Intracortical osteosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9210/3 Osteochondromatosis, malignant

Status of code: Created – [Eighth Edition](#)

M9210/6 Osteochondromatosis, metastatic

Status of code: Created – [Eighth Edition](#)

M9210/9 Osteochondromatosis, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9211/0 Osteochondromyxoma

Status of code: Created – [Twelfth Edition](#)

M9212/0 Bizarre parosteal osteochondromatous proliferation

Status of code: Created – [Twelfth Edition](#)

M9213/0 Subungual exostosis

Status of code: Created – [Twelfth Edition](#)

M9220/2 Chondrosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9220/6 Chondrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9220/9 Chondrosarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9221/0 Periosteal chondroma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9221/0 Juxtacortical chondroma

ICD-10-AM Twelfth Edition:

M9221/0 Periosteal chondroma

M9221/1 Periosteal chondroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9221/1 Juxtacortical chondroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9221/1 Periosteal chondroma, uncertain whether benign or malignant

M9221/2 Periosteal chondrosarcoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9221/2 Juxtacortical chondrosarcoma, in situ

ICD-10-AM Twelfth Edition:

M9221/2 Periosteal chondrosarcoma, in situ

M9221/3 Periosteal chondrosarcoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9221/3 Juxtacortical chondrosarcoma

ICD-10-AM Twelfth Edition:

M9221/3 Periosteal chondrosarcoma

M9221/6 Periosteal chondrosarcoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9221/6 Juxtacortical chondrosarcoma, metastatic

ICD-10-AM Twelfth Edition:

M9221/6 Periosteal chondrosarcoma, metastatic

M9221/9 Periosteal chondrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9221/9 Juxtacortical chondrosarcoma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9221/9 Periosteal chondrosarcoma, uncertain whether primary or metastatic

M9222/1 Atypical cartilaginous tumour

Status of code: Created – [Twelfth Edition](#)

M9230/0 Chondroblastoma NOS

Status of code: Deleted – [Twelfth Edition](#)

M9230/1 Chondroblastoma NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9230/1 Chondroblastoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9230/1 Chondroblastoma NOS

M9230/2 Chondroblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9230/6 Chondroblastoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9230/9 Chondroblastoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9231/2 Myxoid chondrosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9231/6 Myxoid chondrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9231/9 Myxoid chondrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9240/2 Mesenchymal chondrosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9240/6 Mesenchymal chondrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9240/9 Mesenchymal chondrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9241/1 Chondromyxoid fibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9242/2 Clear cell chondrosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9242/3 Clear cell chondrosarcoma

Status of code: Created – [Third Edition](#)

M9242/6 Clear cell chondrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9242/9 Clear cell chondrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9243/2 Dedifferentiated chondrosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9243/3 Dedifferentiated chondrosarcoma

Status of code: Created – [Third Edition](#)

M9243/6 Dedifferentiated chondrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9243/9 Dedifferentiated chondrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9250/0 Giant cell tumour of bone, benign

Status of code: Created – [Third Edition](#)

M9250/2 Giant cell tumour of bone, in situ

Status of code: Created – [Eighth Edition](#)

M9250/6 Giant cell tumour of bone, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9250/9 Giant cell tumour of bone, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9251/0 Giant cell tumour of soft parts, benign

Status of code: Created – [Third Edition](#)

M9251/2 Giant cell tumour of soft parts, in situ

Status of code: Created – [Eighth Edition](#)

M9251/6 Malignant giant cell tumour of soft parts, metastatic

Status of code: Created – [Third Edition](#)

M9251/9 Malignant giant cell tumour of soft parts, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9252/0 Tenosynovial giant cell tumour NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M9252/0 Tenosynovial giant cell tumour

ICD-10-AM Twelfth Edition:
M9252/0 Tenosynovial giant cell tumour NOS

M9252/1 Tenosynovial giant cell tumour, diffuse

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M9252/1 Tenosynovial giant cell tumour, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:
M9252/1 Tenosynovial giant cell tumour, diffuse

M9252/2 Malignant tenosynovial giant cell tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9252/1 Tenosynovial giant cell tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9252/3 Malignant tenosynovial giant cell tumour

Status of code: Created – [Third Edition](#)

M9252/6 Malignant tenosynovial giant cell tumour, metastatic

Status of code: Created – [Third Edition](#)

M9252/9 Malignant tenosynovial giant cell tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9260/0 Aneurysmal bone cyst

Status of code: Created – [Twelfth Edition](#)

M9260/2 Ewing sarcoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M9260/3 Ewing sarcoma

Status of code: Deleted – [Twelfth Edition](#)

M9260/6 Ewing sarcoma, metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9260/9 Ewing sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9261/2 Adamantinoma of long bones, in situ

Status of code: Created – [Eighth Edition](#)

M9261/6 Adamantinoma of long bones, metastatic

Status of code: Created – [Third Edition](#)

M9261/9 Adamantinoma of long bones, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9262/1 Ossifying fibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9270/2 Odontogenic tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9270/6 Odontogenic tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9270/9 Odontogenic tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9271/0 Ameloblastic fibrodentinitoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9271/0 Dentinoma (D16.4, D16.5)

ICD-10-AM Third Edition:

M9271/0 Ameloblastic fibrodentinitoma

M9271/1 Ameloblastic fibrodentinitoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9272/1 Cementoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9274/0 Cemento-ossifying fibroma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9274/0 Cementifying fibroma

ICD-10-AM Twelfth Edition:

M9274/0 Cemento-ossifying fibroma

M9274/1 Cemento-ossifying fibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9274/1 Cementifying fibroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9274/1 Cemento-ossifying fibroma, uncertain whether benign or malignant

M9280/1 Odontoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9282/1 Complex odontoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9290/1 Ameloblastic fibro-odontoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9290/2 Ameloblastic odontosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9290/6 Ameloblastic odontosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9290/9 Ameloblastic odontosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9300/1 Adenomatoid odontogenic tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9301/1 Calcifying odontogenic cyst, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9302/0 Dentinogenic ghost cell tumour

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M9302/0 Odontogenic ghost cell tumour

ICD-10-AM Twelfth Edition:

M9302/0 Dentinogenic ghost cell tumour

M9302/3 Ghost cell odontogenic carcinoma

Status of code: *Created – Twelfth Edition*

M9302/6 Ghost cell odontogenic carcinoma, metastatic

Status of code: *Created – Twelfth Edition*

M9302/9 Ghost cell odontogenic carcinoma, uncertain whether primary or metastatic

Status of code: *Created – Twelfth Edition*

M9310/1 Ameloblastoma, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M9310/2 Ameloblastoma, in situ

Status of code: *Created – Eighth Edition*

M9310/3 Ameloblastoma, metastasising

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M9310/3 Ameloblastoma, malignant

ICD-10-AM Twelfth Edition:

M9310/3 Ameloblastoma, metastasising

M9310/6 Ameloblastoma, metastatic

Status of code: *Created – Third Edition*

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M9310/6 Ameloblastoma, malignant, metastatic

ICD-10-AM Twelfth Edition:

M9310/6 Ameloblastoma, metastatic

M9310/9 Ameloblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9310/9 Ameloblastoma, malignant, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9310/9 Ameloblastoma, uncertain whether primary or metastatic

M9311/1 Odontoameloblastoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9312/1 Squamous odontogenic tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9320/1 Odontogenic myxoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9321/0 Odontogenic fibroma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9321/0 Central odontogenic fibroma

ICD-10-AM Twelfth Edition:

M9321/0 Odontogenic fibroma NOS

M9321/1 Odontogenic fibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9321/1 Central odontogenic fibroma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9321/1 Odontogenic fibroma, uncertain whether benign or malignant

M9330/1 Ameloblastic fibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9330/2 Ameloblastic fibrosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9330/6 Ameloblastic fibrosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9330/9 Ameloblastic fibrosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9340/1 Calcifying epithelial odontogenic tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9340/3 Calcifying epithelial odontogenic tumour, malignant

Status of code: Created – [Eighth Edition](#)

M9340/6 Calcifying epithelial odontogenic tumour, metastatic

Status of code: Created – [Eighth Edition](#)

M9340/9 Calcifying epithelial odontogenic tumour, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9341/1 Clear cell odontogenic tumour

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9341/3 Clear cell odontogenic carcinoma

Status of code: Created – [Twelfth Edition](#)

M9341/6 Clear cell odontogenic carcinoma, metastatic

Status of code: Created – [Twelfth Edition](#)

M9341/9 Clear cell odontogenic carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9342/2 Odontogenic carcinosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9342/3 Odontogenic carcinosarcoma

Status of code: Created – [Third Edition](#)

M9342/6 Odontogenic carcinosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9342/9 Odontogenic carcinosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9351/1 Craniopharyngioma, adamantinomatous

Status of code: Created – [Third Edition](#)

M9352/1 Craniopharyngioma, papillary

Status of code: Created – [Third Edition](#)

M9360/0 Pinealoma, benign

Status of code: Created – [Third Edition](#)

M9361/0 Pineocytoma, benign

Status of code: Created – [Third Edition](#)

M9361/3 Pineocytoma, malignant

Status of code: Created – [Eighth Edition](#)

M9361/6 Pineocytoma, metastatic

Status of code: Created – [Eighth Edition](#)

M9361/9 Pineocytoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9362/1 Pineoblastoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9362/2 Pineoblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9362/6 Pineoblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9362/9 Pineoblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9363/1 Melanotic neuroectodermal tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9363/3 Melanotic neuroectodermal tumour, malignant

Status of code: Created – [Twelfth Edition](#)

M9363/6 Melanotic neuroectodermal tumour, metastatic

Status of code: Created – [Twelfth Edition](#)

M9363/9 Melanotic neuroectodermal tumour, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9364/2 Ewing sarcoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9364/2 Peripheral neuroectodermal tumour, in situ

ICD-10-AM Twelfth Edition:

M9364/2 Ewing sarcoma, in situ

M9364/3 Ewing sarcoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9364/3 Peripheral neuroectodermal tumour

ICD-10-AM Twelfth Edition:

M9364/3 Ewing sarcoma

M9364/6 Ewing sarcoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9364/6 Peripheral neuroectodermal tumour, metastatic

ICD-10-AM Twelfth Edition:

M9364/6 Ewing sarcoma, metastatic

M9364/9 Ewing sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9364/9 Peripheral neuroectodermal tumour, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9364/9 Ewing sarcoma, uncertain whether primary or metastatic

M9365/2 Askin tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9365/3 Askin tumour

Status of code: Created – [Third Edition](#)

M9365/6 Askin tumour, metastatic

Status of code: Created – [Third Edition](#)

M9365/9 Askin tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9370/0 Benign notochordal cell tumour

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Fifth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Fourth Edition:
M9370/0 Chordoma

ICD-10-AM Fifth Edition:
M9370/0 Chordoma, benign

ICD-10-AM Twelfth Edition:
M9370/0 Benign notochordal cell tumour

M9370/1 Chordoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9370/2 Chordoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9370/3 Chordoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
M9370/3 Chordoma

ICD-10-AM Third Edition:
M9370/3 Chordoma NOS

M9370/6 Chordoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9370/9 Chordoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9371/0 Chondroid chordoma, benign

Status of code: Created – [Third Edition](#)

M9371/1 Chondroid chordoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9371/2 Chondroid chordoma, in situ

Status of code: Created – [Eighth Edition](#)

M9371/3 Chondroid chordoma

Status of code: Created – [Third Edition](#)

M9371/6 Chondroid chordoma, metastatic

Status of code: Created – [Third Edition](#)

M9371/9 Chondroid chordoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9372/1 Dedifferentiated chordoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9372/2 Dedifferentiated chordoma, in situ

Status of code: Created – [Eighth Edition](#)

M9372/3 Dedifferentiated chordoma

Status of code: Created – [Third Edition](#)

M9372/6 Dedifferentiated chordoma, metastatic

Status of code: Created – [Third Edition](#)

M9372/9 Dedifferentiated chordoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9373/0 Parachordoma

Status of code: Created – [Third Edition](#)

M9373/1 Parachordoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9380/0 Glioma, benign

Status of code: Created – [Eighth Edition](#)

M9380/2 Glioma, in situ

Status of code: Created – [Eighth Edition](#)

M9380/6 Glioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9380/9 Glioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9381/2 Gliomatosis cerebri, in situ

Status of code: Created – [Eighth Edition](#)

M9381/6 Gliomatosis cerebri, metastatic

Status of code: Created – [Third Edition](#)

M9381/9 Gliomatosis cerebri, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9382/1 Oligoastrocytoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9382/1 Mixed glioma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9382/1 Oligoastrocytoma, uncertain whether benign or malignant

M9382/2 Oligoastrocytoma, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9382/2 Mixed glioma, in situ

ICD-10-AM Twelfth Edition:

M9382/2 Oligoastrocytoma, in situ

M9382/3 Oligoastrocytoma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9382/3 Mixed glioma

ICD-10-AM Twelfth Edition:

M9382/3 Oligoastrocytoma NOS

M9382/6 Oligoastrocytoma, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9382/6 Mixed glioma, metastatic

ICD-10-AM Twelfth Edition:

M9382/6 Oligoastrocytoma, metastatic

M9382/9 Oligoastrocytoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9382/9 Mixed glioma, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9382/9 Oligoastrocytoma, uncertain whether primary or metastatic

M9383/1 Subependymoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9383/1 Subependymoma glioma (D43.-)

ICD-10-AM Third Edition:

M9383/1 Subependymoma

M9385/3 Diffuse midline glioma, H3 K27M-mutant

Status of code: Created – [Twelfth Edition](#)

M9385/6 Diffuse midline glioma, H3 K27M-mutant, metastatic

Status of code: Created – [Twelfth Edition](#)

M9385/9 Diffuse midline glioma, H3 K27M-mutant, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9390/1 Atypical choroid plexus papilloma

Status of code: Created – [Third Edition](#)

M9390/2 Choroid plexus papilloma, in situ

Status of code: Created – [Eighth Edition](#)

M9390/3 Choroid plexus carcinoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9390/3 Choroid plexus papilloma, malignant (C71.5)

ICD-10-AM Third Edition:

M9390/3 Choroid plexus carcinoma

M9390/6 Choroid plexus carcinoma, metastatic

Status of code: Created – [Third Edition](#)

M9390/9 Choroid plexus carcinoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9391/0 Ependymoma, benign

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9391/0 Ependymoma

ICD-10-AM Twelfth Edition:

M9391/0 Ependymoma, benign

M9391/1 Sellar ependymoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9391/1 Ependymoma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9391/1 Sellar ependymoma

M9391/2 Ependymoma, in situ

Status of code: Created – [Eighth Edition](#)

M9391/6 Ependymoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9391/9 Ependymoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9392/2 Ependymoma, anaplastic, in situ

Status of code: Created – [Eighth Edition](#)

M9392/6 Ependymoma, anaplastic, metastatic

Status of code: Created – [Third Edition](#)

M9392/9 Ependymoma, anaplastic, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9393/1 Papillary ependymoma (D43.-)

Status of code: Deleted – [Third Edition](#)

M9393/2 Papillary ependymoma, in situ

Status of code: Created – [Eighth Edition](#)

M9393/3 Papillary ependymoma

Status of code: Created – [Third Edition](#)

M9393/6 Papillary ependymoma, metastatic

Status of code: Created – [Third Edition](#)

M9393/9 Papillary ependymoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9394/2 Myxopapillary ependymoma, in situ

Status of code: Created – [Eighth Edition](#)

M9394/3 Myxopapillary ependymoma, malignant

Status of code: Created – [Third Edition](#)

M9394/6 Myxopapillary ependymoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9394/9 Myxopapillary ependymoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9395/3 Papillary tumour of the pineal region

Status of code: Created – [Eighth Edition](#)

M9395/6 Papillary tumour of the pineal region, metastatic

Status of code: Created – [Eighth Edition](#)

M9395/9 Papillary tumour of the pineal region, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9396/3 Ependymoma, RELA fusion positive

Status of code: Created – [Twelfth Edition](#)

M9396/6 Ependymoma, RELA fusion positive, metastatic

Status of code: Created – [Twelfth Edition](#)

M9396/9 Ependymoma, RELA fusion positive, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9400/0 Astrocytoma NOS, benign

Status of code: Created – [Eighth Edition](#)

M9400/1 Astrocytoma NOS, uncertain whether benign or malignant xxx

Status of code: Created – [Eighth Edition](#)

M9400/2 Astrocytoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9400/6 Astrocytoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9400/9 Astrocytoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9401/2 Astrocytoma, anaplastic, in situ

Status of code: Created – [Eighth Edition](#)

M9401/6 Astrocytoma, anaplastic, metastatic

Status of code: Created – [Third Edition](#)

M9401/9 Astrocytoma, anaplastic, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9410/2 Protoplasmic astrocytoma, in situ

Status of code: Created – [Eighth Edition](#)

M9410/6 Protoplasmic astrocytoma, metastatic

Status of code: Created – [Third Edition](#)

M9410/9 Protoplasmic astrocytoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9411/2 Gemistocytic astrocytoma, in situ

Status of code: Created – [Eighth Edition](#)

M9411/6 Gemistocytic astrocytoma, metastatic

Status of code: Created – [Third Edition](#)

M9411/9 Gemistocytic astrocytoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9412/1 Desmoplastic infantile astrocytoma

Status of code: Created – [Third Edition](#)

M9413/0 Dysembryoplastic neuroepithelial tumour

Status of code: Created – [Third Edition](#)

M9420/6 Fibrillary astrocytoma, metastatic

Status of code: Created – [Eighth Edition](#)

M9420/9 Fibrillary astrocytoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9421/1 Pilocytic astrocytoma

Status of code: Created – [Third Edition](#)

M9421/3 Pilocytic astrocytoma, malignant

Status of code: Created – [Third Edition](#)

M9421/6 Pilocytic astrocytoma, metastatic

Status of code: Created – [Third Edition](#)

M9421/9 Pilocytic astrocytoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9422/3 Spongioblastoma NOS (C71.-)

Status of code: Deleted – [Third Edition](#)

M9423/2 Polar spongioblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9423/3 Polar spongioblastoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9423/3 Spongioblastoma polare (C71.-)

ICD-10-AM Third Edition:

M9423/3 Polar spongioblastoma

M9423/6 Polar spongioblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9423/9 Polar spongioblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9424/2 Pleomorphic xanthoastrocytoma, in situ

Status of code: Created – [Eighth Edition](#)

M9424/6 Pleomorphic xanthoastrocytoma, metastatic

Status of code: Created – [Third Edition](#)

M9424/9 Pleomorphic xanthoastrocytoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9425/3 Pilomyxoid astrocytoma

Status of code: Created – [Eighth Edition](#)

M9425/6 Pilomyxoid astrocytoma, metastatic

Status of code: Created – [Eighth Edition](#)

M9425/9 Pilomyxoid astrocytoma, uncertain whether primary or metastatic

Status of code: Created – [Eighth Edition](#)

M9430/2 Astroblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9430/6 Astroblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9430/9 Astroblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9431/1 Angiocentric glioma

Status of code: Created – [Eighth Edition](#)

M9432/1 Pituicytoma

Status of code: Created – [Eighth Edition](#)

M9440/1 Glioblastoma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9440/2 Glioblastoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9440/6 Glioblastoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9440/9 Glioblastoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9441/2 Giant cell glioblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9441/6 Giant cell glioblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9441/9 Giant cell glioblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9442/1 Gliofibroma

Status of code: Created – [Third Edition](#)

M9442/2 Gliosarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9442/6 Gliosarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9442/9 Gliosarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9443/3 Primitive polar spongioblastoma (C71.-)

Status of code: Deleted – [Third Edition](#)

M9444/1 Chordoid glioma

Status of code: Created – [Third Edition](#)

M9444/2 Chordoid glioma, in situ

Status of code: Created – [Eighth Edition](#)

M9444/3 Chordoid glioma, malignant

Status of code: Created – [Third Edition](#)

M9444/6 Chordoid glioma, metastatic

Status of code: Created – [Third Edition](#)

M9444/9 Chordoid glioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9445/3 Glioblastoma, IDH-mutant

Status of code: Created – [Twelfth Edition](#)

M9445/6 Glioblastoma, IDH-mutant, metastatic

Status of code: Created – [Twelfth Edition](#)

M9445/9 Glioblastoma, IDH-mutant, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9450/1 Oligodendroglioma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9450/2 Oligodendroglioma, NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9450/6 Oligodendroglioma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9450/9 Oligodendroglioma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9451/2 Oligodendroglioma, anaplastic, in situ

Status of code: Created – [Eighth Edition](#)

M9451/6 Oligodendroglioma, anaplastic, metastatic

Status of code: Created – [Third Edition](#)

M9451/9 Oligodendroglioma, anaplastic, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9460/2 Oligodendroblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9460/6 Oligodendroblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9460/9 Oligodendroblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9470/2 Medulloblastoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9470/6 Medulloblastoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9470/9 Medulloblastoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9471/2 Desmoplastic nodular medulloblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9471/3 Desmoplastic nodular medulloblastoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9471/3 Desmoplastic medulloblastoma (C71.6)

ICD-10-AM Third Edition:

M9471/3 Desmoplastic nodular medulloblastoma

M9471/6 Desmoplastic nodular medulloblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9471/9 Desmoplastic nodular medulloblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9472/2 Medullomyoblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9472/6 Medullomyoblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9472/9 Medullomyoblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9473/2 CNS embryonal tumour NOS, in situ

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9473/2 Primitive neuroectodermal tumour NOS, in situ

ICD-10-AM Twelfth Edition:

M9473/2 CNS embryonal tumour NOS, in situ

M9473/3 CNS embryonal tumour NOS

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9473/3 Primitive neuroectodermal tumour (C71.-)

ICD-10-AM Third Edition:

M9473/3 Primitive neuroectodermal tumour NOS

ICD-10-AM Twelfth Edition:

M9473/3 CNS embryonal tumour NOS

M9473/6 CNS embryonal tumour NOS, metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9473/6 Primitive neuroectodermal tumour NOS, metastatic

ICD-10-AM Twelfth Edition:

M9473/6 CNS embryonal tumour NOS, metastatic

M9473/9 CNS embryonal tumour NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9473/9 Primitive neuroectodermal tumour NOS, uncertain whether primary or metastatic

ICD-10-AM Twelfth Edition:

M9473/9 CNS embryonal tumour NOS, uncertain whether primary or metastatic

M9474/2 Large cell medulloblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9474/3 Large cell medulloblastoma

Status of code: Created – [Third Edition](#)

M9474/6 Large cell medulloblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9474/9 Large cell medulloblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9475/3 Medulloblastoma, WNT-activated, NOS

Status of code: Created – [Twelfth Edition](#)

M9475/6 Medulloblastoma, WNT-activated, metastatic

Status of code: Created – [Twelfth Edition](#)

M9475/9 Medulloblastoma, WNT-activated, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9476/3 Medulloblastoma, SHH-activated and TP53-mutant

Status of code: Created – [Twelfth Edition](#)

M9476/6 Medulloblastoma, SHH-activated and TP53-mutant, metastatic

Status of code: Created – [Twelfth Edition](#)

M9476/9 Medulloblastoma, SHH-activated and TP53-mutant, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9477/3 Medulloblastoma, non-WNT/non-SHH

Status of code: Created – [Twelfth Edition](#)

M9477/6 Medulloblastoma, non-WNT/non-SHH, metastatic

Status of code: Created – [Twelfth Edition](#)

M9477/9 Medulloblastoma, non-WNT/non-SHH, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9478/3 Embryonal tumour with multilayered rosettes with C19MC alteration

Status of code: Created – [Twelfth Edition](#)

M9478/6 Embryonal tumour with multilayered rosettes with C19MC alteration, metastatic

Status of code: Created – [Twelfth Edition](#)

M9478/9 Embryonal tumour with multilayered rosettes with C19MC alteration, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9480/2 Cerebellar sarcoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9480/6 Cerebellar sarcoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9480/9 Cerebellar sarcoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9481/3 Monstrocellular sarcoma (C71.-)

Status of code: Deleted – [Third Edition](#)

M9490/1 Ganglioneuroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9490/2 Ganglioneuroblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9490/6 Ganglioneuroblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9490/9 Ganglioneuroblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9491/1 Ganglioneuromatosis, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9492/0 Gangliocytoma

Status of code: Created – [Third Edition](#)

M9492/1 Gangliocytoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9493/0 Dysplastic gangliocytoma of cerebellum [Lhermitte-Duclos]

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9493/0 Dysplastic gangliocytoma of cerebellum

ICD-10-AM Twelfth Edition:

M9493/0 Dysplastic gangliocytoma of cerebellum [Lhermitte-Duclos]

M9493/1 Dysplastic gangliocytoma of cerebellum [Lhermitte-Duclos], uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9493/1 Dysplastic gangliocytoma of cerebellum, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9493/1 Dysplastic gangliocytoma of cerebellum [Lhermitte-Duclos], uncertain whether benign or malignant

M9500/0 Neuroblastoma NOS, benign

Status of code: Created – [Eighth Edition](#)

M9500/2 Neuroblastoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9500/1 Neuroblastoma NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9500/6 Neuroblastoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9500/9 Neuroblastoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9501/0 Medulloepithelioma, benign

Status of code: Created – [Third Edition](#)

M9501/2 Medulloepithelioma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9501/6 Medulloepithelioma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9501/9 Medulloepithelioma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9502/0 Teratoid medulloepithelioma, benign

Status of code: Created – [Third Edition](#)

M9502/2 Teratoid medulloepithelioma, in situ

Status of code: Created – [Eighth Edition](#)

M9502/6 Teratoid medulloepithelioma, metastatic

Status of code: Created – [Third Edition](#)

M9502/9 Teratoid medulloepithelioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9503/0 Neuroepithelioma

Status of code: Created – [Third Edition](#)

M9503/1 Neuroepithelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9503/2 Neuroepithelioma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9503/6 Neuroepithelioma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9503/9 Neuroepithelioma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9504/2 Spongioneuroblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9504/6 Spongioneuroblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9504/9 Spongioneuroblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9505/1 Ganglioglioma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9505/1 Ganglioglioma

ICD-10-AM Third Edition:

M9505/1 Ganglioglioma NOS

M9505/2 Ganglioglioma, anaplastic, in situ

Status of code: Created – [Eighth Edition](#)

M9505/3 Ganglioglioma, anaplastic

Status of code: Created – [Third Edition](#)

M9505/6 Ganglioglioma, anaplastic, metastatic

Status of code: Created – [Third Edition](#)

M9505/9 Ganglioglioma, anaplastic, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9506/1 Central neurocytoma

Status of code: Created – [Third Edition](#)

M9507/2 Pacinian tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9507/3 Pacinian tumour, malignant

Status of code: Created – [Third Edition](#)

M9507/6 Pacinian tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9507/9 Pacinian tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9508/2 Atypical teratoid/rhabdoid tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9508/3 Atypical teratoid/rhabdoid tumour

Status of code: Created – [Third Edition](#)

M9508/6 Atypical teratoid/rhabdoid tumour, metastatic

Status of code: Created – [Third Edition](#)

M9508/9 Atypical teratoid/rhabdoid tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9509/1 Papillary glioneuronal tumour

Status of code: Created – [Eighth Edition](#)

M9510/0 Retinocytoma

Status of code: Created – [Third Edition](#)

M9510/2 Retinoblastoma NOS, in situ

Status of code: Created – [Eighth Edition](#)

M9510/6 Retinoblastoma NOS, metastatic

Status of code: Created – [Third Edition](#)

M9510/9 Retinoblastoma NOS, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9511/2 Retinoblastoma, differentiated, in situ

Status of code: Created – [Eighth Edition](#)

M9511/6 Retinoblastoma, differentiated, metastatic

Status of code: Created – [Third Edition](#)

M9511/9 Retinoblastoma, differentiated, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9512/2 Retinoblastoma, undifferentiated, in situ

Status of code: Created – [Eighth Edition](#)

M9512/6 Retinoblastoma, undifferentiated, metastatic

Status of code: Created – [Third Edition](#)

M9512/9 Retinoblastoma, undifferentiated, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9513/2 Retinoblastoma, diffuse, in situ

Status of code: Created – [Eighth Edition](#)

M9513/3 Retinoblastoma, diffuse

Status of code: Created – [Third Edition](#)

M9513/6 Retinoblastoma, diffuse, metastatic

Status of code: Created – [Third Edition](#)

M9513/9 Retinoblastoma, diffuse, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9514/1 Retinoblastoma, spontaneously regressed

Status of code: Created – [Third Edition](#)

M9520/1 Olfactory neurogenic tumour, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9520/2 Olfactory neurogenic tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9520/6 Olfactory neurogenic tumour, metastatic

Status of code: Created – [Third Edition](#)

M9520/9 Olfactory neurogenic tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9521/1 Olfactory neurocytoma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9521/2 Olfactory neurocytoma, in situ

Status of code: Created – [Eighth Edition](#)

M9521/3 Olfactory neurocytoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9521/3 Esthesioneurocytoma (C30.0)

ICD-10-AM Third Edition:

M9521/3 Olfactory neurocytoma

M9521/6 Olfactory neurocytoma, metastatic

Status of code: Created – [Third Edition](#)

M9521/9 Olfactory neurocytoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9522/2 Olfactory neuroblastoma, in situ

Status of code: Created – [Eighth Edition](#)

M9522/3 Olfactory neuroblastoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9522/3 Esthesioneuroblastoma (C30.0)

ICD-10-AM Third Edition:

M9522/3 Olfactory neuroblastoma

M9522/6 Olfactory neuroblastoma, metastatic

Status of code: Created – [Third Edition](#)

M9522/9 Olfactory neuroblastoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9523/0 Olfactory neuroepithelioma, benign

Status of code: Created – [Third Edition](#)

M9523/1 Olfactory neuroepithelioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9523/2 Olfactory neuroepithelioma, in situ

Status of code: Created – [Eighth Edition](#)

M9523/3 Olfactory neuroepithelioma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9523/3 Esthesioneuroepithelioma (C30.0)

ICD-10-AM Third Edition:

M9523/3 Olfactory neuroepithelioma

M9523/6 Olfactory neuroepithelioma, metastatic

Status of code: Created – [Third Edition](#)

M9523/9 Olfactory neuroepithelioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9530/1 Meningiomatosis NOS

Status of code: Deleted – [Twelfth Edition](#)

M9530/2 Meningioma, in situ

Status of code: Created – [Eighth Edition](#)

M9530/6 Meningioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9530/9 Meningioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9531/0 Meningothelial meningioma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9531/0 Meningotheliomatous meningioma (D32.-)

ICD-10-AM Third Edition:

M9531/0 Meningothelial meningioma

M9531/1 Meningothelial meningioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9531/2 Meningothelial meningioma, in situ

Status of code: Created – [Eighth Edition](#)

M9531/3 Meningothelial meningioma, malignant

Status of code: Created – [Third Edition](#)

M9531/6 Meningothelial meningioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9531/9 Meningothelial meningioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9532/1 Fibrous meningioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9533/1 Psammomatous meningioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9533/2 Psammomatous meningioma, in situ

Status of code: Created – [Eighth Edition](#)

M9533/3 Psammomatous meningioma, malignant

Status of code: Created – [Third Edition](#)

M9533/6 Psammomatous meningioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9533/9 Psammomatous meningioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9534/1 Angiomatous meningioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9534/2 Angiomatous meningioma, in situ

Status of code: Created – [Eighth Edition](#)

M9534/3 Angiomatous meningioma, malignant

Status of code: Created – [Third Edition](#)

M9534/6 Angiomatous meningioma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9534/9 Angiomatous meningioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9535/1 Haemangioblastic meningioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9536/0 Haemangiopericytic meningioma (D32.-)

Status of code: Deleted – [Third Edition](#)

M9537/1 Transitional meningioma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9538/0 Clear cell meningioma, benign

Status of code: Created – [Third Edition](#)

M9538/1 Clear cell meningioma

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9538/1 Papillar meningioma (D42.-)

ICD-10-AM Third Edition:

M9538/1 Clear cell meningioma, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9538/1 Clear cell meningioma

M9538/2 Papillary meningioma, in situ

Status of code: Created – [Eighth Edition](#)

M9538/3 Papillary meningioma

Status of code: Created – [Third Edition](#)

M9538/6 Papillary meningioma, metastatic

Status of code: Created – [Third Edition](#)

M9538/9 Papillary meningioma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9539/0 Atypical meningioma, benign

Status of code: Created – [Eighth Edition](#)

M9539/1 Atypical meningioma

Status of code: Created – [Third Edition](#)

M9539/2 Meningeal sarcomatosis, in situ

Status of code: Created – [Eighth Edition](#)

M9539/6 Meningeal sarcomatosis, metastatic

Status of code: Created – [Third Edition](#)

M9539/9 Meningeal sarcomatosis, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9540/2 Neurofibromatosis, in situ

Status of code: Created – [Eighth Edition](#)

M9540/3 Malignant peripheral nerve sheath tumour

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9540/3 Neurofibrosarcoma

ICD-10-AM Third Edition:

M9540/3 Malignant peripheral nerve sheath tumour

M9540/6 Malignant peripheral nerve sheath tumour, metastatic

Status of code: Created – [Third Edition](#)

M9540/9 Malignant peripheral nerve sheath tumour, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9541/1 Melanotic neurofibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9542/3 Malignant peripheral nerve sheath tumour, epithelioid

Status of code: Created – [Twelfth Edition](#)

M9542/6 Malignant peripheral nerve sheath tumour, epithelioid, metastatic

Status of code: Created – [Twelfth Edition](#)

M9542/9 Malignant peripheral nerve sheath tumour, epithelioid, uncertain whether primary or metastatic

Status of code: Created – [Twelfth Edition](#)

M9550/1 Plexiform neurofibroma, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9550/2 Plexiform neurofibroma, in situ

Status of code: Created – [Eighth Edition](#)

M9550/3 Plexiform neurofibroma, malignant

Status of code: Created – [Third Edition](#)

M9550/6 Plexiform neurofibroma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9550/9 Plexiform neurofibroma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9560/0 Schwannoma NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9560/0 Neurilemmoma NOS

ICD-10-AM Twelfth Edition:

M9560/0 Schwannoma NOS

M9560/1 Melanotic schwannoma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9560/1 Neurinomatosis

ICD-10-AM Twelfth Edition:

M9560/1 Melanotic schwannoma

M9560/2 Neurilemmoma, in situ

Status of code: Created – [Eighth Edition](#)

M9560/6 Neurilemmoma, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9560/9 Neurilemmoma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9561/2 Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation, in situ

Status of code: Created – [Eighth Edition](#)

M9561/3 Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation

Status of code title: *Revised – Third Edition*

ICD-10-AM Second Edition:

M9561/3 Triton tumour, malignant

ICD-10-AM Third Edition:

M9561/3 Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation

M9561/6 Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation, metastatic

Status of code: *Created – Third Edition*

M9561/9 Malignant peripheral nerve sheath tumour with rhabdomyoblastic differentiation, uncertain whether primary or metastatic

Status of code: *Created – Third Edition*

M9562/0 Nerve sheath myxoma

Status of code title: *Revised – Twelfth Edition*

ICD-10-AM Eleventh Edition:

M9562/0 Neurothekeoma

ICD-10-AM Twelfth Edition:

M9562/0 Nerve sheath myxoma

M9563/0 Nerve sheath tumour NOS

Status of code: *Created – Twelfth Edition*

M9570/1 Neuroma NOS, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M9571/0 Perineurioma NOS

Status of code: *Created – Third Edition*

M9571/1 Perineurioma NOS, uncertain whether benign or malignant

Status of code: *Created – Third Edition*

M9571/2 Perineurioma, in situ

Status of code: *Created – Eighth Edition*

M9571/3 Perineurioma, malignant

Status of code: *Created – Third Edition*

M9571/6 Perineurioma, malignant, metastatic

Status of code: *Created – Third Edition*

M9571/9 Perineurioma, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9580/1 Granular cell tumour NOS, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9580/2 Granular cell tumour, in situ

Status of code: Created – [Eighth Edition](#)

M9580/6 Granular cell tumour, malignant, metastatic

Status of code: Created – [Third Edition](#)

M9580/9 Granular cell tumour, malignant, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9581/2 Alveolar soft part sarcoma, in situ

Status of code: Created – [Eighth Edition](#)

M9581/6 Alveolar soft part sarcoma, metastatic

Status of code: Created – [Third Edition](#)

M9581/9 Alveolar soft part sarcoma, uncertain whether primary or metastatic

Status of code: Created – [Third Edition](#)

M9582/0 Granular cell tumour of the sellar region

Status of code: Created – [Third Edition](#)

M9582/1 Granular cell tumour of the sellar region, uncertain whether benign or malignant

Status of code: Created – [Third Edition](#)

M9591/1 Monoclonal B-cell lymphocytosis NOS

Status of code: Created – [Twelfth Edition](#)

M9591/3 Malignant lymphoma, non-Hodgkin NOS

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9591/3 Malignant lymphoma, non-Hodgkin's NOS (C84.5, C85.9)

ICD-10-AM Third Edition:

M9591/3 Lymphoma, non-Hodgkin NOS

ICD-10-AM Twelfth Edition:

M9591/3 Malignant lymphoma, non-Hodgkin NOS

M9592/3 Lymphosarcoma NOS (C85.0)

Status of code: Deleted – [Third Edition](#)

M9593/3 Reticulosarcoma NOS (C83.3)

Status of code: Deleted – [Third Edition](#)

M9594/3 Microglioma (C85.7)

Status of code: Deleted – [Third Edition](#)

M9595/3 Malignant lymphoma, diffuse NOS (C83.9)

Status of code: Deleted – [Third Edition](#)

M9596/3 Composite Hodgkin and non-Hodgkin lymphoma

Status of code: Created – [Third Edition](#)

M9597/3 Primary cutaneous follicle centre lymphoma

Status of code: Created – [Eighth Edition](#)

M965–M966 Hodgkin lymphoma

Status of block title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
M965–M966 Hodgkin's disease

ICD-10-AM Third Edition:
M965–M966 Hodgkin lymphoma

M9650/3 Hodgkin lymphoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
M9650/3 Hodgkin's disease NOS (C81.9)

ICD-10-AM Third Edition:
M9650/3 Hodgkin lymphoma NOS

M9651/3 Hodgkin lymphoma, lymphocyte-rich

Status of code: Created – [Third Edition](#)

M9652/3 Hodgkin lymphoma, mixed cellularity NOS

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M9652/3 Hodgkin disease, mixed cellularity NOS

ICD-10-AM Twelfth Edition:
M9652/3 Hodgkin lymphoma, mixed cellularity NOS

M9653/3 Hodgkin lymphoma, lymphocyte depletion NOS

Status of code title: **Revised – Third Edition**

ICD-10-AM Second Edition:

M9653/3 Hodgkin's disease, lymphocyte depletion NOS (C81.3)

ICD-10-AM Third Edition:

M9653/3 Hodgkin lymphoma, lymphocyte depletion NOS

M9654/3 Hodgkin lymphoma, lymphocyte depletion, diffuse fibrosis

Status of code title: **Revised – Third Edition**

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Second Edition:

M9654/3 Hodgkin's disease, lymphocytic depletion, diffuse fibrosis (C81.3)

ICD-10-AM Third Edition:

M9654/3 Hodgkin lymphoma, lymphocytic depletion, diffuse fibrosis

ICD-10-AM Twelfth Edition:

M9654/3 Hodgkin lymphoma, lymphocyte depletion, diffuse fibrosis

M9655/3 Hodgkin lymphoma, lymphocyte depletion, reticular

Status of code title: **Revised – Third Edition**

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Second Edition:

M9655/3 Hodgkin's disease, lymphocytic depletion, reticular (C81.3)

ICD-10-AM Third Edition:

M9655/3 Hodgkin lymphoma, lymphocytic depletion, reticular

ICD-10-AM Twelfth Edition:

M9655/3 Hodgkin lymphoma, lymphocyte depletion, reticular

M9657/3 Hodgkin's disease, lymphocytic predominance NOS (C81.0)

Status of code: **Deleted – Third Edition**

M9658/3 Hodgkin's disease, lymphocytic predominance, diffuse (C81.0)

Status of code: **Deleted – Third Edition**

M9659/3 Hodgkin lymphoma, nodular lymphocyte predominant

Status of code title: **Revised – Third Edition**

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Second Edition:

M9659/3 Hodgkin's disease, lymphocyte predominance, nodular (C81.0)

ICD-10-AM Third Edition:

M9659/3 Hodgkin lymphoma, nodular lymphocyte predominance

ICD-10-AM Twelfth Edition:

M9659/3 Hodgkin lymphoma, nodular lymphocyte predominant

M9660/3 Hodgkin's paragranuloma NOS (C81.7)

Status of code: Deleted – [Third Edition](#)

M9663/3 Hodgkin lymphoma, nodular sclerosis NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9663/3 Hodgkin's disease, nodular sclerosis NOS (C81.1)

ICD-10-AM Third Edition:

M9663/3 Hodgkin lymphoma, nodular sclerosis NOS

M9664/3 Hodgkin lymphoma, nodular sclerosis, cellular phase

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9664/3 Hodgkin's disease, nodular sclerosis, cellular phase (C81.1)

ICD-10-AM Third Edition:

M9664/3 Hodgkin lymphoma, nodular sclerosis, cellular phase

M9665/3 Hodgkin lymphoma, nodular sclerosis, grade 1

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9665/3 Hodgkin's disease, nodular sclerosis, lymphocytic predominance (C81.1)

ICD-10-AM Third Edition:

M9665/3 Hodgkin lymphoma, nodular sclerosis, grade 1

M9666/3 Hodgkin's disease, nodular sclerosis, mixed cellularity (C81.1)

Status of code: Deleted – [Third Edition](#)

M9667/3 Hodgkin lymphoma, nodular sclerosis, grade 2

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9667/3 Hodgkin's disease, nodular sclerosis, lymphocytic depletion (C81.1)

ICD-10-AM Third Edition:

M9667/3 Hodgkin lymphoma, nodular sclerosis, grade 2

M967–M972 Non-Hodgkin lymphoma

Status of block: Created – [Third Edition](#)

M967–M969 Mature B-cell lymphoma

Status of block title: **Revised – Third Edition**

ICD-10-AM Second Edition:

M967–M968 Malignant lymphoma, diffuse, or NOS, specified type

ICD-10-AM Third Edition:

M967–M969 Mature B-cell lymphoma

M9670/3 Lymphoma, small B lymphocytic NOS

Status of code title: **Revised – Third Edition**

Status of code: **Deleted – Twelfth Edition**

ICD-10-AM Second Edition:

M9670/3 Malignant lymphoma, small lymphocytic NOS (C83.0)

ICD-10-AM Third Edition:

M9670/3 Lymphoma, small B lymphocytic NOS

M9671/3 Lymphoplasmacytic lymphoma

Status of code title: **Revised – Third Edition**

Status of code title: **Revised – Twelfth Edition**

ICD-10-AM Second Edition:

M9671/3 Malignant lymphoma, lymphoplasmacytic (C83.8)

ICD-10-AM Third Edition:

M9671/3 Lymphoma, lymphoplasmacytic

ICD-10-AM Twelfth Edition:

M9671/3 Lymphoplasmacytic lymphoma

M9672/3 Malignant lymphoma, small cleaved cell, diffuse (C83.1)

Status of code: **Deleted – Third Edition**

M9673/1 In situ mantle cell neoplasia

Status of code: **Created – Twelfth Edition**

M9673/3 Mantle cell lymphoma

Status of code title: **Revised – Third Edition**

ICD-10-AM Second Edition:

M9673/3 Malignant lymphoma, lymphocytic, intermediate differentiation, diffuse (C83.8)

ICD-10-AM Third Edition:

M9673/3 Mantle cell lymphoma

M9674/3 Malignant lymphoma, centrocytic (C83.8)

Status of code: **Deleted – Third Edition**

M9675/3 Malignant lymphoma, mixed small and large cell, diffuse

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9675/3 Malignant lymphoma, mixed small and large cell, diffuse (C83.2)

ICD-10-AM Third Edition:

M9675/3 Lymphoma, mixed small and large cell, diffuse

ICD-10-AM Twelfth Edition:

M9675/3 Malignant lymphoma, mixed small and large cell, diffuse

M9676/3 Malignant lymphoma, centroblastic-centrocytic, diffuse (C83.8)

Status of code: Deleted – [Third Edition](#)

M9677/3 Malignant lymphomatous polyposis (C83.8)

Status of code: Deleted – [Third Edition](#)

M9678/3 Primary effusion lymphoma

Status of code: Created – [Third Edition](#)

M9679/3 Mediastinal large B-cell lymphoma

Status of code: Created – [Third Edition](#)

M9680/1 EBV positive mucocutaneous ulcer

Status of code: Created – [Twelfth Edition](#)

M9680/3 Diffuse large B-cell lymphoma NOS

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9680/3 Malignant lymphoma, large cell, diffuse NOS (C83.3)

ICD-10-AM Third Edition:

M9680/3 Lymphoma, large B-cell, diffuse NOS

ICD-10-AM Twelfth Edition:

M9680/3 Diffuse large B-cell lymphoma NOS

M9681/3 Malignant lymphoma, large cell, cleaved, diffuse (C83.3)

Status of code: Deleted – [Third Edition](#)

M9682/3 Malignant lymphoma, large cell, noncleaved, diffuse (C83.3)

Status of code: Deleted – [Third Edition](#)

M9683/3 Malignant lymphoma, centroblastic, diffuse (C83.8)

Status of code: Deleted – [Third Edition](#)

M9684/3 Malignant lymphoma, large B-cell, diffuse, immunoblastic NOS

Status of code title: Revised – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9684/3 Malignant lymphoma, immunoblastic NOS (C83.4)

ICD-10-AM Third Edition:

M9684/3 Lymphoma, large B-cell, diffuse, immunoblastic NOS

ICD-10-AM Twelfth Edition:

M9684/3 Malignant lymphoma, large B-cell, diffuse, immunoblastic NOS

M9685/3 Malignant lymphoma, lymphoblastic (C83.5)

Status of code: Deleted – [Third Edition](#)

M9686/3 Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, C83.6)

Status of code: Deleted – [Third Edition](#)

M9688/3 T-cell/histiocyte rich large B-cell lymphoma

Status of code: Created – [Eighth Edition](#)

M9689/3 Splenic marginal zone B-cell lymphoma

Status of code: Created – [Third Edition](#)

M969 Malignant lymphoma, follicular or nodular, with or without diffuse areas

Status of code: Deleted – [Third Edition](#)

M9690/3 Follicular lymphoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9690/3 Malignant lymphoma, follicular NOS (C82.9)

ICD-10-AM Third Edition:

M9690/3 Follicular lymphoma NOS

M9691/3 Follicular lymphoma, grade 2

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9691/3 Malignant lymphoma, mixed small cleaved and large cell, follicular (C82.1)

ICD-10-AM Third Edition:

M9691/3 Follicular lymphoma, grade 2

M9692/3 Malignant lymphoma, centroblastic-centrocytic, follicular (C82.8)

Status of code: Deleted – [Third Edition](#)

M9693/3 Malignant lymphoma, lymphocytic, well differentiated, nodular (C82.8)

Status of code: Deleted – [Third Edition](#)

M9694/3 Malignant lymphoma, lymphocytic, intermediate differentiation, nodular (C82.8)

Status of code: Deleted – [Third Edition](#)

M9695/1 In situ follicular neoplasia

Status of code: Created – [Twelfth Edition](#)

M9695/3 Follicular lymphoma, grade 1

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9695/3 Malignant lymphoma, small cleaved cell, follicular (C82.0)

ICD-10-AM Third Edition:

M9695/3 Follicular lymphoma, grade 1

M9696/3 Malignant lymphoma, lymphocytic, poorly differentiated, nodular (C82.8)

Status of code: Deleted – [Third Edition](#)

M9697/3 Malignant lymphoma, centroblastic, follicular (C82.8)

Status of code: Deleted – [Third Edition](#)

M9698/3 Follicular lymphoma, grade 3

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9698/3 Malignant lymphoma, large cell, follicular NOS (C82.2)

ICD-10-AM Third Edition:

M9698/3 Follicular lymphoma, grade 3

M9699/3 Marginal zone B-cell lymphoma NOS

Status of code: Created – [Third Edition](#)

M970–M971 Mature T- and NK-cell lymphomas

Status of block title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M970 Specified cutaneous and peripheral T-cell lymphomas

ICD-10-AM Third Edition:

M970–M971 Mature T- and NK-cell lymphomas

M9701/3 Sezary syndrome

Status of code title: **Revised – Third Edition**

ICD-10-AM Second Edition:

M9701/3 Sezary's disease (C84.1)

ICD-10-AM Third Edition:

M9701/3 Sezary syndrome

M9702/1 Indolent T-cell lymphoproliferative disorder of gastrointestinal tract

Status of code: **Created – Twelfth Edition**

M9702/3 Mature T-cell lymphoma NOS

Status of code title: **Revised – Third Edition**

ICD-10-AM Second Edition:

M9702/3 Peripheral T-cell lymphoma NOS (C84.4)

ICD-10-AM Third Edition:

M9702/3 Mature T-cell lymphoma NOS

M9703/3 T-zone lymphoma (C84.2)

Status of code: **Deleted – Third Edition**

M9704/3 Lymphoepithelioid lymphoma (C84.3)

Status of code: **Deleted – Third Edition**

M9705/3 Angioimmunoblastic T-cell lymphoma

Status of code title: **Revised – Third Edition**

ICD-10-AM Second Edition:

M9705/3 Peripheral T-cell lymphoma, AILD (angioimmunoblastic lymphadenopathy with dysproteinaemia) (C84.4)

ICD-10-AM Third Edition:

M9705/3 Angioimmunoblastic T-cell lymphoma

M9706/3 Peripheral T-cell lymphoma, pleomorphic small cell (C84.4)

Status of code: **Deleted – Third Edition**

M9707/3 Peripheral T-cell lymphoma, pleomorphic medium and large cell (C84.4)

Status of code: **Deleted – Third Edition**

M9708/3 Subcutaneous panniculitis-like T-cell lymphoma

Status of code: **Created – Third Edition**

M9709/1 Primary cutaneous CD4 positive small/medium T-cell lymphoproliferative disorder

Status of code: Created – [Twelfth Edition](#)

M9709/3 Cutaneous T-cell lymphoma NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9709/3 Cutaneous lymphoma C84.5)

ICD-10-AM Third Edition:

M9709/3 Cutaneous T-cell lymphoma NOS

M971 Other specified non-Hodgkin's lymphomas

Status of block: Deleted – [Third Edition](#)

M9711/3 Monocytoid B-cell lymphoma (C85.7)

Status of code: Deleted – [Third Edition](#)

M9712/3 Intravascular large B-cell lymphoma

Status of code: Deleted – [Third Edition](#)

Status of code: Reactivated – [Eighth Edition](#)

Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM First Edition:

M9712/3 Angioendotheliomatosis (C85.7)

ICD-10-AM Eighth Edition:

M9712/3 Intravascular large B-cell lymphoma

M9713/3 Angiocentric T-cell lymphoma (C84.7)

Status of code: Deleted – [Third Edition](#)

M9714/3 Anaplastic large cell lymphoma, T-cell and Null-cell type

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9714/3 Large cell (Ki-1+) lymphoma (C85.7)

ICD-10-AM Third Edition:

M9714/3 Anaplastic large cell lymphoma, T cell and Null cell type

ICD-10-AM Twelfth Edition:

M9714/3 Anaplastic large cell lymphoma, T-cell and Null-cell type

M9715/3 Anaplastic large cell lymphoma, ALK negative

Status of code: Created – [Twelfth Edition](#)

M9716/3 Hepatosplenic T-cell lymphoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:
M9716/3 Hepatosplenic gamma-delta cell lymphoma

ICD-10-AM Eighth Edition:
M9716/3 Hepatosplenic T-cell lymphoma

M9717/3 Intestinal T-cell lymphoma

Status of code: Created – [Third Edition](#)

M9718/1 Primary cutaneous CD30 positive T-cell lymphoproliferative disorder

Status of code: Created – [Twelfth Edition](#)

M9718/3 Primary cutaneous anaplastic large cell lymphoma

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M9718/3 Primary cutaneous CD30+ T-cell lymphoproliferative disorder

ICD-10-AM Twelfth Edition:
M9718/3 Primary cutaneous anaplastic large cell lymphoma

M9719/3 NK/T-cell lymphoma, nasal and nasal-type

Status of code: Created – [Third Edition](#)

M972 Precursor cell lymphoblastic lymphoma

Status of block title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
M972 Other lymphoreticular neoplasms

ICD-10-AM Third Edition:
M972 Precursor cell lymphoblastic lymphoma

M9720/3 Malignant histiocytosis (C96.1)

Status of code: Deleted – [Third Edition](#)

M9722/3 Letterer-Siwe disease (C96.0)

Status of code: Deleted – [Third Edition](#)

M9723/3 True histiocytic lymphoma (C96.3)

Status of code: Deleted – [Third Edition](#)

M9724/3 Systemic EBV positive T-cell lymphoproliferative disease of childhood

Status of code: Created – [Eighth Edition](#)

M9725/1 Hydroa vacciniforme-like lymphoproliferative disorder

Status of code: Created – [Twelfth Edition](#)

M9725/3 Hydroa vacciniforme-like lymphoma

Status of code: Created – [Eighth Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9726/3 Primary cutaneous gamma-delta T-cell lymphoma

Status of code: Created – [Eighth Edition](#)

M9727/3 Precursor cell lymphoblastic lymphoma NOS

Status of code: Created – [Third Edition](#)

M9728/3 Precursor B-cell lymphoblastic lymphoma

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9729/3 Precursor T-cell lymphoblastic lymphoma

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9731/0 Plasma cell tumour, benign

Status of code: Created – [Second Edition](#)

M9732/3 Plasma cell myeloma

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9732/3 Multiple myeloma

ICD-10-AM Twelfth Edition:

M9732/3 Plasma cell myeloma

M9733/3 Plasma cell leukaemia

Status of code: Created – [Third Edition](#)

M9734/3 Plasmacytoma, extramedullary

Status of code: Created – [Third Edition](#)

M9735/3 Plasmablastic lymphoma

Status of code: Created – [Eighth Edition](#)

M9737/3 ALK-positive large B-cell lymphoma

Status of code: Created – [Eighth Edition](#)

M9738/3 HHV8 positive diffuse large B-cell lymphoma

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9738/3 Large B-cell lymphoma arising in HHV8-associated multicentric Castleman disease

ICD-10-AM Twelfth Edition:

M9738/3 HHV8 positive diffuse large B-cell lymphoma

M9741/1 Indolent systemic mastocytosis

Status of code: Created – [Eighth Edition](#)

M9742/3 Mast cell leukaemia

Status of code: Created – [Third Edition](#)

M9749/3 Erdheim-Chester disease

Status of code: Created – [Twelfth Edition](#)

M975 Neoplasms of histiocytes and accessory lymphoid cells

Status of block: Created – [Third Edition](#)

M9750/3 Malignant histiocytosis

Status of code: Created – [Third Edition](#)

M9751/1 Langerhans cell histiocytosis NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)
Status of code: Reactivated – [Twelfth Edition](#)

M9751/3 Langerhans cell histiocytosis disseminated

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9751/3 Langerhans cell histiocytosis NOS

ICD-10-AM Twelfth Edition:

M9751/3 Langerhans cell histiocytosis disseminated

M9752/1 Langerhans cell histiocytosis, unifocal

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M9753/1 Langerhans cell histiocytosis, multifocal

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M9754/3 Langerhans cell histiocytosis, disseminated

Status of code: Created – [Third Edition](#)

M9755/3 Histiocytic sarcoma

Status of code: Created – [Third Edition](#)

M9756/3 Langerhans cell sarcoma

Status of code: Created – [Third Edition](#)

M9757/3 Interdigitating dendritic cell sarcoma

Status of code: Created – [Third Edition](#)

M9758/3 Follicular dendritic cell sarcoma

Status of code: Created – [Third Edition](#)

M9759/3 Fibroblastic reticular cell tumour

Status of code: Created – [Eighth Edition](#)

M9761/1 IgM monoclonal gammopathy of undetermined significance

Status of code: Created – [Twelfth Edition](#)

M9762/3 Heavy chain disease NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9762/3 Alpha heavy chain disease (C88.1)

ICD-10-AM Third Edition:

M9762/3 Heavy chain disease NOS

M9763/3 Gamma heavy chain disease (C88.2)

Status of code: Deleted – [Third Edition](#)

M9765/1 Monoclonal gammopathy of undetermined significance

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9765/1 Monoclonal gammopathy (D47.2)

ICD-10-AM Third Edition:

M9765/1 Monoclonal gammopathy of undetermined significance

M9766/1 Angiocentric immunoproliferative lesion

Status of code: Deleted – [Eighth Edition](#)
Status of code: Reactivated – [Twelfth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Seventh Edition:

M9766/1 Angiocentric immunoproliferative lesion, uncertain whether benign or malignant

ICD-10-AM Twelfth Edition:

M9766/1 Angiocentric immunoproliferative lesion

M9766/3 Lymphomatoid granulomatosis, grade 3

Status of code: Created – [Eighth Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9766/3 Angiocentric immunoproliferative lesion, malignant

ICD-10-AM Twelfth Edition:

M9766/3 Lymphomatoid granulomatosis, grade 3

M9769/1 Immunoglobulin deposition disease

Status of code: Created – [Third Edition](#)

M9802/3 Subacute leukaemia NOS (C95.2)

Status of code: Deleted – [Third Edition](#)

M9803/3 Chronic leukaemia NOS (C95.1)

Status of code: Deleted – [Third Edition](#)

M9804/3 Aleukaemic leukaemia NOS (C95.7)

Status of code: Deleted – [Third Edition](#)

M9805/3 Acute biphenotypic leukaemia

Status of code: Created – [Third Edition](#)

M9806/3 Mixed phenotype acute leukaemia with t(9;22)(q34;q11.2); BCR-ABL1

Status of code: Created – [Eighth Edition](#)

M9807/3 Mixed phenotype acute leukaemia with t(v;11q23); MLL rearranged

Status of code: Created – [Eighth Edition](#)

M9808/3 Mixed phenotype acute leukaemia, B/myeloid, NOS

Status of code: Created – [Eighth Edition](#)

M9809/3 Mixed phenotype acute leukaemia, T/myeloid, NOS

Status of code: Created – [Eighth Edition](#)

M981–M983 Lymphoid leukaemias

Status of block title: Revised – [Third Edition](#)
Status of block title: Revised – [Eighth Edition](#)

ICD-10-AM Second Edition:
M982 Lymphoid leukaemias

ICD-10-AM Third Edition:
M982–M983 Lymphoid leukaemias

ICD-10-AM Eighth Edition:
M981–M983 Lymphoid leukaemias

M9811/3 B lymphoblastic leukaemia/lymphoma, NOS

Status of code: Created – [Eighth Edition](#)

M9812/3 B lymphoblastic leukaemia/lymphoma with t(9;22)(q34;q11.2); BCR-ABL1

Status of code: Created – [Eighth Edition](#)

M9813/3 B lymphoblastic leukaemia/lymphoma with t(v;11q23); MLL rearranged

Status of code: Created – [Eighth Edition](#)

M9814/3 B lymphoblastic leukaemia/lymphoma with t(12;21)(p13;q22); TEL-AML1 (ETV6-RUNX1)

Status of code: Created – [Eighth Edition](#)

M9815/3 B lymphoblastic leukaemia/lymphoma with hyperdiploidy

Status of code: Created – [Eighth Edition](#)

M9816/3 B lymphoblastic leukaemia/lymphoma with hypodiploidy (hypodiploid ALL)

Status of code: Created – [Eighth Edition](#)

M9817/3 B lymphoblastic leukaemia/lymphoma with t(5;14)(q31;q32); IL3-IGH

Status of code: Created – [Eighth Edition](#)

M9818/3 B lymphoblastic leukaemia/lymphoma with t(1;19)(q23;p13.3); E2A-PBX1 (TCF3-PBX1)

Status of code: Created – [Eighth Edition](#)

M9819/3 B lymphoblastic leukaemia/lymphoma, BCR-ABL1-like

Status of code: Created – [Twelfth Edition](#)

M9821/3 Acute lymphoblastic leukaemia NOS (C91.0)

Status of code: Deleted – [Third Edition](#)

M9822/3 Subacute lymphoid leukaemia (C91.2)

Status of code: Deleted – [Third Edition](#)

M9823/1 Monoclonal B-cell lymphocytosis, CLL type

Status of code: Created – [Twelfth Edition](#)

M9823/3 B-cell chronic lymphocytic leukaemia/small lymphocytic lymphoma

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9823/3 Chronic lymphocytic leukaemia (C91.1)

ICD-10-AM Third Edition:

M9823/3 B-cell chronic lymphocytic leukaemia/small lymphocytic lymphoma

M9824/3 Aleukaemic lymphoid leukaemia (C91.7)

Status of code: Deleted – [Third Edition](#)

M9825/3 Prolymphocytic leukaemia (C91.3)

Status of code: Deleted – [Third Edition](#)

M9826/3 Burkitt cell leukaemia

Status of code: Deleted – [Twelfth Edition](#)

M9827/3 Adult T-cell leukaemia/lymphoma [HTLV-1 positive]

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9827/3 Adult T-cell leukaemia/lymphoma

ICD-10-AM Twelfth Edition:

M9827/3 Adult T-cell leukaemia/lymphoma [HTLV-1 positive]

M9830/3 Plasma cell leukaemia (C90.1)

Status of code: Deleted – [Third Edition](#)

M9831/1 T-cell large granular lymphocytic leukaemia

Status of code: Created – [Third Edition](#)

M9832/3 Prolymphocytic leukaemia NOS

Status of code: Created – [Third Edition](#)

M9833/3 Prolymphocytic leukaemia, B-cell type

Status of code: Created – [Third Edition](#)

M9834/3 Prolymphocytic leukaemia, T-cell type

Status of code: Created – [Third Edition](#)

M9835/3 Precursor cell lymphoblastic leukaemia NOS

Status of code: Created – [Third Edition](#)

M9836/3 Precursor B-cell lymphoblastic leukaemia

Status of code: Created – [Third Edition](#)

Status of code: Deleted – [Twelfth Edition](#)

M9837/3 Precursor T-cell lymphoblastic leukaemia

Status of code: Created – [Third Edition](#)

M984–M993 Myeloid leukaemias

Status of block title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M984 Erythroleukaemias

ICD-10-AM Third Edition:

M984-M993 Myeloid leukaemias

M9840/3 Acute erythroid leukaemia

Status of code title: Revised – [Third Edition](#)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M9840/3 Erythroleukaemia (C94.0)

ICD-10-AM Third Edition:

M9840/3 Acute myeloid leukaemia, M6 type

ICD-10-AM Twelfth Edition:

M9840/3 Acute erythroid leukaemia

M9841/3 Acute erythraemia (C94.0)

Status of code: Deleted – [Third Edition](#)

M9842/3 Chronic erythraemia (C94.0)

Status of code: Deleted – [Third Edition](#)

M9850/3 Lymphosarcoma cell leukaemia (C94.7)

Status of code: Deleted – [Third Edition](#)

M9861/3 Acute myeloid leukaemia NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9861/3 Acute myeloid leukaemia (C92.0)

ICD-10-AM Third Edition:

M9861/3 Acute myeloid leukaemia NOS

M9862/3 Subacute myeloid leukaemia (C92.2)

Status of code: Deleted – [Third Edition](#)

M9863/3 Chronic myeloid leukaemia NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9863/3 Chronic myeloid leukaemia (C92.1)

ICD-10-AM Third Edition:

M9863/3 Chronic myeloid leukaemia NOS

M9864/3 Aleukaemic myeloid leukaemia (C92.7)

Status of code: Deleted – [Third Edition](#)

M9865/3 Acute myeloid leukaemia with t(6;9)(p23;q34); DEK-NUP214

Status of code: Created – [Eighth Edition](#)

M9866/3 Acute promyelocytic leukaemia, t(15;17)(q22;q11-12)

Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9866/3 Acute promyelocytic leukaemia

ICD-10-AM Twelfth Edition:

M9866/3 Acute promyelocytic leukaemia, t(15;17)(q22;q11-12)

M9868/3 Chronic myelomonocytic leukaemia (C92.7)

Status of code: Deleted – [Third Edition](#)

M9869/3 Acute myeloid leukaemia with inv(3)(q21;q26.2) or t(3;3)(q21;q26.2); RPN1-EVI1

Status of code: Created – [Eighth Edition](#)

M9870/3 Acute basophilic leukaemia

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9870/3 Basophilic leukaemia (C92.-)

ICD-10-AM Third Edition:

M9870/3 Acute basophilic leukaemia

M9871/3 Acute myeloid leukaemia with abnormal marrow eosinophils

Status of code: Created – [Third Edition](#)

M9872/3 Acute myeloid leukaemia, minimal differentiation

Status of code: Created – [Third Edition](#)

M9873/3 Acute myeloid leukaemia without maturation

Status of code: Created – [Third Edition](#)

M9874/3 Acute myeloid leukaemia with maturation

Status of code: Created – [Third Edition](#)

M9875/3 Chronic myelogenous leukaemia, BCR/ABL positive

Status of code: Created – [Third Edition](#)

M9876/3 Atypical chronic myeloid leukaemia, BCR/ABL negative

Status of code: Created – [Third Edition](#)

M9877/3 Acute myeloid leukaemia with mutated NPM1

Status of code: Created – [Twelfth Edition](#)

M9878/3 Acute myeloid leukaemia with biallelic mutation of CEBPA

Status of code: Created – [Twelfth Edition](#)

M9879/3 Acute myeloid leukaemia with mutated RUNX1

Status of code: Created – [Twelfth Edition](#)

M9880/3 Eosinophilic leukaemia (C92.-)

Status of code: Deleted – [Third Edition](#)

M9890/3 Monocytic leukaemia NOS (C93.9)

Status of code: Deleted – [Third Edition](#)

M9892/3 Subacute monocytic leukaemia (C93.2)

Status of code: Deleted – [Third Edition](#)

M9893/3 Chronic monocytic leukaemia (C93.1)

Status of code: Deleted – [Third Edition](#)

M9894/3 Aleukaemic monocytic leukaemia (C93.7)

Status of code: Deleted – [Third Edition](#)

M9895/3 Acute myeloid leukaemia with myelodysplasia-related changes

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M9895/3 Acute myeloid leukaemia with multilineage dysplasia

ICD-10-AM Eighth Edition:

M9895/3 Acute myeloid leukaemia with myelodysplasia-related changes

M9896/3 Acute myeloid leukaemia t(8;21) (q22;q22)

Status of code: Created – [Third Edition](#)

M9898/1 Transient abnormal myelopoiesis

Status of code: Created – [Eighth Edition](#)

M9898/3 Myeloid leukaemia associated with Down Syndrome

Status of code: Created – [Eighth Edition](#)

M9897/3 Acute myeloid leukaemia, 11q23 abnormalities

Status of code: Created – [Third Edition](#)

M9900/3 Mast cell leukaemia (C94.3)

Status of code: Deleted – [Third Edition](#)

M9911/3 Acute myeloid leukaemia [megakaryoblastic] with t(1;22)(p13;q13); RBM15-MKL1

Status of code: Created – [Eighth Edition](#)

ICD-10-AM Eighth Edition:

M9911/3 Acute myeloid leukaemia (megakaryoblastic) with t(1;22)(p13;q13); RBM15-MKL1

ICD-10-AM Twelfth Edition:

M9911/3 Acute myeloid leukaemia [megakaryoblastic] with t(1;22)(p13;q13); RBM15-MKL1

M9912/3 Acute myeloid leukaemia with BCR-ABL1

Status of code: Created – [Twelfth Edition](#)

M9920/3 Therapy-related myeloid neoplasm

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M9920/3 Therapy-related acute myeloid leukaemia NOS

ICD-10-AM Eighth Edition:

M9920/3 Therapy-related myeloid neoplasm

M9931/3 Acute panmyelosis with myelofibrosis

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:

M9931/3 Acute panmyelosis (C94.4)

ICD-10-AM Third Edition:

M9931/3 Acute panmyelosis with myelofibrosis

M9932/3 Acute myelofibrosis (C94.5)

Status of code: Deleted – [Third Edition](#)

M994 Other leukaemias

Status of block: Created – [Third Edition](#)

M9941/3 Leukaemic reticuloendotheliosis (C91.4)

Status of code: Deleted – [Third Edition](#)

M9945/3 Chronic myelomonocytic leukaemia NOS

Status of code: Created – [Third Edition](#)

M9946/3 Juvenile myelomonocytic leukaemia

Status of code: Created – [Third Edition](#)

M9948/3 Aggressive NK-cell leukaemia

Status of code: Created – [Third Edition](#)

M995–M996 Myeloproliferative neoplasms

Status of block title: Revised – [Third Edition](#)

Status of block title: Revised – [Twelfth Edition](#)

ICD-10-AM Second Edition:

M995-M996 Miscellaneous myeloproliferative and lymphoproliferative disorders

ICD-10-AM Third Edition:

M995-M996 Chronic myeloproliferative disorders

ICD-10-AM Twelfth Edition:

M995-M996 Myeloproliferative neoplasms

M9950/1 Polycythaemia vera (D45)

Status of code: Deleted – [Third Edition](#)

M9950/3 Polycythaemia vera

Status of code: Created – [Third Edition](#)

M9960/1 Chronic myeloproliferative disease (D47.1)

Status of code: Deleted – [Third Edition](#)

M9960/3 Myeloproliferative neoplasm NOS

Status of code: Created – [Third Edition](#)

Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M9960/3 Chronic myeloproliferative disease NOS

ICD-10-AM Eighth Edition:

M9960/3 Myeloproliferative neoplasm NOS

M9961/1 Myelosclerosis with myeloid metaplasia (D47.1)

Status of code: Deleted – [Third Edition](#)

M9961/3 Primary myelofibrosis

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M9961/3 Myelosclerosis with myeloid metaplasia

ICD-10-AM Eighth Edition:

M9960/3 Primary myelofibrosis

M9962/1 Idiopathic thrombocythaemia (D47.3)

Status of code: Deleted – [Third Edition](#)

M9962/3 Essential thrombocythaemia

Status of code: Created – [Third Edition](#)

M9963/3 Chronic neutrophilic leukaemia

Status of code: Created – [Third Edition](#)

M9964/3 Chronic eosinophilic leukaemia NOS

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Eighth Edition](#)

ICD-10-AM Third Edition:

M9964/3 Hypereosinophilic syndrome

ICD-10-AM Eighth Edition:

M9964/3 Chronic eosinophilic leukaemia NOS

M9965/3 Myeloid and lymphoid neoplasms with PDGFRA rearrangement

Status of code: Created – [Eighth Edition](#)

M9966/3 Myeloid neoplasms with PDGFRB rearrangement

Status of code: Created – [Eighth Edition](#)

M9967/3 Myeloid and lymphoid neoplasms with FGFR1 abnormalities

Status of code: Created – [Eighth Edition](#)

M9968/3 Myeloid and lymphoid neoplasm with PCM1-JAK2

Status of code: Created – [Twelfth Edition](#)

M997 Other haematologic neoplasms

Status of block: Created – [Third Edition](#)
Status of block title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M997 Other haematologic disorders

ICD-10-AM Twelfth Edition:
M997 Other haematologic neoplasms

M9970/1 Lymphoproliferative disorder NOS

Status of code title: Revised – [Third Edition](#)

ICD-10-AM Second Edition:
M9970/1 Lymphoproliferative disease NOS (D47.9)

ICD-10-AM Third Edition:
M9970/1 Lymphoproliferative disorder NOS

M9971/1 Post transplant lymphoproliferative disorder

Status of code: Created – [Eighth Edition](#)

M9971/3 Polymorphic post transplant lymphoproliferative disorder

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M9975/1 Myeloproliferative disease NOS

Status of code: Created – [Third Edition](#)
Status of code: Deleted – [Eighth Edition](#)

M9975/3 Myeloproliferative neoplasm, unclassifiable

Status of code: Created – [Eighth Edition](#)

M998–M999 Myelodysplastic syndromes

Status of block title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M998 Myelodysplastic syndromes

ICD-10-AM Twelfth Edition:
M998-M999 Myelodysplastic syndromes

M9980/1 Refractory anaemia NOS (D46.4)

Status of code: Deleted – [Third Edition](#)

M9980/3 Myelodysplastic syndrome with single lineage dysplasia

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M9980/3 Refractory anaemia

ICD-10-AM Twelfth Edition:
M9980/3 Myelodysplastic syndrome with single lineage dysplasia

M9981/1 Refractory anaemia without sideroblasts (D46.0)

Status of code: Deleted – [Third Edition](#)

M9982/1 Refractory anaemia with sideroblasts (D46.1)

Status of code: Deleted – [Third Edition](#)

M9982/3 Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M9982/3 Refractory anaemia with sideroblasts

ICD-10-AM Twelfth Edition:
M9982/3 Myelodysplastic syndrome with ring sideroblasts and single lineage dysplasia

M9983/1 Refractory anaemia with excess of blasts (D46.2)

Status of code: Deleted – [Third Edition](#)

M9983/3 Myelodysplastic syndrome with excess of blasts

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:
M9983/3 Refractory anaemia with excess of blasts

ICD-10-AM Twelfth Edition:
M9983/3 Myelodysplastic syndrome with excess of blasts

M9984/1 Refractory anaemia with excess of blasts with transformation (D46.3)

Status of code: Deleted – [Third Edition](#)

M9984/3 Refractory anaemia with excess blasts in transformation

Status of code: Created – [Third Edition](#)

M9985/3 Myelodysplastic syndrome with multilineage dysplasia

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9985/3 Refractory cytopenia with multilineage dysplasia

ICD-10-AM Twelfth Edition:

M9985/3 Myelodysplastic syndrome with multilineage dysplasia

M9986/3 Myelodysplastic syndrome with isolated del (5q)

Status of code: Created – [Third Edition](#)
Status of code title: Revised – [Twelfth Edition](#)

ICD-10-AM Eleventh Edition:

M9986/3 Myelodysplastic syndrome with 5q deletion syndrome

ICD-10-AM Twelfth Edition:

M9986/3 Myelodysplastic syndrome with isolated del (5q)

M9987/3 Therapy-related myelodysplastic syndrome NOS

Status of code: Created – [Third Edition](#)

M9989/1 Myelodysplastic syndrome NOS (D46.9)

Status of code: Deleted – [Third Edition](#)

M9989/3 Myelodysplastic syndrome NOS

Status of code: Created – [Third Edition](#)

M9991/3 Refractory neutropenia

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M9992/3 Refractory thrombocytopenia

Status of code: Created – [Eighth Edition](#)
Status of code: Deleted – [Twelfth Edition](#)

M9993/3 Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia

Status of code: Created – [Twelfth Edition](#)

Chronicle of changes to ICD-10-AM Appendix A: Morphology of neoplasms

SECOND EDITION

Background:

Changes to the morphology codes were made for consistency with the International Classification of Diseases for Oncology, Second Edition (ICD-O-2).

Source of recommended change:

ICD-O-2

Oncology and Haematology CCCG

State and territory health authorities

Relevant Australian Coding Standard:

0233 *Morphology*

THIRD EDITION

Background:

Changes to the morphology codes were made for consistency with the International Classification of Diseases for Oncology, Third Edition (ICD-O-3). At the request of state and territory health authorities, new Australian codes were incorporated to reflect changes in behaviour for the morphology codes.

Source of recommended change:

ICD-O-3

Oncology and Haematology CCCG

State and territory health authorities

Relevant Australian Coding Standard:

0233 *Morphology*

FOURTH EDITION

Background:

At the request of the state and territory health authorities, new Australian codes were incorporated to reflect changes in behaviour for the morphology codes.

Source of recommended change:

Oncology and Haematology CCCG

State and territory health authorities

Relevant Australian Coding Standard:

0233 *Morphology*

FIFTH EDITION:

Background:

A minor amendment was made to M9370/0 *Chordoma, benign* following identification of the omission of the term *benign* from the title.

Source of recommended change:

Oncology and Haematology CCCG

State and territory health authorities

Relevant Australian Coding Standard:

0233 *Morphology*

SEVENTH EDITION

Background:

M8480/6 *Mucinous adenocarcinoma, metastatic [Pseudomyxoma peritonei]* was amended for consistency with official changes made to ICD-10 by the Update Reference Committee (URC), Heads of Collaborating Centres.

Source of recommended change:

WHO Update Reference Committee (URC) 2007
NCCH

Relevant Australian Coding Standard:

Not applicable

EIGHTH EDITION

Background:

The jurisdictions and 3M have, over the years, made ad hoc requests for the inclusion of certain morphology codes to reflect changes in behaviour that were not listed in the ECL but which are in line with coding convention which states – “the behaviour code should be changed if the other reported information makes this appropriate.” To this end the NCCC undertook to review the ICD-10-AM Tabular List - Appendix A: *Morphology of neoplasms*, in conjunction with the Australasian Association of Cancer Registries (AACR) Coding and Reporting Committee.

A query received highlighted the fact that there was an index entry for Myelodysplastic and myeloproliferative disease NOS (C94.6) in ICD-10-AM with no corresponding morphology code. As a result of a task (TN375), “NEC” is to be added at index entry “Carcinoma in situ, non-small cell” for consistency.

The following changes were incorporated into ICD-10-AM Eighth Edition:

- Added the clinically valid morphologies approved by the AACR Coding and Reporting Committee to Appendix A: *Morphology of neoplasms table*
- Added morphology code ‘M9989/3’ at index entry “Disease, myelodysplastic and myeloproliferative NEC”
- Added ‘NEC’ at index entry “Carcinoma in situ, non-small cell”
- Corrected the following incidental findings:
 - deleted incorrect index entry “cystic, partially differentiated (M8959/1) C64” under *Neuroblastoma* and insert this index entry under *Nephroblastoma*
 - amend see reference against index entry “Chemodectoma – see Paraganglioma, nonchromaffin” to “– see Paraganglioma, extra-adrenal”
 - remove “Leydig cell” under index entry “Carcinoma” and add “tumour” to index entry at “Leydig cell”
 - remove “incompletely differentiated” and “mixed” as NEMs at index entry “Tumour, sex cord” and add as sub entries with appropriate morphology codes. Replace default morphology code M8959/1 with M8590/0
 - Inactivate M8244/1 – “Composite carcinoid, uncertain whether benign or malignant” based on clinical advice received
- Refine index entries to clarify code assignment and reduce duplication where possible.
- Correct abbreviations in Appendix A: *Morphology of Neoplasms* for the following morphology codes to:
 - M8072/1 – “Squam cell tum, lrg cell, nonkerat, ub/m”
 - M9684/3 – “Lymph, lrg B-cl, dfs, immunoblastic NOS”
 - M9718/3 – “Prim cutan CD30+ T-cl lymphrol disrd”.

Source of recommended change:

Australasian Association of Cancer Registries (AACR)
NCCC (TN161 and TN391)

Relevant Australian Coding Standard:

Not applicable

NINTH EDITION

Background:

During the Eighth Edition proof reading, a number of issues were identified with Appendix A – *Morphology of Neoplasms*. Many of the titles included “Malignant” where it was inappropriate and some of the codes overlapped or didn’t provide detail re behaviour. Following clinical confirmation, codes were revised and three morphology codes were removed:

The term *malignant* was deleted from the following codes:

- M8000/2 Neoplasm, in situ
- M8002/1 Tumour, small cell type, uncertain whether benign or malignant
- M8002/2 Tumour, small cell type, in situ
- M8003/1 Tumour, giant cell type, uncertain whether benign or malignant
- M8003/2 Tumour, giant cell type, in situ
- M8004/0 Tumour, spindle cell type, benign
- M8004/1 Tumour, spindle cell type, uncertain whether benign or malignant
- M8005/0 Clear cell tumour NOS Tumour, clear cell type, benign
- M8005/1 Tumour, clear cell type, uncertain whether benign or malignant
- M8005/2 Tumour, clear cell type, in situ

The following codes were deleted:

- M8032/0 Spindle cell tumour, benign
- M8032/1 Spindle cell tumour NOS, uncertain whether benign or malignant
- M8004/2 Malignant tumour, spindle cell type, in situ

Source of recommended change:

ACCD (TN471)

Relevant Australian Coding Standard:

Not applicable

ELEVENTH EDITION

Background:

- Following receipt of public submissions and coding queries, a review was performed on neoplasm and morphology codes. Amendments included rewording of the *Glossary description/definition* at ICD-10-AM Tabular List Appendix A.
- M8246/0 *Neuroendocrine tumour, benign* (Australian code) was created for consistency with WHO ICD-10 Alphabetic Index addition:
Tumour/neuroendocrine/benign.

Source of recommended change:

ACCD (TN1342)

WHO Update Reference Committee

Relevant Australian Coding Standard:

N/A

TWELFTH EDITION

Background:

The International Agency for Research on Cancer/World Health Organization (IARC/WHO) International Classification of Diseases for Oncology (ICD-O) Committee updated ICD-O-3.1 with new morphology codes and terms from the 4th series of WHO Classification of Tumours. The new version, ICD-O-3.2, was available for use from 2020.

Amendments were made to ICD-10-AM Tabular List and Appendix A *Morphology of neoplasms* for consistency with ICD-O-3.2.

Additionally, where a morphology code has been created in ICD-O-3.2 with a behaviour code /3 *malignant, primary site*, ICD-10-AM morphology codes for /6 *malignant metastatic site* and /9 *malignant, uncertain whether primary or metastatic* have also been created, for consistency with previous editions of ICD-10-AM.

Source of recommended change:

IHACPA (TN1503)
ICD-O-3.2

Relevant Australian Coding Standard:

N/A

M9766/1 Angiocentric immunoproliferative lesion, uncertain whether benign or malignant

EIGHTH EDITION:

Background:

As part of the WHO 2008 leukaemia/lymphoma updates to Seventh Edition, *lymphoid/lymphomatoid granulomatosis* was reclassified from D47.7 *Other specified neoplasm of uncertain or unknown behaviour* to C83.8 *Other non-follicular lymphoma*. Following clinical advice, the morphology code was reclassified from M9766/1 *Angiocentric immunoproliferative lesion* to M9766/3 *Angiocentric immunoproliferative lesion*.

There is no extension of /3 for M9766 in the *International Classification of Diseases for Oncology, 3rd Edition* (ICD-O-3) or in ICD-O-2. The WHO process to revise the classification of lymphoid/lymphomatoid granulomatosis in ICD-10 is undertaken independent of the ICD-O process. In late 2004 it was confirmed by the Australasian Association of Cancer Registries (AACR) that *lymphoid/lymphomatoid granulomatosis* requires a behaviour code of /3. The World Health Organization's (WHO) International Agency for Research on Cancer (IARC) has not confirmed that decision.

While the above change was affected in the ICD-10-AM Alphabetic Index, M9766/3 was not included in the Seventh Edition *Morphology of Neoplasms* list in Appendix A of the ICD-10-AM Tabular List. As a result, this code was not included in the Electronic Code List (ECL) and created an error when assigned. NCCC advised the states to amend their ECL to accept M9766/3 for the remainder of the Seventh Edition cycle. M9766/1 was deleted and M9766/3 was created.

Source of recommended change:

Coding Q&A (October 2010)
NCCC (TN160)

Relevant Australian Coding Standard:

Not applicable

M9766/3 Angiocentric immunoproliferative lesion, malignant

EIGHTH EDITION:

Background:

As part of the WHO 2008 leukaemia/lymphoma updates to Seventh Edition, *lymphoid/lymphomatoid granulomatosis* was reclassified from D47.7 *Other specified neoplasm of uncertain or unknown behaviour* to C83.8 *Other non-follicular lymphoma*. Following clinical advice, the morphology code was reclassified from M9766/1 *Angiocentric immunoproliferative lesion* to M9766/3 *Angiocentric immunoproliferative lesion*.

There is no extension of /3 for M9766 in the *International Classification of Diseases for Oncology, 3rd Edition* (ICD-O-3) or in ICD-O-2. The WHO process to revise the classification of lymphoid/lymphomatoid granulomatosis in ICD-10 is undertaken independent of the ICD-O process. In late 2004 it was confirmed by the Australasian Association of Cancer Registries (AACR) that *lymphoid/lymphomatoid granulomatosis* requires a behaviour code of /3. The World Health Organization's (WHO) International Agency for Research on Cancer (IARC) has not confirmed that decision.

While the above change was affected in the ICD-10-AM Alphabetic Index, M9766/3 was not included in the Seventh Edition *Morphology of Neoplasms* list in Appendix A of the ICD-10-AM Tabular List. As a result, this code was not included in the Electronic Code List (ECL) and created an error when assigned. NCCC advised the states to amend their ECL to accept M9766/3 for the remainder of the Seventh Edition cycle. M9766/1 was deleted and M9766/3 was created.

Source of recommended change:

Coding Q&A (October 2010)
NCCC (TN160)

Relevant Australian Coding Standard:

Not applicable



Independent Health and Aged Care Pricing Authority

Eora Nation, Level 12, 1 Oxford Street
Sydney NSW 2000

Phone 02 8215 1100

Email enquiries.ihacpa@ihacpa.gov.au

Twitter [@IHACPA](https://twitter.com/IHACPA)

www.ihacpa.gov.au

