



IHACPA

Australian Mental Health Care Classification

**Grouper Application Version 1.1.2
User Guide**

Date May 2025

Australian Mental Health Care Classification – Grouper Application Version 1.1.2 — May 2025

© Independent Health and Aged Care Pricing Authority 2025

This publication is available for your use under a Creative Commons Attribution 4.0 International licence, with the exception of the Independent Health and Aged Care Pricing Authority logo, photographs, images, signatures and where otherwise stated. The full licence terms are available from the Creative Commons website.



Use of Independent Health and Aged Care Pricing Authority material under a Creative Commons Attribution 4.0 International licence requires you to attribute the work (but not in any way that suggests that the Independent Health and Aged Care Pricing Authority endorses you or your use of the work).

Independent Health and Aged Care Pricing Authority material used 'as supplied'.

Provided you have not modified or transformed Independent Health and Aged Care Pricing Authority material in any way including, for example, by changing Independent Health and Aged Care Pricing Authority text – then the Independent Health and Aged Care Pricing Authority prefers the following attribution:

Source: The Independent Health and Aged Care Pricing Authority

Contents

Contents.....	3
Introduction	4
Input data specification	4
Input CSV	5
Setting (METEOR 747301)	5
Assessment Only (METEOR 745689).....	5
Age Group	6
Mental Health Phase of Care (METEOR 744325).....	6
Mental Health Legal Status (METEOR 727343).....	6
HoNOSCA, HoNOS and HoNOS65+ clinical instruments	6
HoNOS (METEOR 717795/748292)/HoNOS65+ (METEOR 730844/748290)/HoNOSCA (METEOR 740032/748288) valid values.....	8
LSP-16	9
LSP-16 valid values (METEOR 751910).....	9
Output data specifications	10
How to run the grouper	11
Appendix 1: List of AMHCC Version 1.1 end class codes and descriptions	15

Introduction

The Australian Mental Health Care Classification (AMHCC) grouper application Version 1.1.2 (V1.1.2) has been developed by the Independent Health and Aged Care Pricing Authority (IHACPA) to assist state and territory health departments and hospitals to group hospital mental health care data to the AMHCC Version 1.1 (V1.1) classification system.

This user guide provides details of the AMHCC grouper application, including the input and output data specifications, and a step-by-step guide to how data is grouped to its end class.

This application provides the ability to group comma separated values (CSV) files interactively. The grouping results are output as a CSV file and can also be viewed in the application.

Appendix 1 lists the AMHCC V1.1 end class codes and descriptions. This list can be used to label the grouper output values.

Input data specification

The input file for the grouper application is required to be in CSV (that is, comma delimited) format.

It is expected that the input CSV file contains records at the level of Mental Health Phase of Care (MHPoC). The AMHCC V1.1 end class of each record is determined by values recorded across 58 input fields:

- Setting,
- Assessment Only Indicator,
- Age Group,
- Mental Health Phase of Care (MHPoC),
- Mental Health Legal Status (MHLS),
- Health of the Nation Outcome Scale Child and Adolescent (HoNOSCA) array (13 fields),
- Health of the Nation Outcome Scale (HoNOS) array (12 fields),
- Health of the Nation Outcome Scale 65+ (HoNOS65+) array (12 fields), and
- Life Skills Profile (LSP-16) array (16 fields).

A phase identifier field (ID) is also included for intended use as a unique record identifier, making a total of 59 input fields required by the grouper. However, this variable is not used in the grouping process.

The ordering of these fields in the input CSV file is crucial to the accurate grouping of records by the application. All fields must be included in the input CSV file. Records with missing or invalid

field values are allowed but may lead to the record being grouped to an “unknown” type or “ungroupable” end class (see Output data specifications for further details).

Input CSV

The required field ordering of the input CSV file is:

Field Name	Field Number
ID	1
Setting	2
Assessment Only	3
Age Group	4
Phase	5
MHLS	6
HoNOSCA array	7-19
HoNOS array	20-31
HoNOS 65+ array	32-43
LSP-16 array	44-59

The application groups all records of the CSV file from row 1. Specifically, no header row is expected. However, if a header row is present, the application will still group all records, including the header row which will receive an error (such as, ungroupable) AMHCC end class.

The following tables specify valid values for the input fields. Any non-conforming field values are treated as invalid/missing and may lead to the record being grouped to an “unknown” type or “ungroupable” end class (see Output data specifications for further details).

Setting (METEOR 747301)

The valid values for the Setting field are:

Value	Description
1	Admitted
3	Community

Assessment Only (METEOR 745689)

The valid values for the Assessment Only field are:

Value	Description
1	Yes
2	No
9	Not reported/Unknown

Age Group

The valid values for the Age Group field are:

Value	Description
1	0-17 years
2	18-64 years
3	65+ years

Mental Health Phase of Care (METEOR 744325)

The valid values for the MHPoC field are:

Value	Description
1	Acute
2	Functional Gain
3	Intensive Extended
4	Consolidating Gain
7	Not Applicable
9	Not stated/inadequately described

Mental Health Legal Status (METEOR 727343)

The valid values for the MHLS field are:

Value	Description
1	Involuntary
2	Voluntary
9	Not reported/Unknown

HoNOSCA, HoNOS and HoNOS65+ clinical instruments

The HoNOSCA, HoNOS and HoNOS65+ arrays consist of 13, 12 and 12 individual fields, respectively. The use of these arrays in the grouping process is determined by the Age Group of the record, with HoNOSCA used for Age Group 1, HoNOS used for Age Group 2, and HoNOS65+ used for Age Group 3.

Note: The Australian Institute of Health and Wellbeing (AIHW) updated HoNOSCA/HoNOS/HoNOS65+ related metadata values in METEOR for implementation from 1 July 2023. This update split the Unknown (8) value into a Not stated/missing (7) value and an Unable to rate because not known or not applicable to the consumer (9) value. The AMHCC grouper application V1.1.2 utilises both new and old versions of the metadata items in grouping calculations dependent on data capture date. Both METEOR IDs of the HoNOSCA/HoNOS/HoNOS65+ metadata items (pre/post 1 July 2023) are included in the HoNOSCA/HoNOS/HoNOS65+ valid values section.

The fields in the arrays correspond to items (such as, questions) within the HoNOSCA, HoNOS and HoNOS65+ clinical instruments (such as, questionnaires). The descriptions of these items are:

Item/Question	HoNOS/HoNOS65+ Description	HoNOSCA Description
Item 1	Overactivity, aggression, agitation	Disruptive, antisocial or aggressive behaviour
Item 2	Non-accidental self-injury	Over-activity, attention or concentration
Item 3	Problem drinking or drug-taking	Non-accidental self-injury
Item 4	Cognitive problems	Alcohol, substance/solvent misuse
Item 5	Physical illness or disability problems	Scholastic or language skills
Item 6	Hallucinations/delusions	Physical illness or disability problems
Item 7	Problems with depressed mood	Hallucinations/delusions
Item 8	Other mental and behavioural problem	Non-organic somatic symptoms
Item 9	Problems with relationships	Emotional and related symptoms
Item 10	Problems with activities of daily living	Peer relationships
Item 11	Problems with living conditions	Self-care and independence
Item 12	Problems with occupation and activities	Family life and relationships
Item 13	N/A	Poor school attendance

HoNOS (METEOR 717795)/HoNOS65+ (METEOR 730844)/HoNOSCA (METEOR 740032) – before 1 July 2023

The values for the HoNOS/HoNOS65+/HoNOSCA field are:

Value	Description
0	No problem
1	Minor problem
2	Mild problem
3	Moderate problem
4	Severe/very severe problem
8	Unknown

HoNOS (METEOR 748292)/HoNOS65+ (METEOR 748290)/HoNOSCA (METEOR 748292) – from 1 July 2023 onwards

The values for the HoNOS/HoNOS65+/HoNOSCA field are:

Value	Description
0	No problem
1	Minor problem
2	Mild problem
3	Moderate problem
4	Severe/very severe problem
7	Not stated/Missing
9	Unable to rate because not known or not applicable to consumer

Note: The AMHCC V1.1 grouper V1.1.2 only recognises scores of 0,1,2,3,4 as 'valid' for the purpose of calculation in the complexity model as displayed in the table below.

HoNOS (METEOR 717795/748292)/HoNOS65+ (METEOR 730844/748290)/HoNOSCA (METEOR 740032/748288) valid values

The valid values for all fields in the HoNOS/HoNOS65+/HoNOSCA array are:

Value	Description
0	No problem
1	Minor problem
2	Mild problem
3	Moderate problem
4	Severe/very severe problem

LSP-16

LSP-16 array consists of 16 fields, corresponding to the 16 items in the LSP clinical instrument. The descriptions of these items are:

Item/Question	LSP Description
Item 1	Conversation
Item 2	Social contact
Item 3	Warmth to others
Item 4	Grooming
Item 5	Cleanliness of clothing
Item 6	Neglect physical health
Item 7	Violent
Item 8	Friendships
Item 9	Adequate diet
Item 10	Looks after own prescribed medication without reminding
Item 11	Willing to take prescribed medication
Item 12	Cooperation with health services
Item 13	Problems with others
Item 14	Offensive behaviour
Item 15	Irresponsible behaviour
Item 16	Work capability

LSP-16 valid values (METEOR 751910)

The valid values for all fields in the LSP-16 array are:

Value	Description
0	No difficulty
1	Slight difficulty
2	Moderate difficulty
3	Extreme difficulty

Output data specifications

The name of the output comma separated values (CSV) file is the name of the input CSV file with “_grouped” appended. For example, if the input CSV file is named “MHC_Phase_Data.csv”, then the output file will be named “MHC_Phase_Data_grouped.csv”.

If a file with the same name as the output file already exists in the output location, then the existing file will be overwritten with the new output file. However, if there is a lock on the existing file (for example, the file is open), then no file will be output by the application.


The output CSV file contains a copy of the input CSV file, together with an Australian Mental Health Care Classification (AMHCC) Version 1.1 (V1.1) end class field. This field is appended to the end of the 59 input fields, as field number 60.

The potential values taken by the AMHCC V1.1 end class output field are listed in **Appendix 1**. All input records receive an AMHCC end class value. Input records with valid Setting and Age Group receive a non-error AMHCC V1.1 end class code; records with invalid or missing Setting or Age Group are assigned the “ungroupable” error end class code 999Z, Ungroupable (Missing Setting and/or Age Group).

How to run the grouper


1. Open AMHCCV1_1_2.exe. Click the “Select input file” button to select the input file to be grouped.

Figure 1. Select input file



- Specify the input CSV file. Click “Open” to select it.

Figure 2. Open input file



- Figure 3. Select output folder






Figure 4. Submit file



- ### Figure 5. Progress Bar



- ### Figure 6. Grouper output preview



- ### Figure 7. Grouper output

IHACPA AMHCC – Grouper Application Version 1.1.2 User Guide

Appendix 1: List of AMHCC

Version 1.1 end class codes and descriptions

The below table includes a list of AMHCC V1.1 end classes and their corresponding descriptions.

Table 1. AMHCC V1.1 end class codes and labels

Code	Label
101Z	Admitted, Assessment Only, 0-17 years
102Z	Admitted, Assessment Only, 18-64 years
103Z	Admitted, Assessment Only, 65+ years
111A	Admitted, Acute, 0-17 years, High HoNOS Complexity
111B	Admitted, Acute, 0-17 years, Moderate HoNOS Complexity
111Z	Admitted, Acute, 0-17 years, Unknown HoNOS
1121A	Admitted, Acute, 18-64 years, Involuntary, High HoNOS Complexity
1121B	Admitted, Acute, 18-64 years, Involuntary, Moderate HoNOS Complexity
1121Z	Admitted, Acute, 18-64 years, Involuntary, Unknown HoNOS
1122A	Admitted, Acute, 18-64 years, Voluntary, High HoNOS Complexity
1122B	Admitted, Acute, 18-64 years, Voluntary, Moderate HoNOS Complexity
1122Z	Admitted, Acute, 18-64 years, Voluntary, Unknown HoNOS
113A	Admitted, Acute, 65+ years, High HoNOS Complexity
113B	Admitted, Acute, 65+ years, Moderate HoNOS Complexity
113Z	Admitted, Acute, 65+ years, Unknown HoNOS
121A	Admitted, Functional Gain, 0-17 years, High HoNOS Complexity
121B	Admitted, Functional Gain, 0-17 years, Moderate HoNOS Complexity
121Z	Admitted, Functional Gain, 0-17 years, Unknown HoNOS
122A	Admitted, Functional Gain, 18-64 years, High HoNOS Complexity
122B	Admitted, Functional Gain, 18-64 years, Moderate HoNOS Complexity
122Z	Admitted, Functional Gain, 18-64 years, Unknown HoNOS
123A	Admitted, Functional Gain, 65+ years, High HoNOS Complexity
123B	Admitted, Functional Gain, 65+ years, Moderate HoNOS Complexity
123Z	Admitted, Functional Gain, 65+ years, Unknown HoNOS
131A	Admitted, Intensive Extended, 0-17 years, High HoNOS Complexity
131B	Admitted, Intensive Extended, 0-17 years, Moderate HoNOS Complexity
131Z	Admitted, Intensive Extended, 0-17 years, Unknown HoNOS

Code	Label
132A	Admitted, Intensive Extended, 18-64 years, High HoNOS Complexity
132B	Admitted, Intensive Extended, 18-64 years, Moderate HoNOS Complexity
132Z	Admitted, Intensive Extended, 18-64 years, Unknown HoNOS
133A	Admitted, Intensive Extended, 65+ years, High HoNOS Complexity
133B	Admitted, Intensive Extended, 65+ years, Moderate HoNOS Complexity
133Z	Admitted, Intensive Extended, 65+ years, Unknown HoNOS
141Z	Admitted, Consolidating Gain, 0-17 years
142A	Admitted, Consolidating Gain, 18-64 years, High HoNOS Complexity
142B	Admitted, Consolidating Gain, 18-64 years, Moderate HoNOS Complexity
142Z	Admitted, Consolidating Gain, 18-64 years, Unknown HoNOS
143A	Admitted, Consolidating Gain, 65+ years, High HoNOS Complexity
143B	Admitted, Consolidating Gain, 65+ years, Moderate HoNOS Complexity
143Z	Admitted, Consolidating Gain, 65+ years, Unknown HoNOS
191Z	Admitted, Unknown Phase, 0-17 years
192Z	Admitted, Unknown Phase, 18-64 years
193Z	Admitted, Unknown Phase, 65+ years
201Z	Community, Assessment Only, 0-17 years
202Z	Community, Assessment Only, 18-64 years
203Z	Community, Assessment Only, 65+ years
211A	Community, Acute, 0-17 years, High HoNOS Complexity
211B	Community, Acute, 0-17 years, Moderate HoNOS Complexity
211Z	Community, Acute, 0-17 years, Unknown HoNOS
212A	Community, Acute, 18-64 years, High HoNOS Complexity
212B1	Community, Acute, 18-64 years, Moderate HoNOS Complexity with High LSP Complexity
212B2	Community, Acute, 18-64 years, Moderate HoNOS Complexity with Moderate LSP Complexity
212Z	Community, Acute, 18-64 years, Unknown HoNOS
213A	Community, Acute, 65+ years, High HoNOS Complexity
213B	Community, Acute, 65+ years, Moderate HoNOS Complexity
213Z	Community, Acute, 65+ years, Unknown HoNOS
221A	Community, Functional Gain, 0-17 years, High HoNOS Complexity
221B	Community, Functional Gain, 0-17 years, Moderate HoNOS Complexity
221Z	Community, Functional Gain, 0-17 years, Unknown HoNOS
222A	Community, Functional Gain, 18-64 years, High HoNOS Complexity
222B1	Community, Functional Gain, 18-64 years, Moderate HoNOS Complexity with High LSP Complexity
222B2	Community, Functional Gain, 18-64 years, Moderate HoNOS Complexity with Moderate LSP Complexity
222Z	Community, Functional Gain, 18-64 years, Unknown HoNOS
223A	Community, Functional Gain, 65+ years, High HoNOS Complexity
223B	Community, Functional Gain, 65+ years, Moderate HoNOS Complexity
223Z	Community, Functional Gain, 65+ years, Unknown HoNOS
231A	Community, Intensive Extended, 0-17 years, High HoNOS Complexity
231B	Community, Intensive Extended, 0-17 years, Moderate HoNOS Complexity

Code	Label
231Z	Community, Intensive Extended, 0-17 years, Unknown HoNOS
232A	Community, Intensive Extended, 18-64 years, High HoNOS Complexity
232B1	Community, Intensive Extended, 18-64 years, Moderate HoNOS Complexity with High LSP Complexity
232B2	Community, Intensive Extended, 18-64 years, Moderate HoNOS Complexity with Moderate LSP Complexity
232Z	Community, Intensive Extended, 18-64 years, Unknown HoNOS
233A	Community, Intensive Extended, 65+ years, High HoNOS Complexity
233B	Community, Intensive Extended, 65+ years, Moderate HoNOS Complexity
233Z	Community, Intensive Extended, 65+ years, Unknown HoNOS
241A	Community, Consolidating Gain, 0-17 years, High HoNOS Complexity
241B	Community, Consolidating Gain, 0-17 years, Moderate HoNOS Complexity
241Z	Community, Consolidating Gain, 0-17 years, Unknown HoNOS
242A	Community, Consolidating Gain, 18-64 years, High HoNOS Complexity
242B1	Community, Consolidating Gain, 18-64 years, Moderate HoNOS Complexity with High LSP Complexity
242B2	Community, Consolidating Gain, 18-64 years, Moderate HoNOS Complexity with Moderate LSP Complexity
242Z	Community, Consolidating Gain, 18-64 years, Unknown HoNOS
243A	Community, Consolidating Gain, 65+ years, High HoNOS Complexity
243B	Community, Consolidating Gain, 65+ years, Moderate HoNOS Complexity
243Z	Community, Consolidating Gain, 65+ years, Unknown HoNOS
291Z	Community, Unknown Phase, 0-17 years
292Z	Community, Unknown Phase, 18-64 years
293Z	Community, Unknown Phase, 65+ years
999Z	Ungroupable (Missing Setting and/or Age Group)



Independent Health and Aged Care Pricing Authority

Eora Nation, Level 12, 1 Oxford Street
Sydney NSW 2000

Phone 02 8215 1100

Email enquiries.ihacpa@ihacpa.gov.au

www.ihacpa.gov.au

